

Certificate of Analysis

Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi
 Newfield, NY 14867

(607) 382-3386
 Lic. #OCM-PROC-24-000031

Sample: 2602RLI0122-0547

Strain: Gorilla Glue #4
 Batch#: GOGL-001-CART3; Batch Size: 4836 units
 Sample Received: 02/03/2026; Report Created: 02/11/2026;

Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape
 Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:20am
 Sample Collection Site: Moby & Zeke
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:



Safety

| | | | |
|---------------------------|---------------------------|-------------------------------------|-------------------------------------|
| Pass Pesticides | Pass Microbials | Pass Mycotoxins | Not Tested Water Activity |
| Pass Solvents | Pass Metals | Not Tested Foreign Matter | Not Tested Moisture |

Cannabinoids

| | | |
|----------------------------|------------------------|-----------------------|
| 94.69% Total THC | ND Total CBD | NT Moisture |
|----------------------------|------------------------|-----------------------|

| Analyte | LOQ | Result | Result |
|---------------------------|------|--------------|---------------|
| | mg/g | % | mg/g |
| CBDVa | 0.2 | ND | ND |
| CBDV | 0.2 | ND | ND |
| CBDa | 0.2 | ND | ND |
| CBGa | 0.2 | ND | ND |
| CBG | 0.2 | ND | ND |
| CBD | 0.2 | ND | ND |
| THCV | 0.2 | ND | ND |
| THCVa | 0.2 | ND | ND |
| CBN | 0.2 | 1.87 | 18.7 |
| Δ9-THC | 0.2 | 94.69 | 946.9 |
| Δ8-THC | 0.2 | ND | ND |
| (6aR,9R)-d10-THC | 0.2 | ND | ND |
| (6aR,9S)-d10-THC | 0.2 | ND | ND |
| CBC | 0.2 | ND | ND |
| THCa | 0.2 | ND | ND |
| CBCa | 0.2 | ND | ND |
| Total Cannabinoids | | 96.56 | 965.56 |

Entered By: VJ, Instrument ID: AL2-002
 Method: MTHD-001, Date Tested: 02/04/2026 21:52
 Total theoretical THC % = (delta-9- THC%) + (THCA% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-00011




Amanda Thorning
 Laboratory Director


Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi
 Newfield, NY 14867

(607) 382-3386
 Lic. #OCM-PROC-24-000031

Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape
 Parent Lot:

Sample: 2602RLI0122-0547

Strain: Gorilla Glue #4
 Batch#: GOGL-001-CART3; Batch Size: 4836 units
 Sample Received: 02/03/2026; Report Created: 02/11/2026;

Sampling

Sample Collection Date/Time: 02/03/26 10:20am
 Sample Collection Site: Moby & Zeke
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Residual Solvents

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------------------------|-------|--------|--------|--------|
| | PPM | PPM | PPM | |
| 1,2-Dichloro-Ethane | 3.9 | 5.0 | ND | Pass |
| 2,2-Dimethyl-Butane | 31.3 | | ND | Tested |
| 2,3-Dimethyl-Butane | 31.3 | | ND | Tested |
| 2-Methyl-Pentane | 31.3 | | ND | Tested |
| 3-Methyl-Pentane | 31.3 | | ND | Tested |
| Acetone | 156.3 | 5000.0 | ND | Pass |
| Acetonitrile | 156.3 | 410.0 | ND | Pass |
| Benzene | 1.6 | 2.0 | ND | Pass |
| Chloroform | 1.6 | 60.0 | ND | Pass |
| Dimethyl Sulfoxide | 156.3 | 5000.0 | ND | Pass |
| Ethanol | 156.3 | 5000.0 | ND | Pass |
| Ethyl-Acetate | 156.3 | 5000.0 | ND | Pass |
| Ethyl-Ether | 156.3 | 5000.0 | ND | Pass |
| Isobutane | 78.1 | | ND | Tested |
| 2-Methyl-Butane | 52.1 | | ND | Tested |
| Isopropanol | 156.3 | 5000.0 | ND | Pass |
| m+p Xylene | 78.1 | 2170.0 | ND | Pass |
| Methanol | 156.3 | 3000.0 | ND | Pass |
| n-Butane | 78.1 | | ND | Tested |
| Neopentane | 52.1 | | ND | Tested |
| n-Hexane | 31.3 | | ND | Tested |
| n-Pentane | 52.1 | | ND | Tested |
| o-Xylene | 39.1 | | ND | Tested |
| Propane | 156.3 | 5000.0 | ND | Pass |
| Toluene | 156.3 | 890.0 | ND | Pass |
| Trichloroethane | 78.1 | 1500.0 | ND | Pass |
| 1,1,1,2-Tetrafluoro-Ethane | 156.3 | 1000.0 | ND | Pass |
| Butanes | | 5000.0 | ND | Pass |
| Hexanes | | 290.0 | ND | Pass |
| Pentanes | | 5000.0 | ND | Pass |
| Xylenes | | 2170.0 | ND | Pass |

Entered By: VJ, Instrument ID: AL1-001
 Method: MTHD-007, Date Tested: 02/04/2026 9:25
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported
 Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | 10000 | ND | Pass |
| Yeast & Mold | 10 | 1000 | ND | Pass |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012
 Aerobic Date Tested: 02/05/2026 15:32
 YM Date Tested: 02/06/2026 14:34 Sal/STEC/Asp Date Tested: 02/08/2026 11:39
 Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|----------|--------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 110.0000 | <LOQ | Pass |
| Nickel | 0.5000 | 2.0000 | 1.2894 | Pass |
| Copper | 1.0000 | 30.0000 | 1.2182 | Pass |
| Arsenic | 0.1000 | 0.2000 | ND | Pass |
| Cadmium | 0.1000 | 0.2000 | ND | Pass |
| Antimony | 0.5000 | 2.0000 | ND | Pass |
| Mercury | 0.0500 | 0.1000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | <LOQ | Pass |

Entered By: BW, Instrument ID: AL2-001
 Method: MTHD-006 Date Tested: 02/06/2026 13:03
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

| Analyte | LOQ | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxins | | 0.020 | ND | Pass |

Entered By: at, Instrument ID: AL1-003
 Method: MTHD-009 Date Tested: 02/07/2026 02:59

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-00011




Amanda Thorning
 Laboratory Director


Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



Certificate of Analysis

Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi
 Newfield, NY 14867

(607) 382-3386
 Lic. #OCM-PROC-24-000031

Sample: 2602RLI0122-0547

Strain: Gorilla Glue #4
 Batch#: GOGL-001-CART3; Batch Size: 4836 units
 Sample Received: 02/03/2026; Report Created: 02/11/2026;

Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape
 Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:20am
 Sample Collection Site: Moby & Zeke
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

| Analyte | LOQ | Result | Result |
|------------------------|--------|--------|--------|
| | % | % | mg/g |
| β -Caryophyllene | 0.0125 | 0.85 | 8.50 |
| Limonene | 0.0125 | 0.31 | 3.06 |
| β -Pinene | 0.0125 | 0.25 | 2.55 |
| β -Myrcene | 0.0125 | 0.25 | 2.49 |
| α -Humulene | 0.0125 | 0.15 | 1.50 |
| α -Bisabolol | 0.0125 | 0.12 | 1.15 |
| Linalool | 0.0125 | 0.06 | 0.63 |
| α -Pinene | 0.0125 | 0.04 | 0.36 |
| Fenchol | 0.0125 | 0.03 | 0.30 |
| α -Phellandrene | 0.0125 | ND | ND |
| α -Terpinene | 0.0125 | ND | ND |
| Camphene | 0.0125 | <LOQ | <LOQ |
| Caryophyllene Oxide | 0.0125 | ND | ND |
| Farnesene | 0.0125 | ND | ND |
| Geraniol | 0.0125 | ND | ND |
| Guaiol | 0.0125 | ND | ND |
| Ocimene | 0.0125 | ND | ND |
| Terpineol | 0.0125 | ND | ND |
| Terpinolene | 0.0125 | ND | ND |
| Valencene | 0.0125 | ND | ND |



2.0553%
 Total Terpenes

Entered By: VJ, Instrument ID: AL1-001
 Method: MTHD-005, Date Tested: 02/07/2026 4:36

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-00011




 Amanda Thorning
 Laboratory Director


 Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
4 of 7

Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi
Newfield, NY 14867

(607) 382-3386
Lic. #OCM-PROC-24-000031

Sample: 2602RLI0122-0547

Strain: Gorilla Glue #4
Batch#: GOGL-001-CART3; Batch Size: 4836 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:20am
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.05 | 0.50 | ND | Pass |
| Acephate | 0.05 | 0.40 | ND | Pass |
| Acequinocyl | 0.05 | 2.00 | ND | Pass |
| Acetamiprid | 0.05 | 0.20 | ND | Pass |
| Aldicarb | 0.05 | 0.40 | ND | Pass |
| Avermectin-B1a | | | ND | Tested |
| Avermectin-B1b | | | ND | Tested |
| Azadirachtin | 0.25 | 1.00 | ND | Pass |
| Azoxystrobin | 0.05 | 0.20 | ND | Pass |
| Bifenazate | 0.05 | 0.20 | ND | Pass |
| Bifenthrin | 0.05 | 0.20 | ND | Pass |
| Boscalid | 0.05 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.05 | 0.20 | ND | Pass |
| Carbofuran | 0.05 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.05 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.50 | 1.00 | ND | Pass |
| Chloromequat chloride | 0.05 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.20 | ND | Pass |
| Cinerin 1 | | | ND | Tested |
| Clofentezine | 0.05 | 0.20 | ND | Pass |
| Coumaphos | 0.05 | 1.00 | ND | Pass |
| Cyfluthrin | 0.05 | 1.00 | ND | Pass |
| Cypermethrin | 0.05 | 1.00 | ND | Pass |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 02/07/2026 20:19
LC Method: MTHD-009 LC Date Tested: 02/07/2026 02:59
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 7

Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi
Newfield, NY 14867

(607) 382-3386
Lic. #OCM-PROC-24-000031

Sample: 2602RLI0122-0547

Strain: Gorilla Glue #4
Batch#: GOGL-001-CART3; Batch Size: 4836 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:20am
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Daminozide | 0.05 | 1.00 | ND | Pass |
| Diazinon | 0.05 | 0.20 | ND | Pass |
| Dichlorvos | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.05 | 0.20 | ND | Pass |
| Dimethomorph | 0.05 | 1.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.20 | ND | Pass |
| Etofenprox | 0.05 | 0.40 | ND | Pass |
| Etoxazole | 0.05 | 0.20 | ND | Pass |
| Fenhexamid | 0.05 | 1.00 | ND | Pass |
| Fenoxycarb | 0.05 | 0.20 | ND | Pass |
| Fenpyroximate | 0.05 | 0.40 | ND | Pass |
| Fipronil | 0.05 | 0.40 | ND | Pass |
| Fonicamid | 0.05 | 1.00 | ND | Pass |
| Fludioxonil | 0.05 | 0.40 | ND | Pass |
| Hexythiazox | 0.05 | 1.00 | ND | Pass |
| Imazalil | 0.05 | 0.20 | ND | Pass |
| Imidacloprid | 0.05 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.05 | 1.00 | ND | Pass |
| Jasmolin 1 | | | ND | Tested |
| Kresoxim Methyl | 0.05 | 0.40 | ND | Pass |
| Malathion | 0.05 | 0.20 | ND | Pass |
| Metalaxyl | 0.05 | 0.20 | ND | Pass |
| Methiocarb | 0.05 | 0.20 | ND | Pass |
| Methomyl | 0.05 | 0.40 | ND | Pass |
| Mevinphos | 0.05 | 1.00 | ND | Pass |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 02/07/2026 20:19
LC Method: MTHD-009 LC Date Tested: 02/07/2026 02:59
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 7

Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi
Newfield, NY 14867

(607) 382-3386
Lic. #OCM-PROC-24-000031

Sample: 2602RLI0122-0547

Strain: Gorilla Glue #4
Batch#: GOGL-001-CART3; Batch Size: 4836 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:20am
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| MGK-264 | 0.05 | 0.20 | ND | Pass |
| Myclobutanil | 0.05 | 0.20 | ND | Pass |
| Naled | 0.05 | 0.50 | ND | Pass |
| Oxamyl | 0.05 | 1.00 | ND | Pass |
| Paclobutrazol | 0.05 | 0.40 | ND | Pass |
| Parathion Methyl | 0.10 | 0.20 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.05 | 0.20 | ND | Pass |
| Phosmet | 0.05 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.05 | 2.00 | ND | Pass |
| Prallethrin | 0.05 | 0.20 | ND | Pass |
| Propiconazole | 0.05 | 0.40 | ND | Pass |
| Propoxur | 0.05 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | ND | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.05 | 1.00 | ND | Pass |
| Pyridaben | 0.05 | 0.20 | ND | Pass |
| Spinetoram | 0.05 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | ND | Tested |
| Spinosad | 0.05 | 0.20 | ND | Pass |
| Spinosyn A | | | ND | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.05 | 0.20 | ND | Pass |
| Spirotetramat | 0.05 | 0.20 | ND | Pass |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 02/07/2026 20:19
LC Method: MTHD-009 LC Date Tested: 02/07/2026 02:59
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 7

Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi
Newfield, NY 14867

(607) 382-3386
Lic. #OCM-PROC-24-000031

Sample: 2602RLI0122-0547

Strain: Gorilla Glue #4
Batch#: GOGL-001-CART3; Batch Size: 4836 units
Sample Received: 02/03/2026; Report Created: 02/11/2026;

Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape
Parent Lot:

Sampling

Sample Collection Date/Time: 02/03/26 10:20am
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.05 | 0.20 | ND | Pass |
| Tebuconazole | 0.05 | 0.40 | ND | Pass |
| Thiacloprid | 0.05 | 0.20 | ND | Pass |
| Thiamethoxam | 0.05 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.05 | 0.20 | ND | Pass |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 02/07/2026 20:19
LC Method: MTHD-009 LC Date Tested: 02/07/2026 02:59
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.