

DF New York One, Inc. - Jeeter  
 Order No.: ONYJTR0313-0012700  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153-P2

Sample: SNYJTR0313-PEIP-0024806

Strain: Durban Poison, Unit Weight: 2.5000g  
 Batch#: DFNY-DURPOI-030526, Batch Size: 946 Units, LOT ID:  
 1A41203000001FC000000501  
 Date Sampled: 03/13/2026 13:11  
 Sample Received: 03/13/2026 16:23  
 Report Created: 03/19/2026 21:05  
 Sampling SOP 204 ♦

## Infused Baby Jeeter 0.5G x 5 (2.5g) Preroll Durban Poison

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000001FC000000498, Metrc Sample: 1A41203000001FC000000501, Metrc Manifest: 0000138076





## Results

<b>487.71 mg/unit</b> THCa	<b>483.52 mg/unit</b> D9-THC
<b>ND</b> Total CBD	<b>911.25 mg/unit</b> Total THC
<b>995.41 mg/unit</b> Total Cannabinoids	<b>3.244%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Pass	<b>Microbials</b> Pass
<b>Water Activity</b> Pass	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0313-0012700  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153-P2

## Sample: SNYJTR0313-PEIP-0024806

Strain: Durban Poison, Unit Weight: 2.5000g  
 Batch#: DFNY-DURPOI-030526, Batch Size: 946 Units, LOT ID:  
 1A41203000001FC000000501  
 Date Sampled: 03/13/2026 13:11  
 Sample Received: 03/13/2026 16:23  
 Report Created: 03/19/2026 21:05  
 Sampling SOP 204 ♦

## Infused Baby Jeeter 0.5G x 5 (2.5g) Preroll Durban Poison

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000001FC000000498, Metrc Sample: 1A41203000001FC000000501, Metrc Manifest: 0000138076



### Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 03/15/2026  
 17:17

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,116.89	ND	ND	ND
CBDa	4,116.89	ND	ND	ND
CBGa	4,116.89	<b>0.42</b>	<b>4.17</b>	<b>10.43</b>
CBG	4,116.89	<b>0.55</b>	<b>5.50</b>	<b>13.74</b>
CBD	4,116.89	ND	ND	ND
THCV	4,116.89	ND	ND	ND
CBN	4,116.89	ND	ND	ND
D9-THC	4,116.89	<b>19.34</b>	<b>193.41</b>	<b>483.52</b>
D8-THC	4,116.89	ND	ND	ND
(6aR,9S)-d10-THC	4,116.89	ND	ND	ND
(6aR,9R)-d10-THC	4,116.89	ND	ND	ND
CBC	4,116.89	< LOQ	< LOQ	< LOQ
THCa	4,116.89	<b>19.51</b>	<b>195.09</b>	<b>487.71</b>
Total CBD		ND	ND	ND
Total THC		<b>36.45</b>	<b>364.50</b>	<b>911.25</b>
Total Cannabinoids		<b>39.82</b>	<b>398.16</b>	<b>995.41</b>

#### Report notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all cannabinoids  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

### Moisture

SOP: SOP 205-NY

Instrument: Shimadzu Moisture Meter - 2560

Date/Time Tested: 03/15/2026  
 11:32

Pass

Analyte	Limit (%)	%	Status
Moisture	15	<b>4.9</b>	Passed

### Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C Incubator - 1034

Date/Time Tested: 03/15/2026  
 12:34

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10		ND	Tested
E. Coli		0	ND	Passed
Yeast & Mold	10		ND	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

#### Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

### Water Activity

SOP: SOP 206-NY

Date/Time Tested: 03/18/2026  
 09:53

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	<b>0.35</b>	Passed



*Kimberly Krisolofsky*

**Kimberly Krisolofsky**  
 Lead Technical Director

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0313-0012700  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153-P2

## Sample: SNYJTR0313-PEIP-0024806

Strain: Durban Poison, Unit Weight: 2.5000g  
 Batch#: DFNY-DURPOI-030526, Batch Size: 946 Units, LOT ID:  
 1A41203000001FC000000501  
 Date Sampled: 03/13/2026 13:11  
 Sample Received: 03/13/2026 16:23  
 Report Created: 03/19/2026 21:05  
 Sampling SOP 204 ♦

## Infused Baby Jeeter 0.5G x 5 (2.5g) Preroll Durban Poison

Plant, Enhanced/Infused Preroll  
 Metrc Batch: 1A41203000001FC000000498, Metrc Sample: 1A41203000001FC000000501, Metrc Manifest: 0000138076



## Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 03/14/2026 16:53

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>3.2440</b>	Passed	a-Terpinene	80		<b>0.0261</b>	Tested
Terpinolene	80		<b>0.8395</b>	Tested	trans-Nerolidol	80		<b>0.0152</b>	Tested
Limonene	80		<b>0.3976</b>	Tested	Borneol	80		<b>0.0120</b>	Tested
b-Caryophyllene	80		<b>0.3582</b>	Tested	Camphene	80		<b>0.0094</b>	Tested
trans-b-Ocimene	80		<b>0.2850</b>	Tested	Eucalyptol	80		<b>0.0089</b>	Tested
b-Myrcene	80		<b>0.2629</b>	Tested	Guaiol	80		<b>0.0087</b>	Tested
Linalool	80		<b>0.1661</b>	Tested	Camphor	80		<b>0.0082</b>	Tested
trans-b-Farnesene	80		<b>0.1290</b>	Tested	Fenchone	80		<b>0.0081</b>	Tested
a-Humulene	80		<b>0.1102</b>	Tested	Sabinene	80		ND	Tested
b-Pinene	80		<b>0.0818</b>	Tested	Sabinene Hydrate	80		ND	Tested
Fenchol	80		<b>0.0741</b>	Tested	Isopulegol	80		ND	Tested
a-Bisabolol	80		<b>0.0730</b>	Tested	Isoborneol	80		ND	Tested
Terpineol	80		<b>0.0696</b>	Tested	DL-Menthol	80		ND	Tested
a-Phellandrene	80		<b>0.0485</b>	Tested	Nerol	80		ND	Tested
p-Cymene	80		<b>0.0446</b>	Tested	Pulegone	80		ND	Tested
d-3-Carene	80		<b>0.0445</b>	Tested	Geraniol	80		ND	Tested
a-Pinene	80		<b>0.0438</b>	Tested	Geranyl Acetate	80		ND	Tested
g-Terpinene	80		<b>0.0410</b>	Tested	a-Cedrene	80		ND	Tested
cis-Nerolidol	80		<b>0.0408</b>	Tested	Valencene	80		ND	Tested
Caryophyllene Oxide	80		<b>0.0371</b>	Tested	Cedrol	80		ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
 Lead Technical Director

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0313-0012700  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153-P2

## Sample: SNYJTR0313-PEIP-0024806

Strain: Durban Poison, Unit Weight: 2.5000g  
 Batch#: DFNY-DURPOI-030526, Batch Size: 946 Units, LOT ID:  
 1A41203000001FC000000501  
 Date Sampled: 03/13/2026 13:11  
 Sample Received: 03/13/2026 16:23  
 Report Created: 03/19/2026 21:05  
 Sampling SOP 204 ♦

## Infused Baby Jeeter 0.5G x 5 (2.5g) Preroll Durban Poison

Plant, Enhanced/Infused Preroll  
 Metrc Batch: 1A41203000001FC000000498, Metrc Sample: 1A41203000001FC000000501, Metrc Manifest: 0000138076



## Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 03/14/2026 14:15

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	ND	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	< LOQ	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	< LOQ	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

### Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0313-0012700  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153-P2

## Sample: SNYJTR0313-PEIP-0024806

Strain: Durban Poison, Unit Weight: 2.5000g  
 Batch#: DFNY-DURPOI-030526, Batch Size: 946 Units, LOT ID:  
 1A41203000001FC000000501  
 Date Sampled: 03/13/2026 13:11  
 Sample Received: 03/13/2026 16:23  
 Report Created: 03/19/2026 21:05  
 Sampling SOP 204 ♦

## Infused Baby Jeeter 0.5G x 5 (2.5g) Preroll Durban Poison

Plant, Enhanced/Infused Preroll  
 Metrc Batch: 1A41203000001FC000000498, Metrc Sample: 1A41203000001FC000000501, Metrc Manifest: 0000138076



## Mycotoxins

**SOP:** SOP 808-NY  
**Instrument:** Agilent LC-MS-MS 2755 - 2755  
**Date/Time Tested:** 03/15/2026 10:16

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

**SOP:** SOP 250-NY  
**Instrument:** Agilent 7800 ICP-MS - 2594  
**Date/Time Tested:** 03/17/2026 14:41

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.170	2.000	ND	Passed
Arsenic	0.170	0.200	ND	Passed
Cadmium	0.170	0.200	ND	Passed
Chromium	0.170	110.000	< LOQ	Passed
Copper	0.204	30.000	<b>4.161</b>	Passed
Mercury	0.041	0.100	ND	Passed
Nickel	0.204	5.000	ND	Passed
Lead	0.170	0.500	< LOQ	Passed

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0313-0012700  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153-P2

## Sample: SNYJTR0313-PEIP-0024806

Strain: Durban Poison, Unit Weight: 2.5000g  
 Batch#: DFNY-DURPOI-030526, Batch Size: 946 Units, LOT ID:  
 1A41203000001FC000000501  
 Date Sampled: 03/13/2026 13:11  
 Sample Received: 03/13/2026 16:23  
 Report Created: 03/19/2026 21:05  
 Sampling SOP 204 ♦

## Infused Baby Jeeter 0.5G x 5 (2.5g) Preroll Durban Poison

Plant, Enhanced/Infused Preroll  
 Metrc Batch: 1A41203000001FC000000498, Metrc Sample: 1A41203000001FC000000501, Metrc Manifest: 0000138076



## Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 03/14/2026 16:06

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0313-0012700  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153-P2

## Sample: SNYJTR0313-PEIP-0024806

Strain: Durban Poison, Unit Weight: 2.5000g  
 Batch#: DFNY-DURPOI-030526, Batch Size: 946 Units, LOT ID:  
 1A41203000001FC000000501  
 Date Sampled: 03/13/2026 13:11  
 Sample Received: 03/13/2026 16:23  
 Report Created: 03/19/2026 21:05  
 Sampling SOP 204 ♦

## Infused Baby Jeeter 0.5G x 5 (2.5g) Preroll Durban Poison

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000001FC000000498, Metrc Sample: 1A41203000001FC000000501, Metrc Manifest: 0000138076



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chloromequat Chloride	0.02	1.00	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chloromequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




**Kimberly Krisolofsky**  
 Lead Technical Director