



Certificate of Analysis

FOR COMPLIANCE

PASSED



Batch #: P-FDWF282026-508A
Production Method: Cured
Total Amount: 1536 units
Retail Product Size: 28 gram
Retail Serving Size: 0.0125 gram
Servings: 2240
Metric Package #:
1A412030000026D000006575
Metric Source Package #:
1A412030000026D000006574

Lab ID: AL60302003-010
Sampled Date: 03/02/26
Sample Collection Time: 02:45 PM
Sampling End: 04:00 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 13 gram
Completed: 03/09/26

Curaleaf NY, LLC.
167 Coeymans Industrial Park Lane
Ravena, NY, 12143, US
License #: MM1001M






SAFETY RESULTS

MISC.

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |
| Pesticide PASSED | Heavy Metals PASSED | Microbial PASSED | Mycotoxins PASSED | Solvents NOT TESTED | Filtration/Foreign Material PASSED | Water Activity PASSED | Moisture Content PASSED | Terpenes PASSED |

Cannabinoid **PASSED**

|  | Total THC 30.6324% Total THC : 8577.0773 mg |  | Total CBD <0.1000 Total CBD : 0 |  | Total Cannabinoids 35.6413% Total Cannabinoids/Container : 9979.5653 mg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|--|---|---|----------|------------------|------------------|----------|----------|----------|-----------|----------|------|--------|-----|--------|------|------|---|---------|--------|---------|---------|---------|---------|--------|--------|---------|---------|--------|---------|---------|---------|----------|---------|----------|----------|----------|----------|---------|----------|----------|----------|----------|-----------|----------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| <table border="1"> <thead> <tr> <th></th> <th>(6AR,9R) D10-THC</th> <th>(6AR,9S) D10-THC</th> <th>CBC</th> <th>CBD</th> <th>CBDA</th> <th>CBDV</th> <th>CBG</th> <th>CBGA</th> <th>D8-THC</th> <th>CBN</th> <th>D9-THC</th> <th>THCA</th> <th>THCV</th> </tr> </thead> <tbody> <tr> <td>%</td> <td><0.1000</td> <td>0.1208</td> <td><0.1000</td> <td><0.1000</td> <td><0.1000</td> <td><0.1000</td> <td>0.1451</td> <td>0.6629</td> <td><0.1000</td> <td><0.1000</td> <td>0.5591</td> <td>34.1533</td> <td><0.1000</td> </tr> <tr> <td>mg/unit</td> <td><28.0000</td> <td>33.8304</td> <td><28.0000</td> <td><28.0000</td> <td><28.0000</td> <td><28.0000</td> <td>40.6371</td> <td>185.6101</td> <td><28.0000</td> <td><28.0000</td> <td>156.5546</td> <td>9562.9331</td> <td><28.0000</td> </tr> <tr> <td>LOQ</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> <td>0.1000</td> </tr> <tr> <td>Qualifier</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> <td>%</td> </tr> </tbody> </table> | | | | | | | (6AR,9R) D10-THC | (6AR,9S) D10-THC | CBC | CBD | CBDA | CBDV | CBG | CBGA | D8-THC | CBN | D9-THC | THCA | THCV | % | <0.1000 | 0.1208 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | 0.1451 | 0.6629 | <0.1000 | <0.1000 | 0.5591 | 34.1533 | <0.1000 | mg/unit | <28.0000 | 33.8304 | <28.0000 | <28.0000 | <28.0000 | <28.0000 | 40.6371 | 185.6101 | <28.0000 | <28.0000 | 156.5546 | 9562.9331 | <28.0000 | LOQ | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | Qualifier | % | % | % | % | % | % | % | % | % | % | % | % | % |
| | (6AR,9R) D10-THC | (6AR,9S) D10-THC | CBC | CBD | CBDA | CBDV | CBG | CBGA | D8-THC | CBN | D9-THC | THCA | THCV | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| % | <0.1000 | 0.1208 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | 0.1451 | 0.6629 | <0.1000 | <0.1000 | 0.5591 | 34.1533 | <0.1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| mg/unit | <28.0000 | 33.8304 | <28.0000 | <28.0000 | <28.0000 | <28.0000 | 40.6371 | 185.6101 | <28.0000 | <28.0000 | 156.5546 | 9562.9331 | <28.0000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LOQ | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Qualifier | % | % | % | % | % | % | % | % | % | % | % | % | % | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Weight:
0.2077g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 03/05/26 10:58:09

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
03/09/26
Laboratory License #: OCM-CPL-24-00006-L1



Certificate of Analysis

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane
Ravena, NY, 12143, US
License #: MM1001M

Sample: AL60302003-010

Batch #: P-FDWF282026-508A
Seed to sale: 1A412030000026D000006575

Ordered: 03/02/26
Sampled: 03/02/26
Completed: 03/09/26

PASSED



Label Claim Verification

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------|------|-----|-------|-----------|--------|-----------|
|----------|------|-----|-------|-----------|--------|-----------|

Weight:

Analysis Method : N/A

Analyzed Date : 03/05/26 11:01:03



Terpenes

PASSED

| ANALYTES | LOQ | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|---------------------|--------|-------|-----------|------------|-----------|-----------|
| TOTAL TERPENES | 0.1000 | 11.5 | PASS | 2.0900 | 585.2000 | |
| LIMONENE | 0.0040 | 10 | PASS | 0.6900 | 193.2000 | |
| BETA-CARYOPHYLLENE | 0.0040 | 10 | PASS | 0.3600 | 100.8000 | |
| BETA-MYRCENE | 0.0040 | 10 | PASS | 0.3300 | 92.4000 | |
| ALPHA-HUMULENE | 0.0040 | 10 | PASS | 0.1600 | 44.8000 | |
| LINALOOL | 0.0040 | 10 | PASS | 0.1000 | 28.0000 | |
| BETA-PINENE | 0.0040 | 10 | PASS | 0.1000 | 28.0000 | |
| ALPHA TERPINEOL | 0.0040 | 10 | PASS | 0.0700 | 19.6000 | |
| FENCHYL ALCOHOL | 0.0040 | 10 | PASS | 0.0700 | 19.6000 | |
| ALPHA-PINENE | 0.0040 | 10 | PASS | 0.0600 | 16.8000 | |
| ALPHA-BISABOLOL | 0.0040 | 10 | PASS | 0.0500 | 14.0000 | |
| VALENCENE | 0.0040 | 10 | PASS | 0.0300 | 8.4000 | |
| CAMPHENE | 0.0040 | 10 | PASS | 0.0200 | 5.6000 | |
| CARYOPHYLLENE OXIDE | 0.0040 | 10 | PASS | 0.0200 | 5.6000 | |
| TERPINOLENE | 0.0040 | 10 | PASS | 0.0200 | 5.6000 | |
| OCIMENE | 0.0040 | 10 | PASS | 0.0100 | 2.8000 | |
| FARNESENE | 0.0400 | 10 | PASS | <0.0400 | <11.2000 | |
| GERANIOL | 0.0040 | 10 | PASS | <0.0040 | <1.1200 | |
| GUAIOL | 0.0040 | 10 | PASS | <0.0040 | <1.1200 | |
| MENTHOL | 0.0040 | 10 | PASS | <0.0040 | <1.1200 | |
| ALPHA-PHELLANDRENE | 0.0040 | 10 | PASS | <0.0040 | <1.1200 | |
| ALPHA-TERPINENE | 0.0040 | 10 | PASS | <0.0040 | <1.1200 | |

Weight:

0.8614g

Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY

Analyzed Date : 03/06/26 11:13:06



Pesticide

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------|------|--------|-------|-----------|---------|-----------|
| PRALLETHRIN | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| ACEQUINOCYL | ppm | 0.1000 | 2 | PASS | <0.1000 | |
| PYRETHRINS, TOTAL | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| AZADIRACTIN | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| INDOLE-3-BUTYRIC ACID | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| MYCLOBUTANIL | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| PIPERONYL BUTOXIDE | ppm | 0.1000 | 2 | PASS | <0.1000 | |
| ABAMECTIN B1A | ppm | 0.1000 | 0.5 | PASS | <0.1000 | |
| ACEPHATE | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| ACETAMIPRID | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| ALDICARB | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
03/09/26

Laboratory License #: OCM-
CPL-24-00006-L1



Certificate of Analysis

Curaleaf NY, LLC.


167 Coeymans Industrial Park Lane
Ravena, NY, 12143, US
License #: MM1001M

Sample: AL60302003-010

Batch #: P-FDWF282026-508A
Seed to sale: 1A412030000026D000006575

Ordered: 03/02/26
Sampled: 03/02/26
Completed: 03/09/26

PASSED



Pesticide

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------------|------|--------|-------|-----------|---------|-----------|
| AZOXYSTROBIN | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| CHLORMEQUAT CHLORIDE | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| BIFENAZATE | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| BIFENTHRIN | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| CARBARYL | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| CHLORPYRIFOS | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| COUMAPHOS | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| DAMINOZIDE | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| CARBOFURAN | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| BOSCALID | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| CHLORANTRANILIPROLE | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| DIAZINON | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| CLOFENTEZINE | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| DICHLORVOS | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| DIMETHOATE | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| DIMETHOMORPH | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| ETHOPROPHOS | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| ETOFENPROX | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| ETOXAZOLE | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| FENHEXAMID | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| FENOXYCARB | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| FENPYROXIMATE | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| FIPRONIL | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| FLONICAMID | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| FLUDIOXONIL | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| HEXYTHIAZOX | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| IMAZALIL | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| IMIDACLOPRID | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| KRESOXIM METHYL | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| MALATHION | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| METALAXYL | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| METHIOCARB | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| METHOMYL | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| MEVINPHOS | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| NALED | ppm | 0.1000 | 0.5 | PASS | <0.1000 | |
| OXAMYL | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| PACLOBUTRAZOL | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| PERMETHRIN | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| PHOSMET | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| PROPICONAZOLE | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| PROPOXUR | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| PYRIDABEN | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| SPINETORAM, TOTAL | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| SPINOSAD, TOTAL | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| SPIROMESIFEN | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| SPIROTETRAMAT | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| SPIROXAMINE | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| TEBUCONAZOLE | ppm | 0.1000 | 0.4 | PASS | <0.1000 | |
| THIACLOPRID | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| THIAMETHOXAM | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| TRIFLOXYSTROBIN | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| CAPTAN | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| CHLORDANE | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| CHLORFENAPYR | ppm | 0.1000 | 1 | PASS | <0.1000 | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
03/09/26
Laboratory License #: OCM-
CPL-24-00006-L1



Certificate of Analysis

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane
Ravena, NY, 12143, US
License #: MM1001M

Sample: AL60302003-010

Batch #: P-FDWF282026-508A
Seed to sale: 1A412030000026D000006575

Ordered: 03/02/26
Sampled: 03/02/26
Completed: 03/09/26

PASSED



Pesticide

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------|------|--------|-------|-----------|---------|-----------|
| CYFLUTHRIN | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| CYPERMETHRIN | ppm | 0.1000 | 1 | PASS | <0.1000 | |
| METHYL PARATHION | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| MGK-264 | ppm | 0.1000 | 0.2 | PASS | <0.1000 | |
| PENTACHLORONITROBENZENE | ppm | 0.1000 | 1 | PASS | <0.1000 | |

Weight:
0.9997g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analyzed Date : 03/06/26 15:46:51

Weight:
0.9997g

Analysis Method : SOP.T.40.154.NY
Analyzed Date : 03/09/26 19:21:07



Microbial

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------|-------|-----|-------------|-----------|-------------|-----------|
| TOTAL AEROBIC BACTERIA | CFU/g | 100 | 100000 | PASS | <100 | |
| TOTAL YEAST AND MOLD | CFU/g | 100 | 10000 | PASS | <100 | |
| ESCHERICHIA COLI/SHIGELLA SPP. | | | Not Present | PASS | Not Present | |
| SALMONELLA SPECIES | | | Not Present | PASS | Not Present | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | Not Present | |
| ASPERGILLUS NIGER | | | Not Present | PASS | Not Present | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | Not Present | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | Not Present | |

Weight:
1g

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY
Analyzed Date : 03/06/26 15:50:53



Mycotoxins

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|------|--------|-------|-----------|---------|-----------|
| TOTAL AFLATOXINS (B1, B2, G1, G2) | ppm | 0.0100 | 0.02 | PASS | <0.0100 | |
| AFLATOXIN G2 | ppm | 0.0100 | 0.02 | PASS | <0.0100 | |
| AFLATOXIN G1 | ppm | 0.0100 | 0.02 | PASS | <0.0100 | |
| AFLATOXIN B2 | ppm | 0.0100 | 0.02 | PASS | <0.0100 | |
| AFLATOXIN B1 | ppm | 0.0100 | 0.02 | PASS | <0.0100 | |
| OCHRATOXIN A+ | ppm | 0.0100 | 0.02 | PASS | <0.0100 | |

Weight:
0.9997g

Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY
Analyzed Date : 03/06/26 15:49:13

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
03/09/26
Laboratory License #: OCM-
CPL-24-00006-L1



Certificate of Analysis

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane
Ravena, NY, 12143, US
License #: MM1001M

Sample: AL60302003-010

Batch #: P-FDWF282026-508A
Seed to sale: 1A412030000026D0000006575

Ordered: 03/02/26
Sampled: 03/02/26
Completed: 03/09/26

PASSED



Water Activity

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw | 0.10 | 0.65 | PASS | 0.50 | |

Weight:
0.44786g

Analysis Method : SOP.T.40.019
Analyzed Date : 03/04/26 16:37:01




Moisture Content

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|-----|-------|-----------|--------|-----------|
| MOISTURE CONTENT | % | 1.0 | 15 | PASS | 8.1 | |

Weight:
0.919g

Analysis Method : SOP.T.40.021
Analyzed Date : 03/04/26 16:44:41




Heavy Metals

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------|------|--------|-------|-----------|---------|-----------|
| ANTIMONY | ug/g | 0.1000 | 2 | PASS | <0.1000 | |
| ARSENIC | ug/g | 0.1000 | 0.2 | PASS | <0.1000 | |
| CADMIUM | ug/g | 0.1000 | 0.2 | PASS | <0.1000 | |
| CHROMIUM | ug/g | 1.0000 | 110 | PASS | <1.0000 | |
| COPPER | ug/g | 1.0000 | 30 | PASS | 3.2681 | |
| LEAD | ug/g | 0.1000 | 0.5 | PASS | <0.1000 | |
| MERCURY | ug/g | 0.0100 | 0.1 | PASS | <0.0100 | |
| NICKEL | ug/g | 0.1000 | 2 | PASS | <0.1000 | |

Weight:
0.5267g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY
Analyzed Date : 03/04/26 16:48:59



Filtration/Foreign Material

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------|------|------|-------|-----------|--------|-----------|
| FOREIGN MATTER | % | 0.10 | 2 | PASS | ND | |
| MAMMALIAN EXCRETA | mg | 0.10 | 1 | PASS | ND | |
| STEMS (>3MM) | % | 1.00 | 5 | PASS | ND | |

Weight:
96.723g

Analysis Method : SOP.T.40.090
Analyzed Date : 03/03/26 15:12:54

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
03/09/26
Laboratory License #: OCM-
CPL-24-00006-L1