

GTI

Order No.: ONYGTINY0213-0012122
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382

Sample: SNYGTINY0213-CVAP-0023965

Strain: Cereal Milk, Unit Weight: 1.0000g
 Batch#: 20260205CM-LLR-1.0, Batch Size: 1600 Units, LOT ID:
 1A4120300000205000002646
 Date Sampled: 02/13/2026 17:59
 Sample Received: 02/13/2026 17:59
 Report Created: 02/17/2026 22:37
 Sampling SOP 204 ♦

Cereal Milk Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000205000002642, Metrc Sample: 1A4120300000205000002646, Metrc Manifest: 0000098430





Results

3.95 mg/dose D9-THC	0.07 mg/dose CBG
0 mg/dose Total CBD	3.95 mg/dose Total THC
4.1 mg/dose Total Cannabinoids	9.778% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0213-0012122
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382

Sample: SNYGTINY0213-CVAP-0023965

Strain: Cereal Milk, Unit Weight: 1.0000g
 Batch#: 20260205CM-LLR-1.0, Batch Size: 1600 Units, LOT ID:
 1A4120300000205000002646
 Date Sampled: 02/13/2026 17:59
 Sample Received: 02/13/2026 17:59
 Report Created: 02/17/2026 22:37
 Sampling SOP 204 ♦

Cereal Milk Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000205000002646, Metrc Sample: 1A4120300000205000002646, Metrc Manifest: 0000098430



Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent HPLC 2518 - 2518

Date/Time Tested: 02/15/2026 13:26

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,370.47	ND	ND	ND	ND
CBDa	4,370.47	ND	ND	ND	ND
CBGa	4,370.47	ND	ND	ND	ND
CBG	4,370.47	1.46	14.56	0.07	14.56
CBD	4,370.47	< LOQ	< LOQ	< LOQ	< LOQ
THCV	4,370.47	< LOQ	< LOQ	< LOQ	< LOQ
CBN	4,370.47	ND	ND	ND	ND
D9-THC	4,370.47	79.07	790.71	3.95	790.71
D8-THC	4,370.47	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,370.47	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,370.47	ND	ND	ND	ND
CBC	4,370.47	1.43	14.32	0.07	14.32
THCa	4,370.47	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		79.07	790.71	3.95	790.71
Total Cannabinoids		81.96	819.59	4.10	819.59

Pass

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C

Incubator - 1034

Date/Time Tested: 02/15/2026 15:39

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0213-0012122
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382

Sample: SNYGTINY0213-CVAP-0023965

Strain: Cereal Milk, Unit Weight: 1.0000g
 Batch#: 20260205CM-LLR-1.0, Batch Size: 1600 Units, LOT ID:
 1A4120300000205000002646
 Date Sampled: 02/13/2026 17:59
 Sample Received: 02/13/2026 17:59
 Report Created: 02/17/2026 22:37
 Sampling SOP 204 ♦

Cereal Milk Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000205000002642, Metrc Sample: 1A4120300000205000002646, Metrc Manifest: 0000098430



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 02/16/2026 17:04

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	9.7783	Passed	Sabinene	163		ND	Tested
b-Caryophyllene	163		2.5968	Tested	a-Phellandrene	163		ND	Tested
Limonene	163		1.9413	Tested	d-3-Carene	163		ND	Tested
Linalool	163		1.3730	Tested	a-Terpinene	163		ND	Tested
a-Humulene	163		0.8325	Tested	p-Cymene	163		ND	Tested
trans-b-Ocimene	163		0.5659	Tested	g-Terpinene	163		< LOQ	Tested
trans-b-Farnesene	163		0.4799	Tested	Sabinene Hydrate	163		ND	Tested
a-Pinene	163		0.4476	Tested	Isopulegol	163		ND	Tested
Fenchol	163		0.2621	Tested	Camphor	163		ND	Tested
Terpineol	163		0.2394	Tested	Isoborneol	163		ND	Tested
b-Pinene	163		0.1878	Tested	DL-Menthol	163		ND	Tested
a-Bisabolol	163		0.1768	Tested	Nerol	163		ND	Tested
trans-Nerolidol	163		0.1731	Tested	Pulegone	163		ND	Tested
b-Myrcene	163		0.1615	Tested	Geraniol	163		ND	Tested
cis-Nerolidol	163		0.1286	Tested	Geranyl Acetate	163		ND	Tested
Terpinolene	163		0.0608	Tested	a-Cedrene	163		ND	Tested
Borneol	163		0.0560	Tested	Valencene	163		ND	Tested
Camphene	163		0.0438	Tested	Guaiol	163		ND	Tested
Fenchone	163		0.0340	Tested	Caryophyllene Oxide	163		< LOQ	Tested
Eucalyptol	163		0.0176	Tested	Cedrol	163		ND	Tested

GTI

Order No.: ONYGTINY0213-0012122
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382

Sample: SNYGTINY0213-CVAP-0023965

Strain: Cereal Milk, Unit Weight: 1.0000g
 Batch#: 20260205CM-LLR-1.0, Batch Size: 1600 Units, LOT ID:
 1A4120300000205000002646
 Date Sampled: 02/13/2026 17:59
 Sample Received: 02/13/2026 17:59
 Report Created: 02/17/2026 22:37
 Sampling SOP 204 ♦

Cereal Milk Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000205000002642, Metrc Sample: 1A4120300000205000002646, Metrc Manifest: 0000098430



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 02/15/2026 17:53

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	< LOQ	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 02/15/2026 12:28

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

GTI

Order No.: ONYGTINY0213-0012122
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382

Sample: SNYGTINY0213-CVAP-0023965

Strain: Cereal Milk, Unit Weight: 1.0000g
 Batch#: 20260205CM-LLR-1.0, Batch Size: 1600 Units, LOT ID:
 1A4120300000205000002646
 Date Sampled: 02/13/2026 17:59
 Sample Received: 02/13/2026 17:59
 Report Created: 02/17/2026 22:37
 Sampling SOP 204 ♦

Cereal Milk Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000205000002642, Metrc Sample: 1A4120300000205000002646, Metrc Manifest: 0000098430



Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 02/16/2026 09:43

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.190	2.000	ND	Passed
Arsenic	0.190	0.200	ND	Passed
Cadmium	0.190	0.200	ND	Passed
Chromium	0.190	110.000	ND	Passed
Copper	0.228	30.000	ND	Passed
Mercury	0.046	0.100	ND	Passed
Nickel	0.228	2.000	< LOQ	Passed
Lead	0.190	0.500	ND	Passed




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0213-0012122
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382

Sample: SNYGTINY0213-CVAP-0023965

Strain: Cereal Milk, Unit Weight: 1.0000g
 Batch#: 20260205CM-LLR-1.0, Batch Size: 1600 Units, LOT ID:
 1A4120300000205000002646
 Date Sampled: 02/13/2026 17:59
 Sample Received: 02/13/2026 17:59
 Report Created: 02/17/2026 22:37
 Sampling SOP 204 ♦

Cereal Milk Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000205000002642, Metrc Sample: 1A4120300000205000002646, Metrc Manifest: 0000098430



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 02/15/2026 15:52

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	< LOQ	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0213-0012122
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382

Sample: SNYGTINY0213-CVAP-0023965

Strain: Cereal Milk, Unit Weight: 1.0000g
 Batch#: 20260205CM-LLR-1.0, Batch Size: 1600 Units, LOT ID:
 1A4120300000205000002646
 Date Sampled: 02/13/2026 17:59
 Sample Received: 02/13/2026 17:59
 Report Created: 02/17/2026 22:37
 Sampling SOP 204 ♦

Cereal Milk Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000205000002642, Metrc Sample: 1A4120300000205000002646, Metrc Manifest: 0000098430



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.