

GTI

Order No.: ONYGTINY0211-0012063
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0211-CCON-0023868

Strain: Garlic Drip , Unit Weight: 2.0000g
 Batch#: 20260209GD-LR-2.0, Batch Size: 1300 Units, LOT ID:
 1A4120300000205000002602
 Date Sampled: 02/11/2026 14:11
 Sample Received: 02/11/2026 16:41
 Report Created: 02/16/2026 20:20
 Sampling SOP 204 ♦

Garlic Drip Live Concentrate 2g - Rythm (Indica Dominant)

Concentrates & Extracts, Concentrate

Metrc Batch: 1A4120300000205000002601, Metrc Sample: 1A4120300000205000002602, Metrc Manifest: 0000095003




Results

4.51 mg/dose THCa	0.17 mg/dose CBGa
0 mg/dose Total CBD	4.01 mg/dose Total THC
4.73 mg/dose Total Cannabinoids	5.506% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0211-0012063
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0211-CCON-0023868

Strain: Garlic Drip, Unit Weight: 2.0000g
 Batch#: 20260209GD-LR-2.0, Batch Size: 1300 Units, LOT ID:
 1A4120300000205000002602
 Date Sampled: 02/11/2026 14:11
 Sample Received: 02/11/2026 16:41
 Report Created: 02/16/2026 20:20
 Sampling SOP 204 ♦

Garlic Drip Live Concentrate 2g - Rythm (Indica Dominant)

Concentrates & Extracts, Concentrate

Metrc Batch: 1A4120300000205000002601, Metrc Sample: 1A4120300000205000002602, Metrc Manifest: 0000095003



Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent Infinity II - 2779

Date/Time Tested: 02/13/2026 17:22

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,518.72	ND	ND	ND	ND
CBDa	4,518.72	ND	ND	ND	ND
CBGa	4,518.72	3.31	33.09	0.17	66.17
CBG	4,518.72	< LOQ	< LOQ	< LOQ	< LOQ
CBD	4,518.72	ND	ND	ND	ND
THCV	4,518.72	ND	ND	ND	ND
CBN	4,518.72	ND	ND	ND	ND
D9-THC	4,518.72	1.02	10.24	0.05	20.48
D8-THC	4,518.72	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,518.72	< LOQ	< LOQ	< LOQ	< LOQ
(6aR,9R)-d10-THC	4,518.72	ND	ND	ND	ND
CBC	4,518.72	ND	ND	ND	ND
THCa	4,518.72	90.18	901.84	4.51	1,803.68
Total CBD		0.00	0.00	0.00	0.00
Total THC		80.12	801.15	4.01	1,602.30
Total Cannabinoids		94.52	945.16	4.73	1,890.33

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034

Date/Time Tested: 02/12/2026 16:54

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0211-0012063
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0211-CCON-0023868

Strain: Garlic Drip, Unit Weight: 2.0000g
 Batch#: 20260209GD-LR-2.0, Batch Size: 1300 Units, LOT ID:
 1A4120300000205000002602
 Date Sampled: 02/11/2026 14:11
 Sample Received: 02/11/2026 16:41
 Report Created: 02/16/2026 20:20
 Sampling SOP 204 ♦

Garlic Drip Live Concentrate 2g - Rythm (Indica Dominant)

Concentrates & Extracts, Concentrate

Metrc Batch: 1A4120300000205000002601, Metrc Sample: 1A4120300000205000002602, Metrc Manifest: 0000095003



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 02/12/2026 17:58

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	5.5065	Passed	Sabinene	158		ND	Tested
Limonene	158		1.4185	Tested	a-Phellandrene	158		ND	Tested
Linalool	158		1.3113	Tested	d-3-Carene	158		ND	Tested
b-Caryophyllene	158		0.8762	Tested	a-Terpinene	158		ND	Tested
a-Humulene	158		0.3701	Tested	p-Cymene	158		ND	Tested
b-Myrcene	158		0.2655	Tested	Eucalyptol	158		ND	Tested
cis-Nerolidol	158		0.1615	Tested	g-Terpinene	158		ND	Tested
b-Pinene	158		0.1562	Tested	Sabinene Hydrate	158		ND	Tested
Terpineol	158		0.1511	Tested	Fenchone	158		< LOQ	Tested
a-Bisabolol	158		0.1497	Tested	Isopulegol	158		ND	Tested
Fenchol	158		0.1455	Tested	Camphor	158		ND	Tested
Geraniol	158		0.0963	Tested	Isoborneol	158		ND	Tested
trans-Nerolidol	158		0.0881	Tested	DL-Menthol	158		ND	Tested
a-Pinene	158		0.0755	Tested	Nerol	158		ND	Tested
Caryophyllene Oxide	158		0.0607	Tested	Pulegone	158		ND	Tested
Cedrol	158		0.0577	Tested	Geranyl Acetate	158		ND	Tested
Borneol	158		0.0383	Tested	a-Cedrene	158		ND	Tested
Terpinolene	158		0.0309	Tested	Valencene	158		ND	Tested
trans-b-Farnesene	158		0.0306	Tested	Guaial	158		ND	Tested
Camphene	158		0.0228	Tested	trans-b-Ocimene	158		ND	Tested

GTI

Order No.: ONYGTINY0211-0012063
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0211-CCON-0023868

Strain: Garlic Drip, Unit Weight: 2.0000g
 Batch#: 20260209GD-LR-2.0, Batch Size: 1300 Units, LOT ID:
 1A4120300000205000002602
 Date Sampled: 02/11/2026 14:11
 Sample Received: 02/11/2026 16:41
 Report Created: 02/16/2026 20:20
 Sampling SOP 204 ♦

Garlic Drip Live Concentrate 2g - Rythm (Indica Dominant)

Concentrates & Extracts, Concentrate
 Metrc Batch: 1A4120300000205000002601, Metrc Sample: 1A4120300000205000002602, Metrc Manifest: 0000095003



Residual Solvents

SOP: SOP 612-NY
Instrument: Agilent HS-GC-MS 1333 - 1333 / Agilent HS-GC-MS 2543 - 2543
Date/Time Tested: 02/13/2026 17:25

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	< LOQ	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LC-MS-MS 2755 - 2755
Date/Time Tested: 02/12/2026 18:38

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0211-0012063
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0211-CCON-0023868

Strain: Garlic Drip, Unit Weight: 2.0000g
 Batch#: 20260209GD-LR-2.0, Batch Size: 1300 Units, LOT ID:
 1A4120300000205000002602
 Date Sampled: 02/11/2026 14:11
 Sample Received: 02/11/2026 16:41
 Report Created: 02/16/2026 20:20
 Sampling SOP 204 ♦

Garlic Drip Live Concentrate 2g - Rythm (Indica Dominant)

Concentrates & Extracts, Concentrate
 Metrc Batch: 1A4120300000205000002601, Metrc Sample: 1A4120300000205000002602, Metrc Manifest: 0000095003



Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 02/12/2026 10:40

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.191	2.000	ND	Passed
Arsenic	0.191	0.200	ND	Passed
Cadmium	0.191	0.200	ND	Passed
Chromium	0.191	110.000	< LOQ	Passed
Copper	0.229	30.000	ND	Passed
Mercury	0.046	0.100	ND	Passed
Nickel	0.229	2.000	< LOQ	Passed
Lead	0.191	0.500	ND	Passed



Kimberly Krisolofsky
Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0211-0012063
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0211-CCON-0023868

Strain: Garlic Drip , Unit Weight: 2.0000g
 Batch#: 20260209GD-LR-2.0, Batch Size: 1300 Units, LOT ID:
 1A4120300000205000002602
 Date Sampled: 02/11/2026 14:11
 Sample Received: 02/11/2026 16:41
 Report Created: 02/16/2026 20:20
 Sampling SOP 204 ♦

Garlic Drip Live Concentrate 2g - Rythm (Indica Dominant)

Concentrates & Extracts, Concentrate
 Metrc Batch: 1A4120300000205000002601, Metrc Sample: 1A4120300000205000002602, Metrc Manifest: 0000095003



Pesticides

SOP: SOP 814-NY
Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546
Date/Time Tested: 02/12/2026 18:34



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0211-0012063
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0211-CCON-0023868

Strain: Garlic Drip, Unit Weight: 2.0000g
 Batch#: 20260209GD-LR-2.0, Batch Size: 1300 Units, LOT ID:
 1A4120300000205000002602
 Date Sampled: 02/11/2026 14:11
 Sample Received: 02/11/2026 16:41
 Report Created: 02/16/2026 20:20
 Sampling SOP 204 ♦

Garlic Drip Live Concentrate 2g - Rythm (Indica Dominant)

Concentrates & Extracts, Concentrate

Metrc Batch: 1A4120300000205000002601, Metrc Sample: 1A4120300000205000002602, Metrc Manifest: 0000095003



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.