

# Certificate of Analysis

## Back Home Cannabis Co.

Contact Person: Brendon Caulson  
 High Falls, NY 12440  
 will@backhomefarmny.com  
 (732) 673-6442  
 Lic. #OCM-MICR-24-000133

## Sample: 2602RLI0153-0719


Strain: Maui Wowie  
 Batch#: MWPR10; Batch Size: 10000 units  
 Sample Received: 02/11/2026; Report Created: 02/19/2026;

## Maui Wowie -6pk Pre Roll -3g

Plant, Preroll  
 Parent Lot:

### Sampling

Sample Collection Date/Time: 02/10/26 14:14  
 Sample Collection Site: Back Home Farm  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:



### Safety

|                        |                    |                              |                        |
|------------------------|--------------------|------------------------------|------------------------|
| Pass<br>Pesticides     | Pass<br>Microbials | Pass<br>Mycotoxins           | Pass<br>Water Activity |
| Not Tested<br>Solvents | Pass<br>Metals     | Not Tested<br>Foreign Matter | Pass<br>Moisture       |

### Cannabinoids

|                     |                 |                   |
|---------------------|-----------------|-------------------|
| 25.26%<br>Total THC | ND<br>Total CBD | 11.3%<br>Moisture |
|---------------------|-----------------|-------------------|

| Analyte                   | LOQ  | Result       | Result        |
|---------------------------|------|--------------|---------------|
|                           | mg/g | %            | mg/g          |
| CBDVa                     | 0.2  | ND           | ND            |
| CBDV                      | 0.2  | ND           | ND            |
| CBDa                      | 0.2  | ND           | ND            |
| CBGa                      | 0.2  | 0.86         | 8.6           |
| CBG                       | 0.2  | ND           | ND            |
| CBD                       | 0.2  | ND           | ND            |
| THCV                      | 0.2  | ND           | ND            |
| THCVa                     | 0.2  | ND           | ND            |
| CBN                       | 0.2  | ND           | ND            |
| Δ9-THC                    | 0.2  | 3.22         | 32.2          |
| Δ8-THC                    | 0.2  | ND           | ND            |
| (6aR,9R)-d10-THC          | 0.2  | ND           | ND            |
| (6aR,9S)-d10-THC          | 0.2  | ND           | ND            |
| CBC                       | 0.2  | ND           | ND            |
| THCa                      | 0.2  | 25.13        | 251.3         |
| CBCa                      | 0.2  | ND           | ND            |
| <b>Total Cannabinoids</b> |      | <b>29.21</b> | <b>292.10</b> |

Entered By: VJ, Instrument ID: AL2-002  
 Method: MTHD-001, Date Tested: 02/11/2026 18:06  
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
2 of 8

## Back Home Cannabis Co.

Contact Person: Brendon Caulson  
High Falls, NY 12440  
will@backhomefarmny.com  
(732) 673-6442  
Lic. #OCM-MICR-24-000133

## Sample: 2602RLI0153-0719

Strain: Maui Wowie  
Batch#: MWPR10; Batch Size: 10000 units  
Sample Received: 02/11/2026; Report Created: 02/19/2026;

## Maui Wowie -6pk Pre Roll -3g

Plant, Preroll  
Parent Lot:

### Sampling

Sample Collection Date/Time: 02/10/26 14:14  
Sample Collection Site: Back Home Farm  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

### Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

### Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | N/A    | 62000   | Tested |
| Yeast & Mold          | 10    | N/A    | 16000   | Tested |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
Aerobic Date Tested: 02/11/2026 16:22  
YM Date Tested: 02/13/2026 16:32 Sal/STEC/Asp Date Tested: 02/15/2026 12:25  
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

### Heavy Metals

Pass

| Analyte  | LOQ    | Limit    | Result  | Status |
|----------|--------|----------|---------|--------|
|          | PPM    | PPM      | PPM     |        |
| Chromium | 1.0000 | 110.0000 | <LOQ    | Pass   |
| Nickel   | 0.5000 | 5.0000   | 0.8558  | Pass   |
| Copper   | 1.0000 | 30.0000  | 12.7563 | Pass   |
| Arsenic  | 0.1000 | 0.2000   | <LOQ    | Pass   |
| Cadmium  | 0.1000 | 0.2000   | <LOQ    | Pass   |
| Antimony | 0.5000 | 2.0000   | ND      | Pass   |
| Mercury  | 0.0500 | 0.1000   | <LOQ    | Pass   |
| Lead     | 0.2500 | 0.5000   | <LOQ    | Pass   |

Entered By: BW, Instrument ID: AL2-001  
Method: MTHD-006 Date Tested: 02/12/2026 15:41  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

### Mycotoxins

Pass

| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
|                  | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin B2     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.005 | 0.020 | ND     | Pass   |
| Ochratoxin A     | 0.005 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | ND     | Pass   |

Entered By: at, Instrument ID: AL1-003  
Method: MTHD-009 Date Tested: 02/15/2026 21:21

Entered By: , Instrument ID:  
Method: , Date Tested:

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Back Home Cannabis Co.

Contact Person: Brendon Caulson  
 High Falls, NY 12440  
 will@backhomefarmny.com  
 (732) 673-6442  
 Lic. #OCM-MICR-24-000133

Sample: 2602RLI0153-0719

Strain: Maui Wowie  
 Batch#: MWPR10; Batch Size: 10000 units  
 Sample Received: 02/11/2026; Report Created: 02/19/2026;

## Maui Wowie -6pk Pre Roll -3g

Plant, Preroll  
 Parent Lot:

### Sampling



Sample Collection Date/Time: 02/10/26 14:14  
 Sample Collection Site: Back Home Farm  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte             | LOQ    | Result | Result |
|---------------------|--------|--------|--------|
|                     | %      | %      | mg/g   |
| β-Caryophyllene     | 0.0125 | 0.46   | 4.56   |
| β-Pinene            | 0.0125 | 0.27   | 2.71   |
| β-Myrcene           | 0.0125 | 0.27   | 2.66   |
| Limonene            | 0.0125 | 0.18   | 1.76   |
| α-Humulene          | 0.0125 | 0.12   | 1.23   |
| α-Pinene            | 0.0125 | 0.07   | 0.74   |
| Linalool            | 0.0125 | 0.07   | 0.68   |
| Farnesene           | 0.0125 | 0.06   | 0.60   |
| Terpineol           | 0.0125 | 0.05   | 0.53   |
| Fenchol             | 0.0125 | 0.04   | 0.43   |
| α-Bisabolol         | 0.0125 | 0.04   | 0.41   |
| Guaiol              | 0.0125 | 0.02   | 0.24   |
| α-Phellandrene      | 0.0125 | ND     | ND     |
| α-Terpinene         | 0.0125 | ND     | ND     |
| Camphene            | 0.0125 | <LOQ   | <LOQ   |
| Caryophyllene Oxide | 0.0125 | ND     | ND     |
| Geraniol            | 0.0125 | ND     | ND     |
| Ocimene             | 0.0125 | ND     | ND     |
| Terpinolene         | 0.0125 | ND     | ND     |
| Valencene           | 0.0125 | ND     | ND     |



**1.6550%**  
 Total Terpenes

Entered By: VJ, Instrument ID: AL1-001  
 Method: MTHD-005, Date Tested: 02/17/2026 9:57

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
4 of 8

## Back Home Cannabis Co.

Contact Person: Brendon Caulson  
High Falls, NY 12440  
will@backhomefarmny.com  
(732) 673-6442  
Lic. #OCM-MICR-24-000133

## Sample: 2602RLI0153-0719

Strain: Maui Wowie  
Batch#: MWPR10; Batch Size: 10000 units  
Sample Received: 02/11/2026; Report Created: 02/19/2026;

## Maui Wowie -6pk Pre Roll -3g

Plant, Preroll  
Parent Lot:

### Sampling

Sample Collection Date/Time: 02/10/26 14:14  
Sample Collection Site: Back Home Farm  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

## Pass

| Analyte               | LOQ  | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
|                       | PPM  | PPM   | PPM    |        |
| Abamectin             | 0.05 | 0.50  | 0.28   | Pass   |
| Acephate              | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl           | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid           | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb              | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a        |      |       | 0.28   | Tested |
| Avermectin-B1b        |      |       | ND     | Tested |
| Azadirachtin          | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin          | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate            | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin            | 0.05 | 0.20  | ND     | Pass   |
| Boscalid              | 0.05 | 0.40  | ND     | Pass   |
| Captan                | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl              | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran            | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole   | 0.05 | 0.20  | ND     | Pass   |
| Chlordane             | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr          | 0.50 | 1.00  | ND     | Pass   |
| Chloromequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos          | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1             |      |       | ND     | Tested |
| Clofentezine          | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos             | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin            | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin          | 0.05 | 1.00  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 02/16/2026 04:43  
LC Method: MTHD-009 LC Date Tested: 02/15/2026 21:21  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 8

## Back Home Cannabis Co.

Contact Person: Brendon Caulson  
High Falls, NY 12440  
will@backhomefarmny.com  
(732) 673-6442  
Lic. #OCM-MICR-24-000133

## Sample: 2602RLI0153-0719

Strain: Maui Wowie  
Batch#: MWPR10; Batch Size: 10000 units  
Sample Received: 02/11/2026; Report Created: 02/19/2026;

## Maui Wowie -6pk Pre Roll -3g

Plant, Preroll  
Parent Lot:

### Sampling

Sample Collection Date/Time: 02/10/26 14:14  
Sample Collection Site: Back Home Farm  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

## Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Fonicamid          | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Mevinphos          | 0.05 | 1.00  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 02/16/2026 04:43  
LC Method: MTHD-009 LC Date Tested: 02/15/2026 21:21  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
6 of 8

## Back Home Cannabis Co.

Contact Person: Brendon Caulson  
High Falls, NY 12440  
will@backhomefarmny.com  
(732) 673-6442  
Lic. #OCM-MICR-24-000133

Sample: 2602RLI0153-0719

Strain: Maui Wowie  
Batch#: MWPR10; Batch Size: 10000 units  
Sample Received: 02/11/2026; Report Created: 02/19/2026;

## Maui Wowie -6pk Pre Roll -3g

Plant, Preroll  
Parent Lot:

### Sampling

Sample Collection Date/Time: 02/10/26 14:14  
Sample Collection Site: Back Home Farm  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| MGK-264                 | 0.05 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.05 | 0.20  | ND     | Pass   |
| Naled                   | 0.05 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.05 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.05 | 0.40  | ND     | Pass   |
| Parathion Methyl        | 0.10 | 0.20  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.05 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.05 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.05 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.05 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.05 | 0.40  | ND     | Pass   |
| Propoxur                | 0.05 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.05 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.05 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.05 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | ND     | Tested |
| Spinetoram L            |      |       | ND     | Tested |
| Spinosad                | 0.05 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | ND     | Tested |
| Spiromesifen            | 0.05 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.05 | 0.20  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 02/16/2026 04:43  
LC Method: MTHD-009 LC Date Tested: 02/15/2026 21:21  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
7 of 8

## Back Home Cannabis Co.

Contact Person: Brendon Caulson  
High Falls, NY 12440  
will@backhomefarmny.com  
(732) 673-6442  
Lic. #OCM-MICR-24-000133

Sample: 2602RLI0153-0719

Strain: Maui Wowie  
Batch#: MWPR10; Batch Size: 10000 units  
Sample Received: 02/11/2026; Report Created: 02/19/2026;

## Maui Wowie -6pk Pre Roll -3g

Plant, Preroll  
Parent Lot:

### Sampling

Sample Collection Date/Time: 02/10/26 14:14  
Sample Collection Site: Back Home Farm  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 02/16/2026 04:43  
LC Method: MTHD-009 LC Date Tested: 02/15/2026 21:21  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
8 of 8

## Back Home Cannabis Co.

Contact Person: Brendon Caulson  
High Falls, NY 12440  
will@backhomefarmny.com  
(732) 673-6442  
Lic. #OCM-MICR-24-000133

## Sample: 2602RLI0153-0719

Strain: Maui Wowie  
Batch#: MWPR10; Batch Size: 10000 units  
Sample Received: 02/11/2026; Report Created: 02/19/2026;

## Maui Wowie -6pk Pre Roll -3g

Plant, Preroll  
Parent Lot:

### Sampling

Sample Collection Date/Time: 02/10/26 14:14  
Sample Collection Site: Back Home Farm  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Moisture Date/Time Tested: 02/11/2026; 11:45  
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 02/18/2026; 12:10  
Water Activity Method: MTHD-002

**0.58 aw**  
Limit: 0.65 aw  
*Pass*  
**Water Activity**

**11.3%**  
Limit: 15.0 %  
*Pass*  
**Moisture**

## Foreign Matter

Foreign Matter Method:  
Foreign Matter Date/Time Tested: ;

Not Tested

| Analyte | Limit | Result | Status |
|---------|-------|--------|--------|
|         | %     |        |        |
|         | %     |        |        |
|         | %     |        |        |

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



**Amanda Thorning**  
Laboratory Director

**Violet Josik**  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.