

Certificate of Analysis

The Releaf Market LLC

Contact Person: Kerry Trammel
 Jamestown, NY 14701
 info@thereleafmarket.com
 (716) 485-8212
 Lic. #OCM-MICR-24-000162

Sample: 2601RLI0018-0070


Strain: Northern Lights
 Batch#: 312142NN; Batch Size: 1200 units
 Sample Received: 01/07/2026; Report Created: 01/20/2026;

Northern Lights 5 Pk 3.75g Pre roll

Plant, Preroll
 Parent Lot:

Sampling

Sample Collection Date/Time: 01/07/26 9:14
 Sample Collection Site: The Releaf Market
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:



Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins	Pass Water Activity
Not Tested Solvents	Pass Metals	Not Tested Foreign Matter	Pass Moisture

Cannabinoids

29.94% Total THC	ND Total CBD	10.6% Moisture
----------------------------	------------------------	--------------------------

Analyte	LOQ	Result	Result
	mg/g	%	mg/g
CBDVa	0.2	ND	ND
CBDV	0.2	ND	ND
CBDa	0.2	ND	ND
CBGa	0.2	0.45	4.5
CBG	0.2	ND	ND
CBD	0.2	ND	ND
THCV	0.2	ND	ND
THCVa	0.2	ND	ND
CBN	0.2	ND	ND
Δ9-THC	0.2	0.27	2.7
Δ8-THC	0.2	ND	ND
(6aR,9R)-d10-THC	0.2	ND	ND
(6aR,9S)-d10-THC	0.2	ND	ND
CBC	0.2	ND	ND
THCa	0.2	33.83	338.3
CBCa	0.2	ND	ND
Total Cannabinoids		34.56	345.57

Entered By: gtg, Instrument ID: AL2-004
 Method: MTHD-001, Date Tested: 01/13/2026 2006
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
2 of 8

The Releaf Market LLC

Contact Person: Kerry Trammel
Jamestown, NY 14701
info@thereleafmarket.com
(716) 485-8212
Lic. #OCM-MICR-24-000162

Sample: 2601RLI0018-0070

Strain: Northern Lights
Batch#: 312142NN; Batch Size: 1200 units
Sample Received: 01/07/2026; Report Created: 01/20/2026;

Northern Lights 5 Pk 3.75g Pre roll

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 01/07/26 9:14
Sample Collection Site: The Releaf Market
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Residual Solvents

Not Tested

Analyte	LOQ	Limit	Result	Status
---------	-----	-------	--------	--------

Microbials

Pass

Analyte	LOQ	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Aspergillus flavus	1	Absent	Absence	Pass
Aspergillus fumigatus	1	Absent	Absence	Pass
Aspergillus niger	1	Absent	Absence	Pass
Aspergillus terreus	1	Absent	Absence	Pass
Salmonella	1	Absent	Absence	Pass
Shiga Toxin E. Coli	1	Absent	Absence	Pass
Aerobic Bacteria	10	N/A	1400000	Tested
Yeast & Mold	10	N/A	1000000	Tested

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012
Aerobic Date Tested: 01/09/2026 14:22
YM Date Tested: 01/10/2026 11:14 Sal/STEC/Asp Date Tested: 01/12/2026 14:14
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Chromium	1.0000	110.0000	<LOQ	Pass
Nickel	0.5000	5.0000	ND	Pass
Copper	1.0000	30.0000	<LOQ	Pass
Arsenic	0.1000	0.2000	ND	Pass
Cadmium	0.1000	0.2000	ND	Pass
Antimony	0.5000	2.0000	ND	Pass
Mercury	0.0500	0.1000	ND	Pass
Lead	0.2500	0.5000	<LOQ	Pass

Entered By: AT, Instrument ID: AL2-001
Method: MTHD-006 Date Tested: 01/20/2026 22:14
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Aflatoxin B1	0.005	0.020	ND	Pass
Aflatoxin B2	0.005	0.020	ND	Pass
Aflatoxin G1	0.005	0.020	ND	Pass
Aflatoxin G2	0.005	0.020	ND	Pass
Ochratoxin A	0.005	0.020	ND	Pass
Total Aflatoxins		0.020	ND	Pass

Entered By: AT, Instrument ID: AL1-003
Method: MTHD-009 Date Tested: 01/13/2026 07:24

Entered By: , Instrument ID:
Method: , Date Tested:

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

The Releaf Market LLC

Contact Person: Kerry Trammel
 Jamestown, NY 14701
 info@thereleafmarket.com
 (716) 485-8212
 Lic. #OCM-MICR-24-000162

Sample: 2601RLI0018-0070

Strain: Northern Lights
 Batch#: 312142NN; Batch Size: 1200 units
 Sample Received: 01/07/2026; Report Created: 01/20/2026;

Northern Lights 5 Pk 3.75g Pre roll

Plant, Preroll
 Parent Lot:

Sampling


Sample Collection Date/Time: 01/07/26 9:14
 Sample Collection Site: The Releaf Market
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

Analyte	LOQ	Result	Result
	%	%	mg/g
Limonene	0.0125	0.64	6.41
Linalool	0.0125	0.16	1.57
α-Pinene	0.0125	0.05	0.52
Geraniol	0.0125	0.05	0.49
Camphene	0.0125	0.01	0.15
α-Bisabolol	0.0125	ND	ND
α-Humulene	0.0125	ND	ND
α-Phellandrene	0.0125	ND	ND
α-Terpinene	0.0125	ND	ND
β-Caryophyllene	0.0125	ND	ND
β-Myrcene	0.0125	ND	ND
β-Pinene	0.0125	ND	ND
Caryophyllene Oxide	0.0125	ND	ND
Farnesene	0.0125	ND	ND
Fenchol	0.0125	ND	ND
Guaiol	0.0125	ND	ND
Ocimene	0.0125	ND	ND
Terpineol	0.0125	ND	ND
Terpinolene	0.0125	<LOQ	<LOQ
Valencene	0.0125	ND	ND



0.9138%
 Total Terpenes

Entered By: VJ, Instrument ID: AL1-001
 Method: MTHD-005, Date Tested: 01/12/2026 10:25

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-00011




 Amanda Thorning
 Laboratory Director


 Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

The Releaf Market LLC

Contact Person: Kerry Trammel
 Jamestown, NY 14701
 info@thereleafmarket.com
 (716) 485-8212
 Lic. #OCM-MICR-24-000162

Sample: 2601RLI0018-0070

Strain: Northern Lights
 Batch#: 312142NN; Batch Size: 1200 units
 Sample Received: 01/07/2026; Report Created: 01/20/2026;

Northern Lights 5 Pk 3.75g Pre roll

Plant, Preroll
 Parent Lot:

Sampling

Sample Collection Date/Time: 01/07/26 9:14
 Sample Collection Site: The Releaf Market
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.05	0.50	ND	Pass
Acephate	0.05	0.40	ND	Pass
Acequinocyl	0.05	2.00	ND	Pass
Acetamiprid	0.05	0.20	ND	Pass
Aldicarb	0.05	0.40	ND	Pass
Avermectin-B1a			ND	Tested
Avermectin-B1b			ND	Tested
Azadirachtin	0.25	1.00	ND	Pass
Azoxystrobin	0.05	0.20	ND	Pass
Bifenazate	0.05	0.20	ND	Pass
Bifenthrin	0.05	0.20	ND	Pass
Boscalid	0.05	0.40	ND	Pass
Captan	0.50	1.00	ND	Pass
Carbaryl	0.05	0.20	ND	Pass
Carbofuran	0.05	0.20	ND	Pass
Chlorantraniliprole	0.05	0.20	ND	Pass
Chlordane	0.50	1.00	ND	Pass
Chlorfenapyr	0.50	1.00	ND	Pass
Chloromequat chloride	0.05	1.00	ND	Pass
Chlorpyrifos	0.05	0.20	ND	Pass
Cinerin 1			ND	Tested
Clofentezine	0.05	0.20	ND	Pass
Coumaphos	0.05	1.00	ND	Pass
Cyfluthrin	0.05	1.00	ND	Pass
Cypermethrin	0.05	1.00	ND	Pass

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 01/12/2026 11:41
 LC Method: MTHD-009 LC Date Tested: 01/13/2026 07:24
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-00011




 Amanda Thorning
 Laboratory Director


 Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 8

The Releaf Market LLC

Contact Person: Kerry Trammel
Jamestown, NY 14701
info@thereleafmarket.com
(716) 485-8212
Lic. #OCM-MICR-24-000162

Sample: 2601RLI0018-0070

Strain: Northern Lights
Batch#: 312142NN; Batch Size: 1200 units
Sample Received: 01/07/2026; Report Created: 01/20/2026;

Northern Lights 5 Pk 3.75g Pre roll

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 01/07/26 9:14
Sample Collection Site: The Releaf Market
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Daminozide	0.05	1.00	ND	Pass
Diazinon	0.05	0.20	ND	Pass
Dichlorvos	0.05	1.00	ND	Pass
Dimethoate	0.05	0.20	ND	Pass
Dimethomorph	0.05	1.00	ND	Pass
Ethoprophos	0.05	0.20	ND	Pass
Etofenprox	0.05	0.40	ND	Pass
Etoxazole	0.05	0.20	ND	Pass
Fenhexamid	0.05	1.00	ND	Pass
Fenoxycarb	0.05	0.20	ND	Pass
Fenpyroximate	0.05	0.40	ND	Pass
Fipronil	0.05	0.40	ND	Pass
Fonicamid	0.05	1.00	ND	Pass
Fludioxonil	0.05	0.40	ND	Pass
Hexythiazox	0.05	1.00	ND	Pass
Imazalil	0.05	0.20	ND	Pass
Imidacloprid	0.05	0.40	ND	Pass
Indolebutyric Acid	0.05	1.00	ND	Pass
Jasmolin 1			ND	Tested
Kresoxim Methyl	0.05	0.40	ND	Pass
Malathion	0.05	0.20	ND	Pass
Metalaxyl	0.05	0.20	ND	Pass
Methiocarb	0.05	0.20	ND	Pass
Methomyl	0.05	0.40	ND	Pass
Mevinphos	0.05	1.00	ND	Pass

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 01/12/2026 11:41
LC Method: MTHD-009 LC Date Tested: 01/13/2026 07:24
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 8

The Releaf Market LLC

Contact Person: Kerry Trammel
Jamestown, NY 14701
info@thereleafmarket.com
(716) 485-8212
Lic. #OCM-MICR-24-000162

Sample: 2601RLI0018-0070

Strain: Northern Lights
Batch#: 312142NN; Batch Size: 1200 units
Sample Received: 01/07/2026; Report Created: 01/20/2026;

Northern Lights 5 Pk 3.75g Pre roll

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 01/07/26 9:14
Sample Collection Site: The Releaf Market
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
MGK-264	0.05	0.20	ND	Pass
Myclobutanil	0.05	0.20	ND	Pass
Naled	0.05	0.50	ND	Pass
Oxamyl	0.05	1.00	ND	Pass
Paclobutrazol	0.05	0.40	ND	Pass
Parathion Methyl	0.10	0.20	ND	Pass
Pentachloronitrobenzene	0.50	1.00	ND	Pass
Permethrins	0.05	0.20	ND	Pass
Phosmet	0.05	0.20	ND	Pass
Piperonyl Butoxide	0.05	2.00	ND	Pass
Prallethrin	0.05	0.20	ND	Pass
Propiconazole	0.05	0.40	ND	Pass
Propoxur	0.05	0.20	ND	Pass
Pyrethrin 1			ND	Tested
Pyrethrin 2			ND	Tested
Pyrethrins	0.05	1.00	ND	Pass
Pyridaben	0.05	0.20	ND	Pass
Spinetoram	0.05	1.00	ND	Pass
Spinetoram J			ND	Tested
Spinetoram L			ND	Tested
Spinosad	0.05	0.20	ND	Pass
Spinosyn A			ND	Tested
Spinosyn D			ND	Tested
Spiromesifen	0.05	0.20	ND	Pass
Spirotetramat	0.05	0.20	ND	Pass

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 01/12/2026 11:41
LC Method: MTHD-009 LC Date Tested: 01/13/2026 07:24
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 8

The Releaf Market LLC

Contact Person: Kerry Trammel
Jamestown, NY 14701
info@thereleafmarket.com
(716) 485-8212
Lic. #OCM-MICR-24-000162

Sample: 2601RLI0018-0070

Strain: Northern Lights
Batch#: 312142NN; Batch Size: 1200 units
Sample Received: 01/07/2026; Report Created: 01/20/2026;

Northern Lights 5 Pk 3.75g Pre roll

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 01/07/26 9:14
Sample Collection Site: The Releaf Market
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Spiroxamine	0.05	0.20	ND	Pass
Tebuconazole	0.05	0.40	ND	Pass
Thiacloprid	0.05	0.20	ND	Pass
Thiamethoxam	0.05	0.20	ND	Pass
Trifloxystrobin	0.05	0.20	ND	Pass

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 01/12/2026 11:41
LC Method: MTHD-009 LC Date Tested: 01/13/2026 07:24
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
8 of 8

The Releaf Market LLC

Contact Person: Kerry Trammel
Jamestown, NY 14701
info@thereleafmarket.com
(716) 485-8212
Lic. #OCM-MICR-24-000162

Sample: 2601RLI0018-0070

Strain: Northern Lights
Batch#: 312142NN; Batch Size: 1200 units
Sample Received: 01/07/2026; Report Created: 01/20/2026;

Northern Lights 5 Pk 3.75g Pre roll

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 01/07/26 9:14
Sample Collection Site: The Releaf Market
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: 01/12/2026; 1127
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 01/09/2026; 15:40
Water Activity Method: MTHD-002

0.31 aw
Limit: 0.65 aw
Pass
Water Activity

10.6%
Limit: 15.0 %
Pass
Moisture

Foreign Matter

Foreign Matter Method:
Foreign Matter Date/Time Tested: ;

Not Tested

Analyte	Limit	Result	Status
	%		
	%		
	%		

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.