

Vireo Health

Order No.: ONYVHTH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023086

Strain: Blue Dream, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001463, Batch Size: 1116 Units, LOT ID:
 1A4120300000C1F000004017
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Blue Dream

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001463, Metrc Sample: 1A4120300000C1F000004017, Metrc Manifest: 0000065267




Results

2.73 mg/dose D9-THC	
0 mg/dose Total CBD	2.73 mg/dose Total THC
2.73 mg/dose Total Cannabinoids	5.478% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Pass
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Vireo Health

Order No.: ONYVHTH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023086

Strain: Blue Dream, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001463, Batch Size: 1116 Units, LOT ID:
 1A4120300000C1F000004017
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Blue Dream

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001463, Metrc Sample: 1A4120300000C1F000004017, Metrc Manifest: 0000065267



Cannabinoids

Tested

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 01/23/2026 16:36

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,872.92	ND	ND	ND	ND
CBDa	4,872.92	ND	ND	ND	ND
CBGa	4,872.92	ND	ND	ND	ND
CBG	4,872.92	ND	ND	ND	ND
CBD	4,872.92	ND	ND	ND	ND
THCV	4,872.92	ND	ND	ND	ND
CBN	4,872.92	< LOQ	< LOQ	< LOQ	< LOQ
D9-THC	4,872.92	91.04	910.38	2.73	910.38
D8-THC	4,872.92	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,872.92	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,872.92	ND	ND	ND	ND
CBC	4,872.92	ND	ND	ND	ND
THCa	4,872.92	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		91.04	910.38	2.73	910.38
Total Cannabinoids		91.04	910.38	2.73	910.38

Report notes:
 Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

Pass

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C
 Incubator - 1034
Date/Time Tested: 01/22/2026 16:14

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli			0	ND Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella			0	ND Passed
Aspergillus Flavus			0	ND Passed
Aspergillus Fumigatus			0	ND Passed
Aspergillus Niger			0	ND Passed
Aspergillus Terreus			0	ND Passed

Report notes:
 Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Pass

Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 01/23/2026 16:36

Analyte	Result
Homogeneity	Pass



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Vireo Health

Order No.: ONYVHTH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023086

Strain: Blue Dream, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001463, Batch Size: 1116 Units, LOT ID:
 1A4120300000C1F000004017
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Blue Dream

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001463, Metrc Sample: 1A4120300000C1F000004017, Metrc Manifest: 0000065267



Pass

Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 01/23/2026 21:38

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	5.4782	Passed	p-Cymene	154		ND	Tested
b-Myrcene	154	1.5333		Tested	Eucalyptol	154		ND	Tested
Linalool	154	1.0458		Tested	g-Terpinene	154		ND	Tested
b-Caryophyllene	154	0.6359		Tested	Terpinolene	154	< LOQ		Tested
a-Pinene	154	0.6140		Tested	Sabinene Hydrate	154		ND	Tested
trans-Nerolidol	154	0.3732		Tested	Fenchone	154		ND	Tested
Limonene	154	0.3620		Tested	Isopulegol	154		ND	Tested
b-Pinene	154	0.3136		Tested	Isoborneol	154		ND	Tested
a-Humulene	154	0.1789		Tested	DL-Menthol	154		ND	Tested
Terpineol	154	0.1103		Tested	Nerol	154		ND	Tested
a-Bisabolol	154	0.1040		Tested	Pulegone	154		ND	Tested
Fenchol	154	0.0965		Tested	Geraniol	154		ND	Tested
Caryophyllene Oxide	154	0.0342		Tested	Geranyl Acetate	154		ND	Tested
Camphor	154	0.0326		Tested	a-Cedrene	154		ND	Tested
Borneol	154	0.0269		Tested	Valencene	154		ND	Tested
Camphene	154	0.0171		Tested	cis-Nerolidol	154		ND	Tested
Sabinene	154		ND	Tested	Guaiol	154		ND	Tested
a-Phellandrene	154		ND	Tested	Cedrol	154		ND	Tested
d-3-Carene	154		ND	Tested	trans-b-Ocimene	154		ND	Tested
a-Terpinene	154		< LOQ	Tested	trans-b-Farnesene	154		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

Vireo Health

Order No.: ONYVH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVH0121-CVAP-0023086

Strain: Blue Dream, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001463, Batch Size: 1116 Units, LOT ID:
 1A4120300000C1F000004017
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Blue Dream

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001463, Metrc Sample: 1A4120300000C1F000004017, Metrc Manifest: 0000065267



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 01/23/2026 16:47

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Vireo Health

Order No.: ONYVHTH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023086

Strain: Blue Dream, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001463, Batch Size: 1116 Units, LOT ID:
 1A4120300000C1F000004017
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Blue Dream

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001463, Metrc Sample: 1A4120300000C1F000004017, Metrc Manifest: 0000065267



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 01/22/2026 16:10

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 01/27/2026 10:49

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.192	2.000	< LOQ	Passed
Arsenic	0.192	0.200	ND	Passed
Cadmium	0.192	0.200	ND	Passed
Chromium	0.192	110.000	ND	Passed
Copper	0.230	30.000	< LOQ	Passed
Mercury	0.046	0.100	ND	Passed
Nickel	0.230	2.000	ND	Passed
Lead	0.192	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Vireo Health

Order No.: ONYVHTH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023086

Strain: Blue Dream, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001463, Batch Size: 1116 Units, LOT ID:
 1A4120300000C1F000004017
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Blue Dream

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001463, Metrc Sample: 1A4120300000C1F000004017, Metrc Manifest: 0000065267



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 01/22/2026 11:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	< LOQ	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.11	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Vireo Health

Order No.: ONYVH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVH0121-CVAP-0023086

Strain: Blue Dream, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001463, Batch Size: 1116 Units, LOT ID:
 1A4120300000C1F000004017
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Blue Dream

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001463, Metrc Sample: 1A4120300000C1F000004017, Metrc Manifest: 0000065267



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	< LOQ	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	< LOQ	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	0.48	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.11	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.