

Vireo Health

Order No.: ONYVH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVH0121-CVAP-0023080

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001469, Batch Size: 1089 Units, LOT ID:
 1A4120300000C1F000004011
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Durban Poison

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001469, Metrc Sample: 1A4120300000C1F000004011, Metrc Manifest: 0000065267




Results

2.74 mg/dose D9-THC	
0 mg/dose Total CBD	2.74 mg/dose Total THC
2.74 mg/dose Total Cannabinoids	7.119% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Pass
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Vireo Health

Order No.: ONYVH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVH0121-CVAP-0023080

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001469, Batch Size: 1089 Units, LOT ID:
 1A4120300000C1F000004011
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Durban Poison

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001469, Metrc Sample: 1A4120300000C1F000004011, Metrc Manifest: 0000065267



Cannabinoids

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 01/23/2026 16:36

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,522.71	ND	ND	ND	ND
CBDa	4,522.71	ND	ND	ND	ND
CBGa	4,522.71	ND	ND	ND	ND
CBG	4,522.71	ND	ND	ND	ND
CBD	4,522.71	ND	ND	ND	ND
THCV	4,522.71	< LOQ	< LOQ	< LOQ	< LOQ
CBN	4,522.71	< LOQ	< LOQ	< LOQ	< LOQ
D9-THC	4,522.71	91.47	914.66	2.74	914.66
D8-THC	4,522.71	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,522.71	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,522.71	ND	ND	ND	ND
CBC	4,522.71	ND	ND	ND	ND
THCa	4,522.71	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		91.47	914.66	2.74	914.66
Total Cannabinoids		91.47	914.66	2.74	914.66

Report notes:
 Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C
 Incubator - 1034
Date/Time Tested: 01/22/2026 16:14

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:
 Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 01/23/2026 16:36

Pass

Analyte	Result
Homogeneity	Pass

Vireo Health

Order No.: ONYVH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVH0121-CVAP-0023080

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001469, Batch Size: 1089 Units, LOT ID:
 1A4120300000C1F000004011
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Durban Poison

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001469, Metrc Sample: 1A4120300000C1F000004011, Metrc Manifest: 0000065267



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 01/23/2026 21:38

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	7.1192	Passed	Eucalyptol	157		< LOQ	Tested
Terpinolene	157		2.6701	Tested	g-Terpinene	157		ND	Tested
b-Caryophyllene	157		1.5275	Tested	Sabinene Hydrate	157		ND	Tested
b-Myrcene	157		0.9596	Tested	Fenchone	157		ND	Tested
Terpineol	157		0.4870	Tested	Isopulegol	157		ND	Tested
Limonene	157		0.3921	Tested	Camphor	157		ND	Tested
b-Pinene	157		0.2118	Tested	Isoborneol	157		ND	Tested
a-Phellandrene	157		0.1462	Tested	DL-Menthol	157		ND	Tested
trans-Nerolidol	157		0.1453	Tested	Borneol	157		ND	Tested
a-Humulene	157		0.1218	Tested	Nerol	157		ND	Tested
a-Pinene	157		0.1191	Tested	Pulegone	157		ND	Tested
d-3-Carene	157		0.0843	Tested	Geraniol	157		ND	Tested
a-Terpinene	157		0.0719	Tested	Geranyl Acetate	157		ND	Tested
a-Bisabolol	157		0.0667	Tested	a-Cedrene	157		ND	Tested
Caryophyllene Oxide	157		0.0493	Tested	Valencene	157		ND	Tested
Linalool	157		0.0441	Tested	cis-Nerolidol	157		ND	Tested
Fenchol	157		0.0224	Tested	Guaiol	157		ND	Tested
Camphene	157		< LOQ	Tested	Cedrol	157		ND	Tested
Sabinene	157		ND	Tested	trans-b-Ocimene	157		ND	Tested
p-Cymene	157		< LOQ	Tested	trans-b-Farnesene	157		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Vireo Health

Order No.: ONYVHTH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023080

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001469, Batch Size: 1089 Units, LOT ID:
 1A4120300000C1F000004011
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Durban Poison

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001469, Metrc Sample: 1A4120300000C1F000004011, Metrc Manifest: 0000065267



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 01/23/2026 16:47

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Vireo Health

Order No.: ONYVHTH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023080

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001469, Batch Size: 1089 Units, LOT ID:
 1A4120300000C1F000004011
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Durban Poison

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001469, Metrc Sample: 1A4120300000C1F000004011, Metrc Manifest: 0000065267



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 01/22/2026 16:10

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested
B2	4.8		ND	Tested
G1	4.8		ND	Tested
G2	4.8		ND	Tested
Ochratoxin A	4.8	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 01/27/2026 10:49

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.178	2.000	< LOQ	Passed
Arsenic	0.178	0.200	ND	Passed
Cadmium	0.178	0.200	ND	Passed
Chromium	0.178	110.000	< LOQ	Passed
Copper	0.214	30.000	0.223	Passed
Mercury	0.043	0.100	ND	Passed
Nickel	0.214	2.000	< LOQ	Passed
Lead	0.178	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Vireo Health

Order No.: ONYVHTH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023080

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001469, Batch Size: 1089 Units, LOT ID:
 1A4120300000C1F000004011
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Durban Poison

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001469, Metrc Sample: 1A4120300000C1F000004011, Metrc Manifest: 0000065267



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 01/22/2026 11:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	< LOQ	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Vireo Health

Order No.: ONYVH0121-0011628
 256 County Route 117
 New York, 12095
 5187057399
 OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVH0121-CVAP-0023080

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: 1A4120300000C1F000001469, Batch Size: 1089 Units, LOT ID:
 1A4120300000C1F000004011
 Date Sampled: 01/21/2026 12:18
 Sample Received: 01/21/2026 13:00
 Report Created: 01/28/2026 22:06
 Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Durban Poison

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000C1F000001469, Metrc Sample: 1A4120300000C1F000004011, Metrc Manifest: 0000065267



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	< LOQ	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	0.12	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	0.51	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chloromequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chloromequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.