

Gen V

Order No.: ONYGVL0227-0012379
 4473 Cherry Valley Turnpike
 New York, 13084
 rbecker@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0024412

Unit Weight: 355.0000g
 Batch#: 022428-BEV0439, Batch Size: 28,800 Units, LOT ID:
 1A412030000020B000001100
 Date Sampled: 02/27/2026 16:19
 Sample Received: 02/27/2026 16:19
 Report Created: 03/05/2026 17:30
 Sampling SOP 204 ♦

Ayrloom AU - Beverage 12oz (10THC:5CBD) - Single - Vanilla Cola

Ingestible, Beverage
 Metrc Batch: 1A412030000020B000001077, Metrc Sample: 1A412030000020B000001100, Metrc Manifest: 0000118052



Results

10.59 mg/dose D9-THC	5.51 mg/dose CBD
5.51 mg/dose Total CBD	10.59 mg/dose Total THC
16.1 mg/dose Total Cannabinoids	0% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Tested	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes

No terpenes detected



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVLO227-0012379
 4473 Cherry Valley Turnpike
 New York, 13084
 rbecker@ayrloom.com
 3157077760

Sample: SNYGVLO227-IBEV-0024412

Unit Weight: 355.0000g
 Batch#: 022428-BEV0439, Batch Size: 28,800 Units, LOT ID:
 1A412030000020B000001100
 Date Sampled: 02/27/2026 16:19
 Sample Received: 02/27/2026 16:19
 Report Created: 03/05/2026 17:30
 Sampling SOP 204 ♦

Ayrloom AU - Beverage 12oz (10THC:5CBD) - Single - Vanilla Cola

Ingestible, Beverage
 Metrc Batch: 1A412030000020B000001077, Metrc Sample: 1A412030000020B000001100, Metrc Manifest: 0000118052



Cannabinoids

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518 / Agilent Infinity II - 2779
Date/Time Tested: 02/27/2026 11:02

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	3.00	ND	ND	ND	ND
CBDa	3.00	ND	ND	ND	ND
CBGa	3.00	ND	ND	ND	ND
CBG	3.00	< LOQ	< LOQ	< LOQ	< LOQ
CBD	3.00	0.00	0.02	5.51	5.51
THCV	3.00	ND	ND	ND	ND
CBN	3.00	ND	ND	ND	ND
D9-THC	3.00	0.00	0.03	10.59	10.59
D8-THC	3.00	ND	ND	ND	ND
(6aR,9S)-d10-THC	3.00	ND	ND	ND	ND
(6aR,9R)-d10-THC	3.00	ND	ND	ND	ND
CBC	3.00	ND	ND	ND	ND
THCa	3.00	ND	ND	ND	ND
Total CBD		0.00	0.02	5.51	5.51
Total THC		0.00	0.03	10.59	10.59
Total Cannabinoids		0.00	0.05	16.10	16.10

Pass

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C
 Incubator - 1034
Date/Time Tested: 03/01/2026 13:53

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0227-0012379
 4473 Cherry Valley Turnpike
 New York, 13084
 rbecker@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0024412

Unit Weight: 355.0000g
 Batch#: 022428-BEV0439, Batch Size: 28,800 Units, LOT ID:
 1A412030000020B000001100
 Date Sampled: 02/27/2026 16:19
 Sample Received: 02/27/2026 16:19
 Report Created: 03/05/2026 17:30
 Sampling SOP 204 ♦

Ayrloom AU - Beverage 12oz (10THC:5CBD) - Single - Vanilla Cola

Ingestible, Beverage

Metrc Batch: 1A412030000020B000001077, Metrc Sample: 1A412030000020B000001100, Metrc Manifest: 0000118052



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 03/01/2026 15:39

Tested

Analyte	LOQ (ug/mL)	%	Analyte	LOQ (ug/mL)	%
a-Pinene	161	ND	DL-Menthol	161	ND
Camphene	161	ND	Borneol	161	ND
Sabinene	161	ND	Terpineol	161	ND
b-Pinene	161	ND	Nerol	161	ND
b-Myrcene	161	ND	Pulegone	161	ND
a-Phellandrene	161	ND	Geraniol	161	ND
d-3-Carene	161	ND	Geranyl Acetate	161	ND
a-Terpinene	161	ND	a-Cedrene	161	ND
Limonene	161	ND	b-Caryophyllene	161	ND
p-Cymene	161	ND	a-Humulene	161	ND
Eucalyptol	161	ND	Valencene	161	ND
g-Terpinene	161	ND	cis-Nerolidol	161	ND
Terpinolene	161	ND	trans-Nerolidol	161	ND
Fenchol	161	ND	Guaiol	161	ND
Sabinene Hydrate	161	ND	Caryophyllene Oxide	161	ND
Linalool	161	ND	Cedrol	161	ND
Fenchone	161	ND	a-Bisabolol	161	ND
Isopulegol	161	ND	trans-b-Ocimene	161	ND
Camphor	161	ND	trans-b-Farnesene	161	ND
Isoborneol	161	ND	Total Terpenes		ND

Gen V

Order No.: ONYGVLO227-0012379
 4473 Cherry Valley Turnpike
 New York, 13084
 rbecker@ayrloom.com
 3157077760

Sample: SNYGVLO227-IBEV-0024412

Unit Weight: 355.0000g
 Batch#: 022428-BEV0439, Batch Size: 28,800 Units, LOT ID:
 1A412030000020B000001100
 Date Sampled: 02/27/2026 16:19
 Sample Received: 02/27/2026 16:19
 Report Created: 03/05/2026 17:30
 Sampling SOP 204 ♦

Ayrloom AU - Beverage 12oz (10THC:5CBD) - Single - Vanilla Cola

Ingestible, Beverage
 Metrc Batch: 1A412030000020B000001077, Metrc Sample: 1A412030000020B000001100, Metrc Manifest: 0000118052



Residual Solvents

SOP: SOP 612-NY
Instrument: Agilent HS-GC-MS 2543 - 2543 / Agilent HS-GC-MS 1333 - 1333
Date/Time Tested: 03/01/2026 18:23

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	ND	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	ND	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LC-MS-MS 2755 - 2755
Date/Time Tested: 03/01/2026 10:41

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0227-0012379
 4473 Cherry Valley Turnpike
 New York, 13084
 rbecker@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0024412

Unit Weight: 355.0000g
 Batch#: 022428-BEV0439, Batch Size: 28,800 Units, LOT ID:
 1A412030000020B000001100
 Date Sampled: 02/27/2026 16:19
 Sample Received: 02/27/2026 16:19
 Report Created: 03/05/2026 17:30
 Sampling SOP 204 ♦

Ayrloom AU - Beverage 12oz (10THC:5CBD) - Single - Vanilla Cola

Ingestible, Beverage
 Metrc Batch: 1A412030000020B000001077, Metrc Sample: 1A412030000020B000001100, Metrc Manifest: 0000118052



Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 03/02/2026 11:02

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.185	120.000	ND	Passed
Arsenic	0.185	1.500	ND	Passed
Cadmium	0.185	0.500	ND	Passed
Chromium	0.185	1,100.000	ND	Passed
Copper	0.222	300.000	ND	Passed
Mercury	0.044	3.000	ND	Passed
Nickel	0.222	20.000	ND	Passed
Lead	0.185	0.500	ND	Passed



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0227-0012379
 4473 Cherry Valley Turnpike
 New York, 13084
 rbecker@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0024412

Unit Weight: 355.0000g
 Batch#: 022428-BEV0439, Batch Size: 28,800 Units, LOT ID:
 1A412030000020B000001100
 Date Sampled: 02/27/2026 16:19
 Sample Received: 02/27/2026 16:19
 Report Created: 03/05/2026 17:30
 Sampling SOP 204 ♦

Ayrloom AU - Beverage 12oz (10THC:5CBD) - Single - Vanilla Cola

Ingestible, Beverage
 Metrc Batch: 1A412030000020B000001077, Metrc Sample: 1A412030000020B000001100, Metrc Manifest: 0000118052



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 03/01/2026 10:18

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



Angus Alfieri

Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0227-0012379
 4473 Cherry Valley Turnpike
 New York, 13084
 rbecker@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0024412

Unit Weight: 355.0000g
 Batch#: 022428-BEV0439, Batch Size: 28,800 Units, LOT ID:
 1A412030000020B000001100
 Date Sampled: 02/27/2026 16:19
 Sample Received: 02/27/2026 16:19
 Report Created: 03/05/2026 17:30
 Sampling SOP 204 ♦

Ayrloom AU - Beverage 12oz (10THC:5CBD) - Single - Vanilla Cola

Ingestible, Beverage
 Metrc Batch: 1A412030000020B000001077, Metrc Sample: 1A412030000020B000001100, Metrc Manifest: 0000118052



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.