



# Certificate of Analysis

## FOR COMPLIANCE

## PASSED



**Harvest/Lot ID:** AA-0610-AL-0126-D  
**Batch #:** AA-0610-AL-0126-D-E  
**Production Method:** Cured  
**Total Amount:** 3200 units  
**Retail Product Size:** 3.5 gram  
**Retail Serving Size:** 3.5 gram  
**Servings:** 1  
**Metrc Package #:**  
1A412030000025D000001061  
**Metrc Source Package #:**  
1A412030000025D000001060

**Lab ID:** AL60401005-001  
**Sampled Date:** 04/01/26  
**Sample Collection Time:** 01:00 PM  
**Sampling End:** 01:30 PM  
**Sampling Method:** SOP.T.20.010.NY  
**Sample Size:** 13 gram  
**Completed:** 04/07/26  
**Revised:** 04/08/26  
**Manifest #:** 0000162634

### Etain- Buffalo

310 Ship Canal Pkwy Suite 100  
Buffalo, NY, 14218, US  
getfluent.com

License #: OCM-XROD-23-000004\_MM0409M

### SAFETY RESULTS

MISC.

|   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |
| Pesticide<br><b>PASSED</b>  | Heavy Metals<br><b>PASSED</b>   | Microbial<br><b>PASSED</b>  | Mycotoxins<br><b>PASSED</b>   | Solvents<br><b>NOT TESTED</b>   | Filtration/Foreign Material<br><b>PASSED</b>                                      | Water Activity<br><b>PASSED</b>   | Moisture Content<br><b>PASSED</b>   | Terpenes<br><b>PASSED</b>   |



## Cannabinoid

**PASSED**




**Total THC**  
**33.2513%**  
Total THC : 1163.7955 mg



**Total CBD**  
**<0.1000**  
Total CBD : 0



**Total Cannabinoids**  
**40.2826%**  
Total Cannabinoids/Container :  
1409.8901 mg



|           | (6AR,9R) D10-THC | (6AR,9S) D10-THC | CBC     | CBD     | CBDA    | CBDV    | CBG     | CBGA    | D8-THC  | CBN     | D9-THC  | THCA      | THCV    |
|-----------|------------------|------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------|---------|
| %         | <0.1000          | <0.1000          | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | 2.5651  | <0.1000 | <0.1000 | 1.4069  | 36.3106   | <0.1000 |
| mg/unit   | <3.5000          | <3.5000          | <3.5000 | <3.5000 | <3.5000 | <3.5000 | <3.5000 | 89.7776 | <3.5000 | <3.5000 | 49.2425 | 1270.8700 | <3.5000 |
| LOQ       | 0.1000           | 0.1000           | 0.1000  | 0.1000  | 0.1000  | 0.1000  | 0.1000  | 0.1000  | 0.1000  | 0.1000  | 0.1000  | 0.1000    | 0.1000  |
| Qualifier | %                | %                | %       | %       | %       | %       | %       | %       | %       | %       | %       | %         | %       |

Weight:  
0.2143g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 04/06/26 08:08:31

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
04/07/26  
**Laboratory License #:** OCM-CPL-24-00006-L1

**Revision: #1** - Report revised to update batch id and serving size.



# Certificate of Analysis

**Etain- Buffalo**

310 Ship Canal Pkwy Suite 100  
Buffalo, NY, 14218, US  
getfluent.com  
License #: OCM-XROD-23-000004\_MM0409M

**Sample: AL60401005-001**

Batch #: AA-0610-AL-0126-D-E  
Harvest/Lot ID: AA-0610-AL-0126-D  
Seed to sale: 1A412030000025D000001061

Ordered: 03/31/26  
Sampled: 04/01/26  
Completed: 04/07/26

**PASSED**



## Label Claim Verification

PASSED

| ANALYTES                                 | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--|------|-----|-------|-----------|--------|-----------|
| <b>Weight:</b>                           |      |     |       |           |        |           |
| <b>Analysis Method :</b> N/A             |      |     |       |           |        |           |
| <b>Analyzed Date :</b> 04/08/26 17:42:36 |      |     |       |           |        |           |



## Terpenes

PASSED

| ANALYTES            | LOQ    | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|---------------------|--------|-------|-----------|------------|-----------|-----------|
| TOTAL TERPENES      | 0.1000 | 11.5  | PASS      | 2.1700     | 75.9500   |           |
| LIMONENE            | 0.0040 | 10    | PASS      | 0.6000     | 21.0000   |           |
| BETA-CARYOPHYLLENE  | 0.0040 | 10    | PASS      | 0.5000     | 17.5000   |           |
| LINALOOL            | 0.0040 | 10    | PASS      | 0.2000     | 7.0000    |           |
| BETA-MYRCENE        | 0.0040 | 10    | PASS      | 0.1700     | 5.9500    |           |
| ALPHA-HUMULENE      | 0.0040 | 10    | PASS      | 0.1500     | 5.2500    |           |
| BETA-PINENE         | 0.0040 | 10    | PASS      | 0.0900     | 3.1500    |           |
| ALPHA-BISABOLOL     | 0.0040 | 10    | PASS      | 0.0800     | 2.8000    |           |
| GUAJOL              | 0.0040 | 10    | PASS      | 0.0700     | 2.4500    |           |
| ALPHA TERPINEOL     | 0.0040 | 10    | PASS      | 0.0600     | 2.1000    |           |
| FENCHYL ALCOHOL     | 0.0040 | 10    | PASS      | 0.0600     | 2.1000    |           |
| OCIMENE             | 0.0040 | 10    | PASS      | 0.0500     | 1.7500    |           |
| ALPHA-PINENE        | 0.0040 | 10    | PASS      | 0.0500     | 1.7500    |           |
| FARNESENE           | 0.0400 | 10    | PASS      | 0.0400     | 1.4000    |           |
| CARYOPHYLLENE OXIDE | 0.0040 | 10    | PASS      | 0.0200     | 0.7000    |           |
| CAMPHENE            | 0.0040 | 10    | PASS      | 0.0100     | 0.3500    |           |
| TERPINOLENE         | 0.0040 | 10    | PASS      | 0.0100     | 0.3500    |           |
| VALENCENE           | 0.0040 | 10    | PASS      | 0.0100     | 0.3500    |           |
| GERANIOL            | 0.0040 | 10    | PASS      | <0.0040    | <0.1400   |           |
| MENTHOL             | 0.0040 | 10    | PASS      | <0.0040    | <0.1400   |           |
| ALPHA-PHELLANDRENE  | 0.0040 | 10    | PASS      | <0.0040    | <0.1400   |           |
| ALPHA-TERPINENE     | 0.0040 | 10    | PASS      | <0.0040    | <0.1400   |           |

**Weight:**  
1.0179g

**Analysis Method :** SOP.T.30.064.NY, SOP.T.40.064.NY  
**Analyzed Date :** 04/03/26 16:00:35



## Pesticide

PASSED

| ANALYTES              | UNIT | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|-----------------------|------|--------|-------|-----------|---------|-----------|
| PRALLETHRIN           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| ACEQUINOCYL           | ppm  | 0.1000 | 2     | PASS      | <0.1000 |           |
| PYRETHRINS, TOTAL     | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| AZADIRACTIN           | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| INDOLE-3-BUTYRIC ACID | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| MYCLOBUTANIL          | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| PIPERONYL BUTOXIDE    | ppm  | 0.1000 | 2     | PASS      | <0.1000 |           |
| ABAMECTIN B1A         | ppm  | 0.1000 | 0.5   | PASS      | <0.1000 |           |
| ACEPHATE              | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director  
State License # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
04/07/26  
Laboratory License #: OCM-CPL-24-00006-L1

**Revision: #1** - Report revised to update batch id and serving size.



# Certificate of Analysis

**Etain- Buffalo**

310 Ship Canal Pkwy Suite 100  
Buffalo, NY, 14218, US  
getfluent.com  
License #: OCM-XROD-23-000004\_MM0409M

**Sample: AL60401005-001**

Batch #: AA-0610-AL-0126-D-E  
Harvest/Lot ID: AA-0610-AL-0126-D  
Seed to sale: 1A412030000025D000001061

Ordered: 03/31/26  
Sampled: 04/01/26  
Completed: 04/07/26

**PASSED**



**Pesticide**

PASSED

| ANALYTES             | UNIT | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|----------------------|------|--------|-------|-----------|---------|-----------|
| ACETAMIPRID          | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| ALDICARB             | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| AZOXYSTROBIN         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CHLORMEQUAT CHLORIDE | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| BIFENAZATE           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| BIFENTHRIN           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CARBARYL             | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CHLORPYRIFOS         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| COUMAPHOS            | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| DAMINOZIDE           | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| CARBOFURAN           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| BOSCALID             | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| CHLORANTRANILIPROLE  | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| DIAZINON             | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CLOFENTEZINE         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| DICHLORVOS           | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| DIMETHOATE           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| DIMETHOMORPH         | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| ETHOPROPHOS          | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| ETOFENPROX           | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| ETOXAZOLE            | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| FENHEXAMID           | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| FENOXYCARB           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| FENPYROXIMATE        | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| FIPRONIL             | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| FLONICAMID           | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| FLUDIOXONIL          | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| HEXYTHIAZOX          | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| IMAZALIL             | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| IMIDACLOPRID         | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| KRESOXIM METHYL      | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| MALATHION            | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| METALAXYL            | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| METHIOCARB           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| METHOMYL             | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| MEVINPHOS            | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| NALED                | ppm  | 0.1000 | 0.5   | PASS      | <0.1000 |           |
| OXAMYL               | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| PACLOBUTRAZOL        | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| PERMETHRIN           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| PHOSMET              | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| PROPICONAZOLE        | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| PROPOXUR             | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| PYRIDABEN            | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| SPINETORAM, TOTAL    | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| SPINOSAD, TOTAL      | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| SPIROMESIFEN         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| SPIROTETRAMAT        | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| SPIROXAMINE          | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| TEBUCONAZOLE         | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| THIACLOPRID          | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| THIAMETHOXAM         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director  
State License # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
04/07/26  
Laboratory License #: OCM-CPL-24-00006-L1

**Revision: #1** - Report revised to update batch id and serving size.



# Certificate of Analysis

**Etain- Buffalo**

310 Ship Canal Pkwy Suite 100  
Buffalo, NY, 14218, US  
getfluent.com  
License #: OCM-XROD-23-000004\_MM0409M

**Sample: AL60401005-001**

Batch #: AA-0610-AL-0126-D-E  
Harvest/Lot ID: AA-0610-AL-0126-D  
Seed to sale: 1A412030000025D000001061

Ordered: 03/31/26  
Sampled: 04/01/26  
Completed: 04/07/26

**PASSED**



## Pesticide

PASSED

| ANALYTES                | UNIT | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|-------------------------|------|--------|-------|-----------|---------|-----------|
| TRIFLOXYSTROBIN         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CAPTAN                  | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| CHLORDANE               | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| CHLORFENAPYR            | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| CYFLUTHRIN              | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| CYPERMETHRIN            | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| METHYL PARATHION        | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| MGK-264                 | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| PENTACHLORONITROBENZENE | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |

Weight:  
0.8375g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY  
Analyzed Date : 04/07/26 13:34:37

Weight:  
0.8375g

Analysis Method : SOP.T.40.154.NY  
Analyzed Date : 04/07/26 13:30:16




## Microbial

PASSED

| ANALYTES                       | UNIT  | LOQ | LIMIT       | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------------|-------|-----|-------------|-----------|-------------|-----------|
| TOTAL AEROBIC BACTERIA         | CFU/g | 100 | 100000      | PASS      | <100        |           |
| TOTAL YEAST AND MOLD           | CFU/g | 100 | 10000       | PASS      | 1600        |           |
| ESCHERICHIA COLI/SHIGELLA SPP. |       |     | Not Present | PASS      | Not Present |           |
| SALMONELLA SPECIES             |       |     | Not Present | PASS      | Not Present |           |
| ASPERGILLUS TERREUS            |       |     | Not Present | PASS      | Not Present |           |
| ASPERGILLUS NIGER              |       |     | Not Present | PASS      | Not Present |           |
| ASPERGILLUS FLAVUS             |       |     | Not Present | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS          |       |     | Not Present | PASS      | Not Present |           |

Weight:  
1.01g

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY  
Analyzed Date : 04/06/26 09:59:12



## Mycotoxins

PASSED

| ANALYTES                          | UNIT | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|-----------------------------------|------|--------|-------|-----------|---------|-----------|
| TOTAL AFLATOXINS (B1, B2, G1, G2) | ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| AFLATOXIN G2                      | ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| AFLATOXIN G1                      | ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| AFLATOXIN B2                      | ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| AFLATOXIN B1                      | ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| OCHRATOXIN A+                     | ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
04/07/26

Laboratory License #: OCM-CPL-24-00006-L1

**Revision: #1** - Report revised to update batch id and serving size.



# Certificate of Analysis

**Etain- Buffalo**

310 Ship Canal Pkwy Suite 100  
Buffalo, NY, 14218, US  
getfluent.com  
License #: OCM-XROD-23-000004\_MM0409M

**Sample: AL60401005-001**

Batch #: AA-0610-AL-0126-D-E  
Harvest/Lot ID: AA-0610-AL-0126-D  
Seed to sale: 1A412030000025D000001061

Ordered: 03/31/26  
Sampled: 04/01/26  
Completed: 04/07/26

**PASSED**



## Mycotoxins

PASSED


| ANALYTES   | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--|------|-----|-------|-----------|--------|-----------|
| <b>Weight:</b><br>0.8375g<br><b>Analysis Method :</b> SOP.T.30.104.NY, SOP.T.40.104.NY<br><b>Analyzed Date :</b> 04/07/26 13:31:46 |      |     |       |           |        |           |



## Water Activity

PASSED

| ANALYTES  | UNIT | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY  | aw   | 0.10 | 0.65  | PASS      | 0.47   |           |
| <b>Weight:</b><br>0.333g<br><b>Analysis Method :</b> SOP.T.40.019<br><b>Analyzed Date :</b> 04/06/26 16:08:48 |      |      |       |           |        |           |



## Moisture Content

PASSED

| ANALYTES  | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|------|-----|-------|-----------|--------|-----------|
| MOISTURE CONTENT  | %    | 1.0 | 15    | PASS      | 10.2   |           |
| <b>Weight:</b><br>1.018g<br><b>Analysis Method :</b> SOP.T.40.021<br><b>Analyzed Date :</b> 04/06/26 08:07:23 |      |     |       |           |        |           |



## Heavy Metals

PASSED

| ANALYTES   | UNIT | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|--|------|--------|-------|-----------|---------|-----------|
| ANTIMONY   | ug/g | 0.1000 | 2     | PASS      | <0.1000 |           |
| ARSENIC  | ug/g | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CADMIUM  | ug/g | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CHROMIUM   | ug/g | 1.0000 | 110   | PASS      | <1.0000 |           |
| COPPER   | ug/g | 1.0000 | 30    | PASS      | 3.3344  |           |
| LEAD   | ug/g | 0.1000 | 0.5   | PASS      | <0.1000 |           |
| MERCURY  | ug/g | 0.0100 | 0.1   | PASS      | <0.0100 |           |
| NICKEL   | ug/g | 0.1000 | 2     | PASS      | <0.1000 |           |
| <b>Weight:</b><br>0.5592g<br><b>Analysis Method :</b> SOP.T.30.084.NY, SOP.T.40.084.NY<br><b>Analyzed Date :</b> 04/03/26 10:33:48 |      |        |       |           |         |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

State License # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
04/07/26

Laboratory License #: OCM-CPL-24-00006-L1

**Revision: #1** - Report revised to update batch id and serving size.



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

FLU-DUAL-AL-FLWR-3.5G-AA  
Strain: Atomic Apple  
Matrix: Flower  
Classification: Raw Plant Material (Final Form)  
Type: Flower (Dual-Licensed)



# Certificate of Analysis

Pages 6 of 6

**Etain- Buffalo**

310 Ship Canal Pkwy Suite 100  
Buffalo, NY, 14218, US  
getfluent.com  
License #: OCM-XROD-23-000004\_MM0409M

**Sample: AL60401005-001**

Batch #: AA-0610-AL-0126-D-E  
Harvest/Lot ID: AA-0610-AL-0126-D  
Seed to sale: 1A412030000025D000001061

Ordered: 03/31/26  
Sampled: 04/01/26  
Completed: 04/07/26

**PASSED**

|  |                               |               |
|--|-------------------------------|---------------|
|  | <b>Filth/Foreign Material</b> | <b>PASSED</b> |
|--|-------------------------------|---------------|

| ANALYTES          | UNIT | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------|------|------|-------|-----------|--------|-----------|
| FOREIGN MATTER    | %    | 0.10 | 2     | PASS      | ND     |           |
| MAMMALIAN EXCRETA | mg   | 0.10 | 1     | PASS      | ND     |           |
| STEMS (>3MM)      | %    | 1.00 | 5     | PASS      | ND     |           |

Weight:  
48.3671g

Analysis Method : SOP.T.40.090  
Analyzed Date : 04/01/26 12:35:35

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
04/07/26  
Laboratory License #: OCM-CPL-24-00006-L1

**Revision: #1** - Report revised to update batch id and serving size.

**Revision: #1** This revision supersedes any and all previous versions of this document.