

DF New York One, Inc. - Jeeter
 Order No.: ONYJTR0330-0013033
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621
 OCM-PROC-24-000153-P2

Sample: SNYJTR0330-PEIP-0025370
 Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: DFNY-DURPOI-031826, Batch Size: 2140 Units, LOT ID:
 1A41203000001FC000000614
 Date Sampled: 03/30/2026 16:27
 Sample Received: 03/30/2026 18:08
 Report Created: 04/07/2026 18:03
 Sampling SOP 204*

Infused Jeeter 1G Preroll Durban Poison

Plant, Enhanced/Infused Preroll
 Metrc Batch: 1A41203000001FC000000612, Metrc Sample: 1A41203000001FC000000614, Metrc Manifest: 0000160631




Results

202.60 mg/unit D9-THC	185.41 mg/unit THCa
ND Total CBD	365.21 mg/unit Total THC
400.09 mg/unit Total Cannabinoids	3.626% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0330-0013033
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621
 OCM-PROC-24-000153-P2

Sample: SNYJTR0330-PEIP-0025370

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: DFNY-DURPOI-031826, Batch Size: 2140 Units, LOT ID:
 1A41203000001FC000000614
 Date Sampled: 03/30/2026 16:27
 Sample Received: 03/30/2026 18:08
 Report Created: 04/07/2026 18:03
 Sampling SOP 204*

Infused Jeeter 1G Preroll Durban Poison

Plant, Enhanced/Infused Preroll
 Metrc Batch: 1A41203000001FC000000612, Metrc Sample: 1A41203000001FC000000614, Metrc Manifest: 0000160631



Cannabinoids

Tested

SOP: SOP 801-NY
Instrument: Agilent Infinity II -
 2779 / Agilent HPLC 2518 - 2518
Date/Time Tested: 04/01/2026
 13:13

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	2,382.51	ND	ND	ND
CBDa	2,382.51	ND	ND	ND
CBGa	2,382.51	0.37	3.67	3.67
CBG	2,382.51	0.58	5.75	5.75
CBD	2,382.51	ND	ND	ND
THCV	2,382.51	ND	ND	ND
CBN	2,382.51	< LOQ	< LOQ	< LOQ
D9-THC	2,382.51	20.26	202.60	202.60
D8-THC	2,382.51	ND	ND	ND
(6aR,9S)-d10-THC	5,718.02	ND	ND	ND
(6aR,9R)-d10-THC	5,718.02	ND	ND	ND
CBC	2,382.51	0.27	2.65	2.65
THCa	2,382.51	18.54	185.41	185.41
Total CBD		ND	ND	ND
Total THC		36.52	365.21	365.21
Total Cannabinoids		40.01	400.09	400.09

Report notes:
 Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

Pass

SOP: SOP 205-NY
Date/Time Tested: 04/02/2026
 14:37

Analyte	Limit (%)	%	Status
Moisture	15	5.5	Passed

Microbials

Pass

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR -
 3195 / 35C Incubator - 1032 / 28C
 Incubator - 1034
Date/Time Tested: 04/01/2026
 15:17

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10		ND	Tested
E. Coli		0	ND	Passed
Yeast & Mold	10		ND	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:
 Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

Pass

SOP: SOP 206-NY
Date/Time Tested: 04/02/2026
 13:54

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.38	Passed



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0330-0013033
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621
 OCM-PROC-24-000153-P2

Sample: SNYJTR0330-PEIP-0025370

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: DFNY-DURPOI-031826, Batch Size: 2140 Units, LOT ID:
 1A41203000001FC000000614
 Date Sampled: 03/30/2026 16:27
 Sample Received: 03/30/2026 18:08
 Report Created: 04/07/2026 18:03
 Sampling SOP 204*

Infused Jeeter 1G Preroll Durban Poison

Plant, Enhanced/Infused Preroll
 Metrc Batch: 1A41203000001FC000000612, Metrc Sample: 1A41203000001FC000000614, Metrc Manifest: 0000160631



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 03/03/2026 16:41

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	3.6265	Passed	Caryophyllene Oxide	79		0.0315	Tested
Terpinolene	79		0.8221	Tested	trans-Nerolidol	79		0.0147	Tested
Limonene	79		0.4732	Tested	Borneol	79		0.0138	Tested
trans-b-Ocimene	79		0.4148	Tested	Camphene	79		0.0132	Tested
b-Caryophyllene	79		0.3845	Tested	Fenchone	79		0.0081	Tested
b-Myrcene	79		0.3766	Tested	Sabinene	79		ND	Tested
Linalool	79		0.1484	Tested	Eucalyptol	79		< LOQ	Tested
a-Humulene	79		0.1302	Tested	Sabinene Hydrate	79		ND	Tested
trans-b-Farnesene	79		0.1189	Tested	Isopulegol	79		ND	Tested
b-Pinene	79		0.1067	Tested	Camphor	79		ND	Tested
a-Phellandrene	79		0.0758	Tested	Isoborneol	79		ND	Tested
Fenchol	79		0.0746	Tested	DL-Menthol	79		ND	Tested
a-Bisabolol	79		0.0670	Tested	Nerol	79		ND	Tested
a-Pinene	79		0.0609	Tested	Pulegone	79		ND	Tested
d-3-Carene	79		0.0578	Tested	Geraniol	79		ND	Tested
p-Cymene	79		0.0565	Tested	Geranyl Acetate	79		ND	Tested
Terpineol	79		0.0542	Tested	a-Cedrene	79		ND	Tested
g-Terpinene	79		0.0514	Tested	Valencene	79		ND	Tested
cis-Nerolidol	79		0.0360	Tested	Guaial	79		ND	Tested
a-Terpinene	79		0.0358	Tested	Cedrol	79		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0330-0013033
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621
 OCM-PROC-24-000153-P2

Sample: SNYJTR0330-PEIP-0025370

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: DFNY-DURPOI-031826, Batch Size: 2140 Units, LOT ID:
 1A41203000001FC000000614
 Date Sampled: 03/30/2026 16:27
 Sample Received: 03/30/2026 18:08
 Report Created: 04/07/2026 18:03
 Sampling SOP 204*

Infused Jeeter 1G Preroll Durban Poison

Plant, Enhanced/Infused Preroll
 Metrc Batch: 1A41203000001FC000000612, Metrc Sample: 1A41203000001FC000000614, Metrc Manifest: 0000160631



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543 / Agilent HS-GC-MS 1333 - 1333

Date/Time Tested: 04/01/2026 16:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	ND	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	< LOQ	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0330-0013033
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621
 OCM-PROC-24-000153-P2

Sample: SNYJTR0330-PEIP-0025370

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: DFNY-DURPOI-031826, Batch Size: 2140 Units, LOT ID:
 1A41203000001FC000000614
 Date Sampled: 03/30/2026 16:27
 Sample Received: 03/30/2026 18:08
 Report Created: 04/07/2026 18:03
 Sampling SOP 204*

Infused Jeeter 1G Preroll Durban Poison

Plant, Enhanced/Infused Preroll
 Metrc Batch: 1A41203000001FC000000612, Metrc Sample: 1A41203000001FC000000614, Metrc Manifest: 0000160631



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 04/03/2026 13:05

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 04/02/2026 10:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.182	2.000	ND	Passed
Arsenic	0.182	0.200	ND	Passed
Cadmium	0.182	0.200	ND	Passed
Chromium	0.182	110.000	< LOQ	Passed
Copper	0.218	30.000	5.127	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.218	5.000	ND	Passed
Lead	0.182	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0330-0013033
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621
 OCM-PROC-24-000153-P2

Sample: SNYJTR0330-PEIP-0025370

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: DFNY-DURPOI-031826, Batch Size: 2140 Units, LOT ID:
 1A41203000001FC000000614
 Date Sampled: 03/30/2026 16:27
 Sample Received: 03/30/2026 18:08
 Report Created: 04/07/2026 18:03
 Sampling SOP 204*

Infused Jeeter 1G Preroll Durban Poison

Plant, Enhanced/Infused Preroll
 Metrc Batch: 1A41203000001FC000000612, Metrc Sample: 1A41203000001FC000000614, Metrc Manifest: 0000160631



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 04/02/2026 13:53

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

DF New York One, Inc. - Jeeter

Order No.: ONYJTR0330-0013033
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621
 OCM-PROC-24-000153-P2

Sample: SNYJTR0330-PEIP-0025370

Strain: Durban Poison, Unit Weight: 1.0000g
 Batch#: DFNY-DURPOI-031826, Batch Size: 2140 Units, LOT ID:
 1A41203000001FC000000614
 Date Sampled: 03/30/2026 16:27
 Sample Received: 03/30/2026 18:08
 Report Created: 04/07/2026 18:03
 Sampling SOP 204*

Infused Jeeter 1G Preroll Durban Poison

Plant, Enhanced/Infused Preroll
 Metrc Batch: 1A41203000001FC000000612, Metrc Sample: 1A41203000001FC000000614, Metrc Manifest: 0000160631



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.