

FLUENT Cannabis

Order No.: ONYETN0327-0012985
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0327-PFCU-0025311

Strain: Dark Frequency, Unit Weight: 3.5000g
 Batch#: KBF2026-011 DF, Batch Size: 1138 Units, LOT ID:
 1A4120300000263000001744
 Date Sampled: 03/27/2026 10:47
 Sample Received: 03/27/2026 12:57
 Report Created: 04/02/2026 17:13
 Sampling SOP 204*

FLU-DUAL-FLWR-KNACK-BLK-3.5g-DF

Plant, Flower - Cured
 Metrc Batch: 1A4120300000263000001743, Metrc Sample: 1A4120300000263000001744, Metrc Manifest: 0000157238




Results

5.88 mg/dose THCa	0.50 mg/dose D9-THC
ND Total CBD	5.66 mg/dose Total THC
6.91 mg/dose Total Cannabinoids	3.273% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Pass	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Not Tested	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

FLUENT Cannabis

Order No.: ONYETN0327-0012985
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0327-PFCU-0025311

Strain: Dark Frequency, Unit Weight: 3.5000g
 Batch#: KBF2026-011 DF, Batch Size: 1138 Units, LOT ID:
 1A4120300000263000001744
 Date Sampled: 03/27/2026 10:47
 Sample Received: 03/27/2026 12:57
 Report Created: 04/02/2026 17:13
 Sampling SOP 204*

FLU-DUAL-FLWR-KNACK-BLK-3.5g-DF

Plant, Flower - Cured
 Metrc Batch: 1A4120300000263000001743, Metrc Sample: 1A4120300000263000001744, Metrc Manifest: 0000157238



Cannabinoids

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 03/30/2026 09:57

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	1,917.29	ND	ND	ND	ND
CBDa	1,917.29	ND	ND	ND	ND
CBGa	1,917.29	2.21	22.09	0.47	77.32
CBG	1,917.29	0.29	2.93	0.06	10.24
CBD	1,917.29	ND	ND	ND	ND
THCV	1,917.29	ND	ND	ND	ND
CBN	1,917.29	ND	ND	ND	ND
D9-THC	1,917.29	2.36	23.60	0.50	82.62
D8-THC	1,917.29	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,601.50	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,601.50	ND	ND	ND	ND
CBC	1,917.29	ND	ND	ND	ND
THCa	1,917.29	27.73	277.31	5.88	970.59
Total CBD		ND	ND	ND	ND
Total THC		26.68	266.81	5.66	933.83
Total Cannabinoids		32.59	325.93	6.91	1,140.77

Report notes:
 Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

SOP: SOP 205-NY
Date/Time Tested: 03/30/2026 14:45

Pass

Analyte	Limit (%)	%	Status
Moisture	15	7.7	Passed

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C Incubator - 1034
Date/Time Tested: 03/28/2026 16:39

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	100,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	10	10,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:
 Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY
Date/Time Tested: 03/31/2026 10:00

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.38	Passed

Foreign Matter

SOP: SOP 203-NY
Date/Time Tested: 03/31/2026 15:02

Pass

Analyte	Limit (%)	%	Status
FM Stems	5.00	0	Passed
FM Other	2.00	0	Passed
FM Mammal Excrement		Absent	Passed



FLUENT Cannabis

Order No.: ONYETN0327-0012985
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0327-PFCU-0025311

Strain: Dark Frequency, Unit Weight: 3.5000g
 Batch#: KBF2026-011 DF, Batch Size: 1138 Units, LOT ID:
 1A4120300000263000001744
 Date Sampled: 03/27/2026 10:47
 Sample Received: 03/27/2026 12:57
 Report Created: 04/02/2026 17:13
 Sampling SOP 204*

FLU-DUAL-FLWR-KNACK-BLK-3.5g-DF

Plant, Flower - Cured
 Metrc Batch: 1A4120300000263000001743, Metrc Sample: 1A4120300000263000001744, Metrc Manifest: 0000157238



Terpenes

SOP: SOP 620-NY
Instrument: Agilent GC-FID 1950 - 1950
Date/Time Tested: 03/29/2026 16:00

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	3.2728	Passed	Sabinene	74		0.0133	Tested
Terpinolene	74		1.1941	Tested	Eucalyptol	74		0.0102	Tested
trans-b-Ocimene	74		0.4234	Tested	Caryophyllene Oxide	74		0.0093	Tested
b-Myrcene	74		0.3640	Tested	Sabinene Hydrate	74		0.0090	Tested
Limonene	74		0.2056	Tested	Borneol	74		0.0090	Tested
b-Caryophyllene	74		0.1818	Tested	Camphene	74		< LOQ	Tested
Linalool	74		0.1529	Tested	p-Cymene	74		< LOQ	Tested
trans-b-Farnesene	74		0.1353	Tested	Fenchone	74		ND	Tested
b-Pinene	74		0.1184	Tested	Isopulegol	74		ND	Tested
a-Pinene	74		0.0670	Tested	Camphor	74		ND	Tested
cis-Nerolidol	74		0.0603	Tested	Isoborneol	74		ND	Tested
Terpineol	74		0.0540	Tested	DL-Menthol	74		ND	Tested
a-Phellandrene	74		0.0509	Tested	Nerol	74		ND	Tested
a-Humulene	74		0.0503	Tested	Pulegone	74		ND	Tested
d-3-Carene	74		0.0484	Tested	Geraniol	74		ND	Tested
a-Terpinene	74		0.0332	Tested	Geranyl Acetate	74		ND	Tested
Fenchol	74		0.0256	Tested	a-Cedrene	74		ND	Tested
g-Terpinene	74		0.0224	Tested	Valencene	74		ND	Tested
trans-Nerolidol	74		0.0196	Tested	Guaiol	74		ND	Tested
a-Bisabolol	74		0.0148	Tested	Cedrol	74		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

FLUENT Cannabis

Order No.: ONYETN0327-0012985
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0327-PFCU-0025311

Strain: Dark Frequency, Unit Weight: 3.5000g
 Batch#: KBF2026-011 DF, Batch Size: 1138 Units, LOT ID:
 1A4120300000263000001744
 Date Sampled: 03/27/2026 10:47
 Sample Received: 03/27/2026 12:57
 Report Created: 04/02/2026 17:13
 Sampling SOP 204*

FLU-DUAL-FLWR-KNACK-BLK-3.5g-DF

Plant, Flower - Cured
 Metrc Batch: 1A4120300000263000001743, Metrc Sample: 1A4120300000263000001744, Metrc Manifest: 0000157238



Mycotoxins

SOP: SOP 808-NY
 Instrument: Agilent LC-MS-MS 2755 - 2755
 Date/Time Tested: 04/01/2026 11:24

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
 Instrument: Agilent 7800 ICP-MS - 2594
 Date/Time Tested: 03/30/2026 12:05

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.187	2.000	ND	Passed
Arsenic	0.187	0.200	ND	Passed
Cadmium	0.187	0.200	ND	Passed
Chromium	0.187	110.000	ND	Passed
Copper	0.225	30.000	1.891	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.225	2.000	ND	Passed
Lead	0.187	0.500	ND	Passed

Report notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

FLUENT Cannabis

Order No.: ONYETN0327-0012985
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0327-PFCU-0025311

Strain: Dark Frequency, Unit Weight: 3.5000g
 Batch#: KBF2026-011 DF, Batch Size: 1138 Units, LOT ID:
 1A4120300000263000001744
 Date Sampled: 03/27/2026 10:47
 Sample Received: 03/27/2026 12:57
 Report Created: 04/02/2026 17:13
 Sampling SOP 204*

FLU-DUAL-FLWR-KNACK-BLK-3.5g-DF

Plant, Flower - Cured
 Metrc Batch: 1A4120300000263000001743, Metrc Sample: 1A4120300000263000001744, Metrc Manifest: 0000157238



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 03/29/2026 13:25

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

FLUENT Cannabis

Order No.: ONYETN0327-0012985
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0327-PFCU-0025311

Strain: Dark Frequency, Unit Weight: 3.5000g
 Batch#: KBF2026-011 DF, Batch Size: 1138 Units, LOT ID:
 1A4120300000263000001744
 Date Sampled: 03/27/2026 10:47
 Sample Received: 03/27/2026 12:57
 Report Created: 04/02/2026 17:13
 Sampling SOP 204*

FLU-DUAL-FLWR-KNACK-BLK-3.5g-DF


Plant, Flower - Cured
 Metrc Batch: 1A4120300000263000001743, Metrc Sample: 1A4120300000263000001744, Metrc Manifest: 0000157238



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chloromequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.