

## FLUENT Cannabis

Order No.: ONYETN0327-0012985  
 6032 St Rt 9  
 New York, 12817  
 OCM-XROD-23-000004\_MM0401M-P1

## Sample: SNYETN0327-PFCU-0025308

Strain: Gush Mints , Unit Weight: 3.5000g  
 Batch#: KBF2026-008 GM, Batch Size: 713 Units, LOT ID:  
 1A4120300000263000001738  
 Date Sampled: 03/27/2026 10:47  
 Sample Received: 03/27/2026 12:57  
 Report Created: 04/03/2026 15:04  
 Sampling SOP 204\*

## FLU-DUAL-FLWR-KNACK-BLK-3.5G-GM

Plant, Flower - Cured  
 Metrc Batch: 1A4120300000263000001737, Metrc Sample: 1A4120300000263000001738, Metrc Manifest: 0000157238





## Results

<b>5.36 mg/dose</b> THCa	<b>0.61 mg/dose</b> D9-THC
<b>ND</b> Total CBD	<b>5.31 mg/dose</b> Total THC
<b>6.46 mg/dose</b> Total Cannabinoids	<b>2.182%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Pass	<b>Microbials</b> Pass
<b>Water Activity</b> Pass	<b>Foreign Matter</b> Pass	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Not Tested	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## FLUENT Cannabis

Order No.: ONYETN0327-0012985  
 6032 St Rt 9  
 New York, 12817  
 OCM-XROD-23-000004\_MM0401M-P1

## Sample: SNYETN0327-PFCU-0025308

Strain: Gush Mints, Unit Weight: 3.5000g  
 Batch#: KBF2026-008 GM, Batch Size: 713 Units, LOT ID:  
 1A4120300000263000001738  
 Date Sampled: 03/27/2026 10:47  
 Sample Received: 03/27/2026 12:57  
 Report Created: 04/03/2026 15:04  
 Sampling SOP 204\*

## FLU-DUAL-FLWR-KNACK-BLK-3.5G-GM

Plant, Flower - Cured  
 Metrc Batch: 1A4120300000263000001737, Metrc Sample: 1A4120300000263000001738, Metrc Manifest: 0000157238



## Cannabinoids

SOP: SOP 801-NY  
 Date/Time Tested: 04/01/2026  
 13:13

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	2,241.76	ND	ND	ND	ND
CBDa	2,241.76	ND	ND	ND	ND
CBGa	2,241.76	<b>2.32</b>	<b>23.16</b>	<b>0.49</b>	<b>81.06</b>
CBG	2,241.76	ND	ND	ND	ND
CBD	2,241.76	ND	ND	ND	ND
THCV	2,241.76	ND	ND	ND	ND
CBN	2,241.76	ND	ND	ND	ND
D9-THC	2,241.76	<b>2.89</b>	<b>28.94</b>	<b>0.61</b>	<b>101.30</b>
D8-THC	2,241.76	ND	ND	ND	ND
(6aR,9S)-d10-THC	5,380.22	ND	ND	ND	ND
(6aR,9R)-d10-THC	5,380.22	ND	ND	ND	ND
CBC	2,241.76	ND	ND	ND	ND
THCa	2,241.76	<b>25.26</b>	<b>252.63</b>	<b>5.36</b>	<b>884.21</b>
Total CBD		ND	ND	ND	ND
Total THC		<b>25.05</b>	<b>250.50</b>	<b>5.31</b>	<b>876.75</b>
Total Cannabinoids		<b>30.47</b>	<b>304.73</b>	<b>6.46</b>	<b>1,066.56</b>

### Report notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all cannabinoids  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Moisture

SOP: SOP 205-NY  
 Date/Time Tested: 04/01/2026  
 15:40

Pass

Analyte	Limit (%)	%	Status
Moisture	15	<b>9.5</b>	Passed

## Microbials

SOP: SOP 401-NY SOP 418-NY  
 Instrument: BioRad CFX qPCR -  
 3195 / 35C Incubator - 1032 / 28C  
 Incubator - 1034  
 Date/Time Tested: 03/28/2026  
 16:39

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	100,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	10	10,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

### Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Water Activity

SOP: SOP 206-NY  
 Date/Time Tested: 04/01/2026  
 15:52

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	<b>0.46</b>	Passed

## Foreign Matter

SOP: SOP 203-NY  
 Date/Time Tested: 04/01/2026  
 16:23

Pass

Analyte	Limit (%)	%	Status
FM Stems	5.00	0	Passed
FM Other	2.00	0	Passed
FM Mammal Excrement		Absent	Passed



Kimberly Krisolofsky  
 Lead Technical Director

## FLUENT Cannabis

Order No.: ONYETN0327-0012985  
 6032 St Rt 9  
 New York, 12817  
 OCM-XROD-23-000004\_MM0401M-P1

## Sample: SNYETN0327-PFCU-0025308

Strain: Gush Mints, Unit Weight: 3.5000g  
 Batch#: KBF2026-008 GM, Batch Size: 713 Units, LOT ID:  
 1A4120300000263000001738  
 Date Sampled: 03/27/2026 10:47  
 Sample Received: 03/27/2026 12:57  
 Report Created: 04/03/2026 15:04  
 Sampling SOP 204\*

## FLU-DUAL-FLWR-KNACK-BLK-3.5G-GM

Plant, Flower - Cured  
 Metrc Batch: 1A4120300000263000001737, Metrc Sample: 1A4120300000263000001738, Metrc Manifest: 0000157238



## Terpenes

**SOP:** SOP 620-NY  
**Instrument:** Agilent GC-FID 1950 - 1950  
**Date/Time Tested:** 04/02/2026 16:53

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>2.1824</b>	Passed	Sabinene	84		ND	Tested
Limonene	84		<b>0.5423</b>	Tested	a-Phellandrene	84		ND	Tested
b-Caryophyllene	84		<b>0.5033</b>	Tested	d-3-Carene	84		ND	Tested
Linalool	84		<b>0.2257</b>	Tested	a-Terpinene	84		ND	Tested
a-Bisabolol	84		<b>0.1508</b>	Tested	p-Cymene	84		ND	Tested
a-Humulene	84		<b>0.1291</b>	Tested	Eucalyptol	84		ND	Tested
b-Myrcene	84		<b>0.1035</b>	Tested	g-Terpinene	84		ND	Tested
Terpineol	84		<b>0.1031</b>	Tested	Sabinene Hydrate	84		ND	Tested
Fenchol	84		<b>0.0864</b>	Tested	Isopulegol	84		ND	Tested
cis-Nerolidol	84		<b>0.0803</b>	Tested	Camphor	84		ND	Tested
b-Pinene	84		<b>0.0728</b>	Tested	Isoborneol	84		ND	Tested
trans-Nerolidol	84		<b>0.0395</b>	Tested	DL-Menthol	84		ND	Tested
a-Pinene	84		<b>0.0390</b>	Tested	Nerol	84		ND	Tested
Caryophyllene Oxide	84		<b>0.0171</b>	Tested	Pulegone	84		ND	Tested
Fenchone	84		<b>0.0169</b>	Tested	Geraniol	84		ND	Tested
trans-b-Farnesene	84		<b>0.0165</b>	Tested	Geranyl Acetate	84		ND	Tested
trans-b-Ocimene	84		<b>0.0159</b>	Tested	a-Cedrene	84		ND	Tested
Borneol	84		<b>0.0152</b>	Tested	Valencene	84		ND	Tested
Camphene	84		<b>0.0129</b>	Tested	Guaiol	84		ND	Tested
Terpinolene	84		<b>0.0123</b>	Tested	Cedrol	84		ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## FLUENT Cannabis

Order No.: ONYETN0327-0012985  
 6032 St Rt 9  
 New York, 12817  
 OCM-XROD-23-000004\_MM0401M-P1

## Sample: SNYETN0327-PFCU-0025308

Strain: Gush Mints, Unit Weight: 3.5000g  
 Batch#: KBF2026-008 GM, Batch Size: 713 Units, LOT ID:  
 1A4120300000263000001738  
 Date Sampled: 03/27/2026 10:47  
 Sample Received: 03/27/2026 12:57  
 Report Created: 04/03/2026 15:04  
 Sampling SOP 204\*

## FLU-DUAL-FLWR-KNACK-BLK-3.5G-GM

Plant, Flower - Cured  
 Metrc Batch: 1A4120300000263000001737, Metrc Sample: 1A4120300000263000001738, Metrc Manifest: 0000157238



## Mycotoxins

**SOP:** SOP 808-NY  
**Instrument:** Agilent LC-MS-MS 2755 - 2755  
**Date/Time Tested:** 04/01/2026 11:24

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

**SOP:** SOP 250-NY  
**Instrument:** Agilent 7800 ICP-MS - 2594  
**Date/Time Tested:** 04/02/2026 10:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.171	2.000	ND	Passed
Arsenic	0.171	0.200	ND	Passed
Cadmium	0.171	0.200	< LOQ	Passed
Chromium	0.171	110.000	< LOQ	Passed
Copper	0.206	30.000	<b>23.526</b>	Passed
Mercury	0.041	0.100	ND	Passed
Nickel	0.206	2.000	<b>1.090</b>	Passed
Lead	0.171	0.500	< LOQ	Passed

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## FLUENT Cannabis

Order No.: ONYETN0327-0012985  
 6032 St Rt 9  
 New York, 12817  
 OCM-XROD-23-000004\_MM0401M-P1

## Sample: SNYETN0327-PFCU-0025308

Strain: Gush Mints , Unit Weight: 3.5000g  
 Batch#: KBF2026-008 GM, Batch Size: 713 Units, LOT ID:  
 1A4120300000263000001738  
 Date Sampled: 03/27/2026 10:47  
 Sample Received: 03/27/2026 12:57  
 Report Created: 04/03/2026 15:04  
 Sampling SOP 204\*

## FLU-DUAL-FLWR-KNACK-BLK-3.5G-GM

Plant, Flower - Cured  
 Metrc Batch: 1A4120300000263000001737, Metrc Sample: 1A4120300000263000001738, Metrc Manifest: 0000157238



## Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 03/29/2026 13:25

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed




Kimberly Krisolofsky  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## FLUENT Cannabis

Order No.: ONYETN0327-0012985  
 6032 St Rt 9  
 New York, 12817  
 OCM-XROD-23-000004\_MM0401M-P1

## Sample: SNYETN0327-PFCU-0025308

Strain: Gush Mints , Unit Weight: 3.5000g  
 Batch#: KBF2026-008 GM, Batch Size: 713 Units, LOT ID:  
 1A4120300000263000001738  
 Date Sampled: 03/27/2026 10:47  
 Sample Received: 03/27/2026 12:57  
 Report Created: 04/03/2026 15:04  
 Sampling SOP 204\*

## FLU-DUAL-FLWR-KNACK-BLK-3.5G-GM


Plant, Flower - Cured  
 Metrc Batch: 1A4120300000263000001737, Metrc Sample: 1A4120300000263000001738, Metrc Manifest: 0000157238



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.