

FLUENT Cannabis

Order No.: ONYETN0403-0013127
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0403-PPRE-0025537

Strain: Gas House Cereal, Unit Weight: 1.0000g
 Batch#: KPR2026-008 GHC, Batch Size: 2013 Units, LOT ID:
 1A4120300000263000001761
 Date Sampled: 04/03/2026 10:04
 Sample Received: 04/03/2026 10:42
 Report Created: 04/10/2026 21:00
 Sampling SOP 204*

FLU-DUAL-PR-KNACK-1g/1pk-GHC

Plant, Preroll
 Metrc Batch: 1A4120300000263000002258, Metrc Sample: 1A4120300000263000001761, Metrc Manifest: 0000167960





Results

6.44 mg/dose THCa	0.46 mg/dose D9-THC
ND Total CBD	6.11 mg/dose Total THC
7.3 mg/dose Total Cannabinoids	1.371% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Not Tested	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



FLUENT Cannabis

Order No.: ONYETN0403-0013127
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0403-PPRE-0025537

Strain: Gas House Cereal, Unit Weight: 1.0000g
 Batch#: KPR2026-008 GHC, Batch Size: 2013 Units, LOT ID:
 1A4120300000263000001761
 Date Sampled: 04/03/2026 10:04
 Sample Received: 04/03/2026 10:42
 Report Created: 04/10/2026 21:00
 Sampling SOP 204*

FLU-DUAL-PR-KNACK-1g/1pk-GHC

Plant, Preroll
 Metrc Batch: 1A4120300000263000002258, Metrc Sample: 1A4120300000263000001761, Metrc Manifest: 0000167960



Cannabinoids

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 04/07/2026 14:44

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	2,341.60	ND	ND	ND	ND
CBDa	2,341.60	ND	ND	ND	ND
CBGa	2,341.60	1.89	18.88	0.40	18.88
CBG	2,341.60	< LOQ	< LOQ	< LOQ	< LOQ
CBD	2,341.60	ND	ND	ND	ND
THCV	2,341.60	ND	ND	ND	ND
CBN	2,341.60	ND	ND	ND	ND
D9-THC	2,341.60	2.17	21.69	0.46	21.69
D8-THC	2,341.60	ND	ND	ND	ND
(6aR,9S)-d10-THC	5,619.83	ND	ND	ND	ND
(6aR,9R)-d10-THC	5,619.83	ND	ND	ND	ND
CBC	2,341.60	ND	ND	ND	ND
THCa	2,341.60	30.36	303.62	6.44	303.62
Total CBD		ND	ND	ND	ND
Total THC		28.80	287.96	6.11	287.96
Total Cannabinoids		34.42	344.18	7.30	344.18

Report notes:
 Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

SOP: SOP 205-NY
Instrument: Shimadzu Moisture Meter - 2560
Date/Time Tested: 04/08/2026 14:53

Pass

Analyte	Limit (%)	%	Status
Moisture	15	7.8	Passed

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C Incubator - 1034
Date/Time Tested: 04/06/2026 10:17

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	100,000	ND	Passed
E. Coli			0	ND Passed
Yeast & Mold	10	10,000	ND	Passed
Salmonella			0	ND Passed
Aspergillus Flavus			0	ND Passed
Aspergillus Fumigatus			0	ND Passed
Aspergillus Niger			0	ND Passed
Aspergillus Terreus			0	ND Passed

Report notes:
 Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY
Date/Time Tested: 04/09/2026 11:03

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.37	Passed



FLUENT Cannabis

Order No.: ONYETN0403-0013127
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0403-PPRE-0025537

Strain: Gas House Cereal, Unit Weight: 1.0000g
 Batch#: KPR2026-008 GHC, Batch Size: 2013 Units, LOT ID:
 1A4120300000263000001761
 Date Sampled: 04/03/2026 10:04
 Sample Received: 04/03/2026 10:42
 Report Created: 04/10/2026 21:00
 Sampling SOP 204*

FLU-DUAL-PR-KNACK-1g/1pk-GHC

Plant, Preroll
 Metrc Batch: 1A4120300000263000002258, Metrc Sample: 1A4120300000263000001761, Metrc Manifest: 0000167960



Terpenes

SOP: SOP 620-NY
Instrument: Agilent GC-FID 1950 - 1950
Date/Time Tested: 04/07/2026 17:24

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	1.3713	Passed	a-Phellandrene	79		ND	Tested
Linalool	79		0.3459	Tested	d-3-Carene	79		ND	Tested
b-Caryophyllene	79		0.3362	Tested	a-Terpinene	79		ND	Tested
Guaiol	79		0.1166	Tested	p-Cymene	79		ND	Tested
a-Humulene	79		0.1111	Tested	Eucalyptol	79		ND	Tested
Limonene	79		0.0866	Tested	g-Terpinene	79		ND	Tested
Terpineol	79		0.0730	Tested	Terpinolene	79		ND	Tested
Fenchol	79		0.0634	Tested	Sabinene Hydrate	79		ND	Tested
trans-Nerolidol	79		0.0564	Tested	Fenchone	79	< LOQ		Tested
a-Bisabolol	79		0.0492	Tested	Isopulegol	79		ND	Tested
cis-Nerolidol	79		0.0320	Tested	Camphor	79		ND	Tested
Caryophyllene Oxide	79		0.0220	Tested	Isoborneol	79		ND	Tested
b-Pinene	79		0.0194	Tested	DL-Menthol	79		ND	Tested
Borneol	79		0.0151	Tested	Nerol	79		ND	Tested
b-Myrcene	79		0.0149	Tested	Pulegone	79	< LOQ		Tested
Geraniol	79		0.0114	Tested	Geranyl Acetate	79		ND	Tested
a-Pinene	79		0.0096	Tested	a-Cedrene	79		ND	Tested
Valencene	79		0.0088	Tested	Cedrol	79		ND	Tested
Camphene	79		ND	Tested	trans-b-Ocimene	79		ND	Tested
Sabinene	79		ND	Tested	trans-b-Farnesene	79		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

FLUENT Cannabis

Order No.: ONYETN0403-0013127
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0403-PPRE-0025537

Strain: Gas House Cereal, Unit Weight: 1.0000g
 Batch#: KPR2026-008 GHC, Batch Size: 2013 Units, LOT ID:
 1A4120300000263000001761
 Date Sampled: 04/03/2026 10:04
 Sample Received: 04/03/2026 10:42
 Report Created: 04/10/2026 21:00
 Sampling SOP 204*

FLU-DUAL-PR-KNACK-1g/1pk-GHC

Plant, Preroll
 Metrc Batch: 1A4120300000263000002258, Metrc Sample: 1A4120300000263000001761, Metrc Manifest: 0000167960



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LC-MS-MS 2755 - 2755
Date/Time Tested: 04/06/2026 12:30

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 04/08/2026 12:31

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.187	2.000	ND	Passed
Arsenic	0.187	0.200	ND	Passed
Cadmium	0.187	0.200	ND	Passed
Chromium	0.187	110.000	ND	Passed
Copper	0.224	30.000	1.241	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.224	2.000	ND	Passed
Lead	0.187	0.500	< LOQ	Passed

Report notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

FLUENT Cannabis

Order No.: ONYETN0403-0013127
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0403-PPRE-0025537

Strain: Gas House Cereal, Unit Weight: 1.0000g
 Batch#: KPR2026-008 GHC, Batch Size: 2013 Units, LOT ID:
 1A4120300000263000001761
 Date Sampled: 04/03/2026 10:04
 Sample Received: 04/03/2026 10:42
 Report Created: 04/10/2026 21:00
 Sampling SOP 204*

FLU-DUAL-PR-KNACK-1g/1pk-GHC

Plant, Preroll
 Metrc Batch: 1A4120300000263000002258, Metrc Sample: 1A4120300000263000001761, Metrc Manifest: 0000167960



Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 04/06/2026 12:50

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

FLUENT Cannabis

Order No.: ONYETN0403-0013127
 6032 St Rt 9
 New York, 12817
 OCM-XROD-23-000004_MM0401M-P1

Sample: SNYETN0403-PPRE-0025537

Strain: Gas House Cereal, Unit Weight: 1.0000g
 Batch#: KPR2026-008 GHC, Batch Size: 2013 Units, LOT ID:
 1A4120300000263000001761
 Date Sampled: 04/03/2026 10:04
 Sample Received: 04/03/2026 10:42
 Report Created: 04/10/2026 21:00
 Sampling SOP 204*

FLU-DUAL-PR-KNACK-1g/1pk-GHC

Plant, Preroll
 Metrc Batch: 1A4120300000263000002258, Metrc Sample: 1A4120300000263000001761, Metrc Manifest: 0000167960



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chloromequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

