

Certificate of Analysis

Nowave LLC - NYS

Contact Person: Jacob Rapp
 Rochester, NY 14624
 jacob@nowave.com
 (844) 466-9283
 Lic. #OCM-PROC-24-0000070

Sample: 2603RLI0262-1323


Strain: Paradise Cooler
 Batch#: OH-G-SE-010; Batch Size: 25000 units
 Sample Received: 03/06/2026; Report Created: 03/18/2026;

Off hours - Serenity (calm) - Paradise Cooler

Ingestible, Soft Chew
 Parent Lot:

Sampling

Sample Collection Date/Time: 03/06/26 1303
 Sample Collection Site: NoWave
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:



Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins	Pass Water Activity
Pass Solvents	Pass Metals	Not Tested Foreign Matter	Not Tested Moisture

Cannabinoids

9.15 mg/unit Total THC	1.95 mg/unit Total CBD	NT Moisture
----------------------------------	----------------------------------	-----------------------

Analyte	LOQ	Result	Result
	mg/g	mg/unit	mg/g
CBDVa	0.20	ND	ND
CBDV	0.20	<LOQ	<LOQ
CBDa	0.20	ND	ND
CBGa	0.20	ND	ND
CBG	0.20	<LOQ	<LOQ
CBD	0.20	1.95	0.32
THCV	0.20	ND	ND
THCVa	0.20	ND	ND
CBN	0.20	2.14	0.36
Δ9-THC	0.20	9.15	1.53
Δ8-THC	0.20	ND	ND
(6aR,9R)-d10-THC	0.20	ND	ND
(6aR,9S)-d10-THC	0.20	ND	ND
CBC	0.20	<LOQ	<LOQ
THCa	0.20	ND	ND
CBCa	0.20	ND	ND
Total Cannabinoids		13.24	2.21

Entered By: VJ, Instrument ID: AL2-004
 Method: MTHD-001, Date Tested: 03/13/2026 00:27
 Total theoretical THC % = (delta-9- THC%) + (THCA% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Nowave LLC - NYS

Contact Person: Jacob Rapp
 Rochester, NY 14624
 jacob@nowave.com
 (844) 466-9283
 Lic. #OCM-PROC-24-0000070

Sample: 2603RLI0262-1323

Strain: Paradise Cooler
 Batch#: OH-G-SE-010; Batch Size: 25000 units
 Sample Received: 03/06/2026; Report Created: 03/18/2026;

Off hours - Serenity (calm) - Paradise Cooler

Ingestible, Soft Chew
 Parent Lot:

Sampling

Sample Collection Date/Time: 03/06/26 1303
 Sample Collection Site: NoWave
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
1,2-Dichloro-Ethane	3.9	5.0	ND	Pass
2,2-Dimethyl-Butane	31.3		ND	Tested
2,3-Dimethyl-Butane	31.3		ND	Tested
2-Methyl-Pentane	31.3		ND	Tested
3-Methyl-Pentane	31.3		ND	Tested
Acetone	156.3	5000.0	ND	Pass
Acetonitrile	156.3	410.0	ND	Pass
Benzene	1.6	2.0	ND	Pass
Chloroform	1.6	60.0	ND	Pass
Dimethyl Sulfoxide	156.3	5000.0	ND	Pass
Ethanol	156.3	5000.0	ND	Pass
Ethyl-Acetate	156.3	5000.0	ND	Pass
Ethyl-Ether	156.3	5000.0	ND	Pass
Isobutane	78.1		ND	Tested
2-Methyl-Butane	52.1		ND	Tested
Isopropanol	156.3	5000.0	ND	Pass
m+p Xylene	78.1	2170.0	ND	Pass
Methanol	156.3	3000.0	ND	Pass
n-Butane	78.1		ND	Tested
Neopentane	52.1		ND	Tested
n-Hexane	31.3		ND	Tested
n-Pentane	52.1		ND	Tested
o-Xylene	39.1		ND	Tested
Propane	156.3	5000.0	ND	Pass
Toluene	156.3	890.0	ND	Pass
Trichloroethane	78.1	1500.0	ND	Pass
1,1,1,2-Tetrafluoro-Ethane	156.3	1000.0	ND	Pass
Butanes		5000.0	ND	Pass
Hexanes		290.0	ND	Pass
Pentanes		5000.0	ND	Pass
Xylenes		2170.0	ND	Pass

Entered By: VJ, Instrument ID: AL1-001
 Method: MTHD-007, Date Tested: 03/18/2026 5:21
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported
 Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

Microbials

Pass

Analyte	LOQ	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Aspergillus flavus	1	Absent	Absence	Pass
Aspergillus fumigatus	1	Absent	Absence	Pass
Aspergillus niger	1	Absent	Absence	Pass
Aspergillus terreus	1	Absent	Absence	Pass
Salmonella	1	Absent	Absence	Pass
Shiga Toxin E. Coli	1	Absent	Absence	Pass
Aerobic Bacteria	10	10000	ND	Pass
Yeast & Mold	10	1000	ND	Pass

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012
 Aerobic Date Tested: 03/10/2026 17:48
 YM Date Tested: 03/11/2026 15:16 Sal/STEC/Asp Date Tested: 03/11/2026 14:14
 Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Chromium	1.0000	1100.0000	<LOQ	Pass
Nickel	0.5000	20.0000	<LOQ	Pass
Copper	1.0000	300.0000	<LOQ	Pass
Arsenic	0.1000	1.5000	<LOQ	Pass
Cadmium	0.1000	0.5000	ND	Pass
Antimony	0.5000	120.0000	ND	Pass
Mercury	0.0500	3.0000	ND	Pass
Lead	0.2500	0.5000	<LOQ	Pass

Entered By: BW, Instrument ID: AL2-001
 Method: MTHD-006 Date Tested: 03/10/2026 11:00
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Aflatoxin B1	0.005	0.020	ND	Pass
Aflatoxin B2	0.005	0.020	ND	Pass
Aflatoxin G1	0.005	0.020	ND	Pass
Aflatoxin G2	0.005	0.020	ND	Pass
Ochratoxin A	0.005	0.020	ND	Pass
Total Aflatoxins		0.020	ND	Pass

Entered By: at, Instrument ID: AL1-003
 Method: MTHD-009 Date Tested: 03/13/2026 22:37

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-00011




 Amanda Thorning
 Laboratory Director


 Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com





Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
3 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2603RLI0262-1323

Strain: Paradise Cooler
Batch#: OH-G-SE-010; Batch Size: 25000 units
Sample Received: 03/06/2026; Report Created: 03/18/2026;

Off hours - Serenity (calm) - Paradise Cooler

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 03/06/26 1303
Sample Collection Site: NoWave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

Analyte	LOQ	Result	Result
	%	%	mg/g
α-Bisabolol	0.0125	ND	ND
α-Humulene	0.0125	ND	ND
α-Phellandrene	0.0125	ND	ND
α-Pinene	0.0125	ND	ND
α-Terpinene	0.0125	ND	ND
β-Caryophyllene	0.0125	ND	ND
β-Myrcene	0.0125	ND	ND
β-Pinene	0.0125	ND	ND
Camphene	0.0125	ND	ND
Caryophyllene Oxide	0.0125	ND	ND
Farnesene	0.0125	ND	ND
Fenchol	0.0125	ND	ND
Geraniol	0.0125	ND	ND
Guaiol	0.0125	ND	ND
Limonene	0.0125	ND	ND
Linalool	0.0125	ND	ND
Ocimene	0.0125	ND	ND
Terpineol	0.0125	ND	ND
Terpinolene	0.0125	ND	ND
Valencene	0.0125	ND	ND

0.0000%
Total Terpenes

Entered By: VJ, Instrument ID: AL1-001
Method: MTHD-005, Date Tested: 03/16/2026 10:07

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Nowave LLC - NYS

Contact Person: Jacob Rapp
 Rochester, NY 14624
 jacob@nowave.com
 (844) 466-9283
 Lic. #OCM-PROC-24-0000070

Sample: 2603RLI0262-1323

Strain: Paradise Cooler
 Batch#: OH-G-SE-010; Batch Size: 25000 units
 Sample Received: 03/06/2026; Report Created: 03/18/2026;

Off hours - Serenity (calm) - Paradise Cooler

Ingestible, Soft Chew
 Parent Lot:

Sampling

Sample Collection Date/Time: 03/06/26 1303
 Sample Collection Site: NoWave
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.05	0.50	ND	Pass
Acephate	0.05	0.40	ND	Pass
Acequinocyl	0.05	2.00	ND	Pass
Acetamiprid	0.05	0.20	ND	Pass
Aldicarb	0.05	0.40	ND	Pass
Avermectin-B1a			ND	Tested
Avermectin-B1b			ND	Tested
Azadirachtin	0.25	1.00	ND	Pass
Azoxystrobin	0.05	0.20	ND	Pass
Bifenazate	0.05	0.20	ND	Pass
Bifenthrin	0.05	0.20	ND	Pass
Boscalid	0.05	0.40	ND	Pass
Captan	0.50	1.00	ND	Pass
Carbaryl	0.05	0.20	ND	Pass
Carbofuran	0.05	0.20	ND	Pass
Chlorantraniliprole	0.05	0.20	ND	Pass
Chlordane	0.50	1.00	ND	Pass
Chlorfenapyr	0.50	1.00	ND	Pass
Chloromequat chloride	0.05	1.00	ND	Pass
Chlorpyrifos	0.05	0.20	ND	Pass
Cinerin 1			ND	Tested
Clofentezine	0.05	0.20	ND	Pass
Coumaphos	0.05	1.00	ND	Pass
Cyfluthrin	0.05	1.00	ND	Pass
Cypermethrin	0.05	1.00	ND	Pass

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 03/10/2026 20:48
 LC Method: MTHD-009 LC Date Tested: 03/13/2026 22:37
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-00011




 Amanda Thorning
 Laboratory Director


 Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2603RLI0262-1323

Strain: Paradise Cooler
Batch#: OH-G-SE-010; Batch Size: 25000 units
Sample Received: 03/06/2026; Report Created: 03/18/2026;

Off hours - Serenity (calm) - Paradise Cooler

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 03/06/26 1303
Sample Collection Site: NoWave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Daminozide	0.05	1.00	ND	Pass
Diazinon	0.05	0.20	ND	Pass
Dichlorvos	0.05	1.00	ND	Pass
Dimethoate	0.05	0.20	ND	Pass
Dimethomorph	0.05	1.00	ND	Pass
Ethoprophos	0.05	0.20	ND	Pass
Etofenprox	0.05	0.40	ND	Pass
Etoazole	0.05	0.20	ND	Pass
Fenhexamid	0.05	1.00	ND	Pass
Fenoxycarb	0.05	0.20	ND	Pass
Fenpyroximate	0.05	0.40	ND	Pass
Fipronil	0.05	0.40	ND	Pass
Fonicamid	0.05	1.00	ND	Pass
Fludioxonil	0.05	0.40	ND	Pass
Hexythiazox	0.05	1.00	ND	Pass
Imazalil	0.05	0.20	ND	Pass
Imidacloprid	0.05	0.40	ND	Pass
Indolebutyric Acid	0.05	1.00	ND	Pass
Jasmolin 1			ND	Tested
Kresoxim Methyl	0.05	0.40	ND	Pass
Malathion	0.05	0.20	ND	Pass
Metalaxyl	0.05	0.20	ND	Pass
Methiocarb	0.05	0.20	ND	Pass
Methomyl	0.05	0.40	ND	Pass
Mevinphos	0.05	1.00	ND	Pass

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 03/10/2026 20:48
LC Method: MTHD-009 LC Date Tested: 03/13/2026 22:37
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2603RLI0262-1323

Strain: Paradise Cooler
Batch#: OH-G-SE-010; Batch Size: 25000 units
Sample Received: 03/06/2026; Report Created: 03/18/2026;

Off hours - Serenity (calm) - Paradise Cooler

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 03/06/26 1303
Sample Collection Site: NoWave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
MGK-264	0.05	0.20	ND	Pass
Myclobutanil	0.05	0.20	ND	Pass
Naled	0.05	0.50	ND	Pass
Oxamyl	0.05	1.00	ND	Pass
Paclobutrazol	0.05	0.40	ND	Pass
Parathion Methyl	0.10	0.20	ND	Pass
Pentachloronitrobenzene	0.50	1.00	ND	Pass
Permethrins	0.05	0.20	ND	Pass
Phosmet	0.05	0.20	ND	Pass
Piperonyl Butoxide	0.05	2.00	ND	Pass
Prallethrin	0.05	0.20	ND	Pass
Propiconazole	0.05	0.40	ND	Pass
Propoxur	0.05	0.20	ND	Pass
Pyrethrin 1			ND	Tested
Pyrethrin 2			ND	Tested
Pyrethrins	0.05	1.00	ND	Pass
Pyridaben	0.05	0.20	ND	Pass
Spinetoram	0.05	1.00	ND	Pass
Spinetoram J			ND	Tested
Spinetoram L			ND	Tested
Spinosad	0.05	0.20	ND	Pass
Spinosyn A			ND	Tested
Spinosyn D			ND	Tested
Spiromesifen	0.05	0.20	ND	Pass
Spirotetramat	0.05	0.20	ND	Pass

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 03/10/2026 20:48
LC Method: MTHD-009 LC Date Tested: 03/13/2026 22:37
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2603RLI0262-1323

Strain: Paradise Cooler
Batch#: OH-G-SE-010; Batch Size: 25000 units
Sample Received: 03/06/2026; Report Created: 03/18/2026;

Off hours - Serenity (calm) - Paradise Cooler

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 03/06/26 1303
Sample Collection Site: NoWave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Spiroxamine	0.05	0.20	ND	Pass
Tebuconazole	0.05	0.40	ND	Pass
Thiacloprid	0.05	0.20	ND	Pass
Thiamethoxam	0.05	0.20	ND	Pass
Trifloxystrobin	0.05	0.20	ND	Pass

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 03/10/2026 20:48
LC Method: MTHD-009 LC Date Tested: 03/13/2026 22:37
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
8 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2603RLI0262-1323

Strain: Paradise Cooler
Batch#: OH-G-SE-010; Batch Size: 25000 units
Sample Received: 03/06/2026; Report Created: 03/18/2026;

Off hours - Serenity (calm) - Paradise Cooler

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 03/06/26 1303
Sample Collection Site: NoWave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: ;
Moisture Method:

Water Activity Date/Time Tested: 03/09/2026; 1412
Water Activity Method: MTHD-002

0.56 aw
Limit: 0.85 aw
Pass
Water Activity

NT
Limit: %
Not Tested
Moisture

Foreign Matter

Foreign Matter Method:
Foreign Matter Date/Time Tested: ;

Not Tested

Analyte	Limit	Result	Status
	%		
	%		
	%		

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.