

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Sample Result: PASS

|                           |                                      |                          |  |
|---------------------------|--------------------------------------|--------------------------|--|
| <b>Date Reported:</b>     | 5/6/2026                             | <b>Sample ID:</b>        | 20260429-BMLI-015                                |
| <b>Client Name:</b>       | Basin Mixtures, INC, dba "The Sauce" | <b>Sample Name:</b>      | Priscilla's Garden - Pre-Roll - Swamp Water - 1G |
| <b>Sampling Location:</b> | West Babylon, NY                     | <b>Sample Matrix:</b>    | Flower   |
| <b>Contact Name:</b>      | Michael Berg                         | <b>Sample Sub Type:</b>  | Pre-roll   |
| <b>Contact Email:</b>     | mikeb@wegothesauce.com               | <b>Batch Lot ID:</b>     | PGSWPR-32526-04                                  |
| <b>License Number:</b>    | OCM-PROC-24-000034                   | <b>Batch Size:</b>       | 4500   |
| <b>Medical/Adult Use:</b> | Adult Use                            | <b>Serving Size (g):</b> | 1  |
| <b>Sampling Date:</b>     | 04/29/2026 12:09:00 PM               | <b>METRC Source ID:</b>  | 1A4120300000140000000574                         |
| <b>METRC Test Tag ID:</b> | 1A4120300000140000000963             |                          |  |

|                       |          |                        |          |                                     |           |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|-----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b>  | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>NT</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>NT</b> |                   |          |

"NT" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: Priscilla's Garden - Pre-Roll - Swamp Water - 1G (20260429-BMLI-015)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.110       |
| CBDA      | < MRL  | < MRL      | 0.110       |
| CBGA      | 0.349  | 3.494      | 0.110       |
| CBG       | < MRL  | < MRL      | 0.110       |
| CBD       | < MRL  | < MRL      | 0.110       |
| THCV      | < MRL  | < MRL      | 0.110       |
| CBN       | < MRL  | < MRL      | 0.110       |
| D9-THC    | 2.062  | 20.619     | 0.110       |
| D8-THC    | < MRL  | < MRL      | 0.110       |
| D10-THC-S | < MRL  | < MRL      | 0.110       |
| D10-THC-R | < MRL  | < MRL      | 0.110       |
| CBC       | < MRL  | < MRL      | 0.110       |
| THCA      | 35.635 | 356.348    | 0.110       |

MRL = Minimum reporting limit/limit of quantification  
 mg/serving = % w/w x10 x serving size weight (g)  
 Reported on a dry-weight basis based on the calculation:  
 (wet sample % x 100)/(100 - %MC)

Test ID: #244028 | Date Tested: 05/01/2026 11:17 AM

| Potency Summary   | % w/w  | mg/serving |
|---|--------|------------|
| <b>Total THC</b> [ Δ8-THC + Δ9-THC + Δ10-THC + (THCA * 0.877) ] | 33.314 | 333.137    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                       | < MRL  | < MRL      |
| <b>Total Cannabinoids</b>                                       | 38.046 | 380.462    |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Terpenes: Priscilla's Garden - Pre-Roll - Swamp Water - 1G (20260429-BMLI-015) PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | 0.20           | 0.06        |
| Camphene            | < MRL          | 0.06        |
| Sabinene            | < MRL          | 0.06        |
| beta-Pinene         | 0.11           | 0.06        |
| beta-Myrcene        | 0.35           | 0.06        |
| Alpha-phellandrene  | < MRL          | 0.06        |
| Carene              | < MRL          | 0.06        |
| alpha-terpinene     | < MRL          | 0.06        |
| p-Cymene            | < MRL          | 0.06        |
| Limonene            | 0.09           | 0.06        |
| Eucalyptol          | < MRL          | 0.06        |
| Ocimene             | < MRL          | 0.05        |
| gamma-Terpinene     | < MRL          | 0.06        |
| Sabinene Hydrate    | < MRL          | 0.06        |
| Terpinolene         | < MRL          | 0.06        |
| Linalool            | < MRL          | 0.06        |
| Fenchol             | < MRL          | 0.06        |
| Menthol             | < MRL          | 0.06        |
| Terpineol           | < MRL          | 0.06        |
| Citronellol         | < MRL          | 0.06        |
| Isopulegol          | < MRL          | 0.06        |
| Geraniol            | < MRL          | 0.06        |
| Alpha-cedrene       | < MRL          | 0.05        |
| Beta-Caryophyllene  | 0.15           | 0.06        |
| Farnesene           | < MRL          | 0.06        |
| alpha-Humulene      | < MRL          | 0.06        |
| Valencene           | < MRL          | 0.06        |
| cis-Nerolidol       | < MRL          | 0.03        |
| trans-Nerolidol     | < MRL          | 0.04        |
| Caryophyllene oxide | < MRL          | 0.06        |
| Guaiol              | < MRL          | 0.06        |
| alpha-Bisabolol     | < MRL          | 0.06        |

MRL = Minimum reporting limit/limit of quantification Test ID: #244031 | Date Tested: 05/05/2026 12:38 PM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | 0.89   | 10    | PASS      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Pesticides: Priscilla's Garden - Pre-Roll - Swamp Water - 1G (20260429-BMLI-015) PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.500        | 0.100      |
| Acephate                | PASS      | < MRL         | 0.400        | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.400        | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.200        | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.400        | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.200        | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.200        | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.200        | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.200        | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.200        | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.200        | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.200        | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 1.00         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.200        | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.400        | 0.100      |
| Etoxazole               | PASS      | < MRL         | 0.200        | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.400        | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.400        | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.400        | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.200        | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.400        | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.400        | 0.100      |
| Malathion               | PASS      | < MRL         | 0.200        | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.200        | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.400        | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.200        | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.200        | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.200        | 0.100      |
| Naled                   | PASS      | < MRL         | 0.500        | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.400        | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.200        | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.200        | 0.100      |
| Piperonyl butoxide      | PASS      | 0.75          | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.200        | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.400        | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.200        | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.200        | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.200        | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.200        | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.200        | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.200        | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.400        | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.200        | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.200        | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #244025 | Date Tested: 05/04/2026 02:37 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: Priscilla's Garden - Pre-Roll - Swamp Water - 1G (20260429-BMLI-015) PASS           |           |               |   |            |
|---|-----------|---------------|---|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |               |   |            |
| Analyte   | Pass/Fail | Result (µg/g) | Limit (µg/g)  | MRL (µg/g) |
| Ochratoxin  | PASS      | < MRL         | 0.020   | 0.010      |
| Total Aflatoxins  | PASS      | < MRL         | 0.020   | 0.010      |
| MRL = Minimum reporting limit/limit of quantification   |           |               | Test ID: #244026   Date Tested: 05/06/2026 01:02 AM |            |

| Heavy Metals: Priscilla's Garden - Pre-Roll - Swamp Water - 1G (20260429-BMLI-015) PASS               |           |               |   |            |
|---|-----------|---------------|---|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |               |   |            |
| Analyte   | Pass/Fail | Result (µg/g) | Limit (µg/g)  | MRL (µg/g) |
| Chromium  | PASS      | < MRL         | 110   | 8.00       |
| Nickel  | PASS      | < MRL         | 5.00  | 1.00       |
| Copper  | PASS      | < MRL         | 30.0  | 8.00       |
| Arsenic   | PASS      | < MRL         | 0.200   | 0.10       |
| Cadmium   | PASS      | < MRL         | 0.200   | 0.10       |
| Antimony  | PASS      | < MRL         | 2.00  | 1.00       |
| Mercury   | PASS      | < MRL         | 0.100   | 0.05       |
| Lead  | PASS      | < MRL         | 0.500   | 0.20       |
| MRL = Minimum reporting limit/limit of quantification   |           |               | Test ID: #244024   Date Tested: 05/01/2026 07:40 AM |            |

| Microbiology - Plating: Priscilla's Garden - Pre-Roll - Swamp Water - 1G (20260429-BMLI-015) PASS |           |                 |   |             |
|---|-----------|-----------------|---|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                                   |           |                 |   |             |
| Analyte   | Pass/Fail | Results (CFU/g) | Limit (CFU/g)   | MRL (CFU/g) |
| Total Aerobic Bacteria  | PASS      | < MRL           | None  | 100         |
| Total Yeast & Mold  | PASS      | < MRL           | None  | 100         |
| Microbiology - qPCR:  |           |                 |   |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)                  |           |                 |   |             |
| Analyte   | Pass/Fail | Results (CFU/g) | Limit (CFU/g)   | MRL (CFU/g) |
| Salmonella spp  | PASS      | Absent          | Absent  | 1           |
| Shiga toxin-producing E. coli   | PASS      | Absent          | Absent  | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus)   | PASS      | Absent          | Absent  | 1           |
| MRL = Minimum reporting limit/limit of quantification   |           |                 | Test IDs: #244033, #244032, #244035, #244034   Date Tested: 05/04/2026 10:05 PM, 05/04/2026 08:00 PM, 05/05/2026 09:22 PM |             |

| Moisture: Priscilla's Garden - Pre-Roll - Swamp Water - 1G (20260429-BMLI-015) PASS |           |            |   |  |
|---|-----------|------------|---|--|
| Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)               |           |            |   |  |
| Analyte   | Pass/Fail | Result (%) | Limit (%)   |  |
| Moisture  | PASS      | 6.9        | 15.0  |  |
| MRL = Minimum reporting limit/limit of quantification                               |           |            | Test ID: #244027   Date Tested: 05/05/2026 08:57 AM |  |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

|   |                  |                               |   |
|---|------------------|-------------------------------|---|
| <b>Water Activity: Priscilla's Garden - Pre-Roll - Swamp Water - 1G (20260429-BMLI-015)</b> |                  |                               | <b>PASS</b>   |
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)            |                  |                               |   |
| <b>Analyte</b>  | <b>Pass/Fail</b> | <b>Result (a<sub>w</sub>)</b> | <b>Limit (a<sub>w</sub>)</b>                        |
| Water Activity  | PASS             | 0.31                          | 0.65  |
| MRL = Minimum reporting limit/limit of quantification                                       |                  |                               | Test ID: #244023   Date Tested: 05/05/2026 09:30 AM |



Matthew Elmes  
Lab Director  
5/6/2026



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.