

## Stiiizy

Order No.: ONYSTNY0421-0013495  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0421-CVAP-0026134

Strain: Blue Dream, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-BLD-D1626, Batch Size: 237 Units, LOT ID:  
 1A41203000004DC000002519  
 Date Sampled: 04/21/2026 13:55  
 Sample Received: 04/21/2026 15:30  
 Report Created: 04/27/2026 09:54  
 Sampling SOP 204\*

## STIIIZY - ORG AIO - BLUE DREAM - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000002481, Metrc Sample: 1A41203000004DC000002519, Metrc Manifest: 0000195309




## Results

<b>885.62 mg/unit</b> D9-THC	<b>11.35 mg/unit</b> CBG
<b>ND</b> Total CBD	<b>885.62 mg/unit</b> Total THC
<b>910.10 mg/unit</b> Total Cannabinoids	<b>3.491%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



## Stiiizy

Order No.: ONYSTNY0421-0013495  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0421-CVAP-0026134

Strain: Blue Dream, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-BLD-D1626, Batch Size: 237 Units, LOT ID:  
 1A41203000004DC000002519  
 Date Sampled: 04/21/2026 13:55  
 Sample Received: 04/21/2026 15:30  
 Report Created: 04/27/2026 09:54  
 Sampling SOP 204\*

## STIIIZY - ORG AIO - BLUE DREAM - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000002481, Metrc Sample: 1A41203000004DC000002519, Metrc Manifest: 0000195309



## Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent HPLC 2518 - 2518 / Agilent Infinity II - 2779

Date/Time Tested: 04/22/2026 13:06

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,976.95	ND	ND	ND
CBDa	4,976.95	ND	ND	ND
CBGa	4,976.95	ND	ND	ND
CBG	4,976.95	1.13	11.35	11.35
CBD	4,976.95	ND	ND	ND
THCV	4,976.95	0.59	5.90	5.90
CBN	4,976.95	0.72	7.23	7.23
D9-THC	4,976.95	88.56	885.62	885.62
D8-THC	4,976.95	ND	ND	ND
(6aR,9S)-d10-THC	4,976.95	ND	ND	ND
(6aR,9R)-d10-THC	4,976.95	ND	ND	ND
CBC	4,976.95	< LOQ	< LOQ	< LOQ
THCa	4,976.95	< LOQ	< LOQ	< LOQ
Total CBD		ND	ND	ND
Total THC		88.56	885.62	885.62
Total Cannabinoids		91.01	910.10	910.10

### Report notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all cannabinoids  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX

qPCR - 3195

Date/Time Tested: 04/23/2026 16:38

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed	Aspergillus Flavus		0	ND	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus		0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed	Aspergillus Niger		0	ND	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus		0	ND	Passed

### Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
 Lead Technical Director

## Stiiizy

Order No.: ONYSTNY0421-0013495  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0421-CVAP-0026134

Strain: Blue Dream, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-BLD-D1626, Batch Size: 237 Units, LOT ID:  
 1A41203000004DC000002519  
 Date Sampled: 04/21/2026 13:55  
 Sample Received: 04/21/2026 15:30  
 Report Created: 04/27/2026 09:54  
 Sampling SOP 204\*

## STIIIZY - ORG AIO - BLUE DREAM - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000002481, Metrc Sample: 1A41203000004DC000002519, Metrc Manifest: 0000195309



## Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 04/22/2026 15:46

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>3.4906</b>	Passed	Fenchol	162		< LOQ	Tested
b-Myrcene	162		<b>1.0081</b>	Tested	Sabinene Hydrate	162		ND	Tested
a-Pinene	162		<b>0.9163</b>	Tested	Fenchone	162		ND	Tested
b-Pinene	162		<b>0.4177</b>	Tested	Isopulegol	162		ND	Tested
b-Caryophyllene	162		<b>0.4171</b>	Tested	Camphor	162		ND	Tested
Linalool	162		<b>0.2943</b>	Tested	Isoborneol	162		ND	Tested
Limonene	162		<b>0.1899</b>	Tested	DL-Menthol	162		ND	Tested
a-Bisabolol	162		<b>0.1013</b>	Tested	Borneol	162		ND	Tested
a-Humulene	162		<b>0.0819</b>	Tested	Nerol	162		ND	Tested
Caryophyllene Oxide	162		<b>0.0255</b>	Tested	Pulegone	162		ND	Tested
Camphene	162		<b>0.0217</b>	Tested	Geraniol	162		ND	Tested
Terpineol	162		<b>0.0168</b>	Tested	Geranyl Acetate	162		ND	Tested
Sabinene	162		ND	Tested	a-Cedrene	162		ND	Tested
a-Phellandrene	162		ND	Tested	Valencene	162		ND	Tested
d-3-Carene	162		ND	Tested	cis-Nerolidol	162		ND	Tested
a-Terpinene	162		ND	Tested	trans-Nerolidol	162		< LOQ	Tested
p-Cymene	162		ND	Tested	Guaiol	162		ND	Tested
Eucalyptol	162		ND	Tested	Cedrol	162		ND	Tested
g-Terpinene	162		ND	Tested	trans-b-Ocimene	162		ND	Tested
Terpinolene	162		ND	Tested	trans-b-Farnesene	162		ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Stiiizy

Order No.: ONYSTNY0421-0013495  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0421-CVAP-0026134

Strain: Blue Dream, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-BLD-D1626, Batch Size: 237 Units, LOT ID:  
 1A41203000004DC000002519  
 Date Sampled: 04/21/2026 13:55  
 Sample Received: 04/21/2026 15:30  
 Report Created: 04/27/2026 09:54  
 Sampling SOP 204\*

## STIIIZY - ORG AIO - BLUE DREAM - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000002481, Metrc Sample: 1A41203000004DC000002519, Metrc Manifest: 0000195309



## Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 1333 - 1333

Date/Time Tested: 04/22/2026 18:19

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

### Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Stiiizy

Order No.: ONYSTNY0421-0013495  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0421-CVAP-0026134

Strain: Blue Dream, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-BLD-D1626, Batch Size: 237 Units, LOT ID:  
 1A41203000004DC000002519  
 Date Sampled: 04/21/2026 13:55  
 Sample Received: 04/21/2026 15:30  
 Report Created: 04/27/2026 09:54  
 Sampling SOP 204\*

## STIIIZY - ORG AIO - BLUE DREAM - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000002481, Metrc Sample: 1A41203000004DC000002519, Metrc Manifest: 0000195309



## Mycotoxins

**SOP:** SOP 808-NY  
**Instrument:** Agilent LC-MS-MS 2755 - 2755  
**Date/Time Tested:** 04/22/2026 20:04

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

**SOP:** SOP 250-NY  
**Instrument:** Agilent 7800 ICP-MS - 2594  
**Date/Time Tested:** 04/22/2026 11:32

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.184	2.000	ND	Passed
Arsenic	0.184	0.200	ND	Passed
Cadmium	0.184	0.200	ND	Passed
Chromium	0.184	110.000	ND	Passed
Copper	0.221	30.000	ND	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.221	2.000	ND	Passed
Lead	0.184	0.500	ND	Passed

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
 Lead Technical Director

◆ indicates a subcontracted result. † indicates a result not regulated by OCM. \* indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Stiiizy

Order No.: ONYSTNY0421-0013495  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0421-CVAP-0026134

Strain: Blue Dream, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-BLD-D1626, Batch Size: 237 Units, LOT ID:  
 1A41203000004DC000002519  
 Date Sampled: 04/21/2026 13:55  
 Sample Received: 04/21/2026 15:30  
 Report Created: 04/27/2026 09:54  
 Sampling SOP 204\*

## STIIIZY - ORG AIO - BLUE DREAM - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000002481, Metrc Sample: 1A41203000004DC000002519, Metrc Manifest: 0000195309



## Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 04/22/2026 19:26

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	< LOQ	Passed
Bifenthrin	0.10	0.20	<b>0.12</b>	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



◆ indicates a subcontracted result. † indicates a result not regulated by OCM. \* indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Stiiizy

Order No.: ONYSTNY0421-0013495  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0421-CVAP-0026134

Strain: Blue Dream, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-BLD-D1626, Batch Size: 237 Units, LOT ID:  
 1A41203000004DC000002519  
 Date Sampled: 04/21/2026 13:55  
 Sample Received: 04/21/2026 15:30  
 Report Created: 04/27/2026 09:54  
 Sampling SOP 204\*

## STIIIZY - ORG AIO - BLUE DREAM - 1G

Concentrates & Extracts, Vape

Metrc Batch: 1A41203000004DC000002481, Metrc Sample: 1A41203000004DC000002519, Metrc Manifest: 0000195309



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	< LOQ	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




**Kimberly Krisolofsky**  
 Lead Technical Director