

Stiiizy

Order No.: ONYSTNY0408-0013225
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0408-PEIP-0025746

Strain: Blue Burst, Unit Weight: 1.0000g
Batch#: NYS-1G-BLB-D0126, Batch Size: 1389 Units, LOT ID:
1A41203000004DC000002367
Date Sampled: 04/08/2026 13:26
Sample Received: 04/09/2026 11:39
Report Created: 04/16/2026 17:23
Sampling SOP 204*

STIIIZY - 40'S JOINT - BLUE BURST - 1G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000002297, Metrc Sample: 1A41203000004DC000002367, Metrc Manifest: 0000174798



Results

27.86 %
D9-THC

0 %
CBD

278.59 mg/unit
D9-THC

0 mg/unit
CBD


392.39 mg/unit
Total Cannabinoids

4.216%
Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY0408-0013225
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0408-PEIP-0025746

Strain: Blue Burst, Unit Weight: 1.0000g
Batch#: NYS-1G-BLB-D0126, Batch Size: 1389 Units, LOT ID:
1A41203000004DC000002367
Date Sampled: 04/08/2026 13:26
Sample Received: 04/09/2026 11:39
Report Created: 04/16/2026 17:23
Sampling SOP 204*

STIIIZY - 40'S JOINT - BLUE BURST - 1G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000002297, Metrc Sample: 1A41203000004DC000002367, Metrc Manifest: 0000174798



Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent Infinity II - 2779

Date/Time Tested: 04/11/2026 12:29

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	2,136.04	ND	ND	ND
CBDa	2,136.04	< LOQ	< LOQ	< LOQ
CBGa	2,136.04	0.22	2.20	2.20
CBG	2,136.04	0.41	4.06	4.06
CBD	2,136.04	ND	ND	ND
THCV	2,136.04	< LOQ	< LOQ	< LOQ
CBN	2,136.04	0.28	2.79	2.79
D9-THC	2,136.04	27.86	278.59	278.59
D8-THC	2,136.04	ND	ND	ND
(6aR,9S)-d10-THC	2,136.04	ND	ND	ND
(6aR,9R)-d10-THC	2,136.04	ND	ND	ND
CBC	2,136.04	ND	ND	ND
THCa	2,136.04	10.48	104.75	104.75
Total CBD		ND	ND	ND
Total THC		37.05	370.46	370.46
Total Cannabinoids		39.24	392.39	392.39

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBDT
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

SOP: SOP 205-NY

Date/Time Tested: 04/14/2026 11:12

Pass

Analyte	Limit (%)	%	Status
Moisture	15	6.8	Passed

Stiiizy

Order No.: ONYSTNY0408-0013225
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0408-PEIP-0025746

Strain: Blue Burst, Unit Weight: 1.0000g
Batch#: NYS-1G-BLB-D0126, Batch Size: 1389 Units, LOT ID:
1A41203000004DC000002367
Date Sampled: 04/08/2026 13:26
Sample Received: 04/09/2026 11:39
Report Created: 04/16/2026 17:23
Sampling SOP 204*

STIIIZY - 40'S JOINT - BLUE BURST - 1G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000002297, Metrc Sample: 1A41203000004DC000002367, Metrc Manifest: 0000174798



Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C

Incubator - 1034

Date/Time Tested: 04/11/2026 11:33

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10		99,179	Tested
E. Coli		0	ND	Passed
Yeast & Mold	10		6,011	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY

Date/Time Tested: 04/13/2026 10:57

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.37	Passed

Stiiizy

Order No.: ONYSTNY0408-0013225
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0408-PEIP-0025746

Strain: Blue Burst, Unit Weight: 1.0000g
Batch#: NYS-1G-BLB-D0126, Batch Size: 1389 Units, LOT ID:
1A41203000004DC000002367
Date Sampled: 04/08/2026 13:26
Sample Received: 04/09/2026 11:39
Report Created: 04/16/2026 17:23
Sampling SOP 204*

STIIIZY - 40'S JOINT - BLUE BURST - 1G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000002297, Metrc Sample: 1A41203000004DC000002367, Metrc Manifest: 0000174798



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 04/13/2026 13:33

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	4.2164	Passed	Camphene	80		ND	Tested
Terpineol	80		1.0257	Tested	Sabinene	80		ND	Tested
b-Caryophyllene	80		1.0250	Tested	a-Phellandrene	80		< LOQ	Tested
Limonene	80		0.8788	Tested	a-Terpinene	80		< LOQ	Tested
Terpinolene	80		0.2778	Tested	p-Cymene	80		ND	Tested
a-Humulene	80		0.2246	Tested	g-Terpinene	80		ND	Tested
Isopulegol	80		0.1912	Tested	Sabinene Hydrate	80		ND	Tested
Linalool	80		0.1329	Tested	Fenchone	80		ND	Tested
Fenchol	80		0.0857	Tested	Camphor	80		ND	Tested
trans-b-Farnesene	80		0.0724	Tested	Isoborneol	80		ND	Tested
b-Myrcene	80		0.0714	Tested	DL-Menthol	80		ND	Tested
b-Pinene	80		0.0501	Tested	Borneol	80		< LOQ	Tested
a-Pinene	80		0.0374	Tested	Nerol	80		ND	Tested
trans-Nerolidol	80		0.0329	Tested	Pulegone	80		ND	Tested
Caryophyllene Oxide	80		0.0276	Tested	Geraniol	80		ND	Tested
Valencene	80		0.0215	Tested	Geranyl Acetate	80		ND	Tested
a-Bisabolol	80		0.0195	Tested	a-Cedrene	80		ND	Tested
d-3-Carene	80		0.0168	Tested	Guaiol	80		< LOQ	Tested
cis-Nerolidol	80		0.0161	Tested	Cedrol	80		ND	Tested
Eucalyptol	80		0.0089	Tested	trans-b-Ocimene	80		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0408-0013225
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0408-PEIP-0025746

Strain: Blue Burst, Unit Weight: 1.0000g
Batch#: NYS-1G-BLB-D0126, Batch Size: 1389 Units, LOT ID:
1A41203000004DC000002367
Date Sampled: 04/08/2026 13:26
Sample Received: 04/09/2026 11:39
Report Created: 04/16/2026 17:23
Sampling SOP 204*

STIIIZY - 40'S JOINT - BLUE BURST - 1G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000002297, Metrc Sample: 1A41203000004DC000002367, Metrc Manifest: 0000174798



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 1333 - 1333

Date/Time Tested: 04/12/2026 11:31

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	< LOQ	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	< LOQ	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0408-0013225
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0408-PEIP-0025746

Strain: Blue Burst, Unit Weight: 1.0000g
Batch#: NYS-1G-BLB-D0126, Batch Size: 1389 Units, LOT ID:
1A41203000004DC000002367
Date Sampled: 04/08/2026 13:26
Sample Received: 04/09/2026 11:39
Report Created: 04/16/2026 17:23
Sampling SOP 204*

STIIIZY - 40'S JOINT - BLUE BURST - 1G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000002297, Metrc Sample: 1A41203000004DC000002367, Metrc Manifest: 0000174798



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 04/10/2026 18:47

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 04/13/2026 11:52

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.168	2.000	ND	Passed
Arsenic	0.168	0.200	< LOQ	Passed
Cadmium	0.168	0.200	ND	Passed
Chromium	0.168	110.000	0.245	Passed
Copper	0.201	30.000	4.765	Passed
Mercury	0.040	0.100	ND	Passed
Nickel	0.201	5.000	< LOQ	Passed
Lead	0.168	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0408-0013225
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0408-PEIP-0025746

Strain: Blue Burst, Unit Weight: 1.0000g
Batch#: NYS-1G-BLB-D0126, Batch Size: 1389 Units, LOT ID:
1A41203000004DC000002367
Date Sampled: 04/08/2026 13:26
Sample Received: 04/09/2026 11:39
Report Created: 04/16/2026 17:23
Sampling SOP 204*

STIIIZY - 40'S JOINT - BLUE BURST - 1G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000002297, Metrc Sample: 1A41203000004DC000002367, Metrc Manifest: 0000174798



Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 04/10/2026 18:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	< LOQ	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed

Stiiizy

Order No.: ONYSTNY0408-0013225
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0408-PEIP-0025746

Strain: Blue Burst, Unit Weight: 1.0000g
Batch#: NYS-1G-BLB-D0126, Batch Size: 1389 Units, LOT ID:
1A41203000004DC000002367
Date Sampled: 04/08/2026 13:26
Sample Received: 04/09/2026 11:39
Report Created: 04/16/2026 17:23
Sampling SOP 204*

STIIIZY - 40'S JOINT - BLUE BURST - 1G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000002297, Metrc Sample: 1A41203000004DC000002367, Metrc Manifest: 0000174798



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	< LOQ	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.