

Stiiizy

Order No.: ONYSTNY0331-0013048
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0331-PEIP-0025382

Strain: Strawberry Mango, Unit Weight: 2.5000g
Batch#: NYS-MP-SBM-A2926, Batch Size: 2244 Units, LOT ID:
1A41203000004DC000002249
Date Sampled: 03/31/2026 14:48
Sample Received: 03/31/2026 17:16
Report Created: 04/04/2026 21:08
Sampling SOP 204*

STIIIZY - 40'S MULTI JOINT - STRAWBERRY MANGO - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001101, Metrc Sample: 1A41203000004DC000002249, Metrc Manifest: 0000162850




Results

24.01 % D9-THC	0 % CBD
600.23 mg/unit D9-THC	0 mg/unit CBD
899.51 mg/unit Total Cannabinoids	1.988% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY0331-0013048
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0331-PEIP-0025382

Strain: Strawberry Mango, Unit Weight: 2.5000g
Batch#: NYS-MP-SBM-A2926, Batch Size: 2244 Units, LOT ID:
1A41203000004DC000002249
Date Sampled: 03/31/2026 14:48
Sample Received: 03/31/2026 17:16
Report Created: 04/04/2026 21:08
Sampling SOP 204*

STIIIZY - 40'S MULTI JOINT - STRAWBERRY MANGO - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001101, Metrc Sample: 1A41203000004DC000002249, Metrc Manifest: 0000162850



Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent HPLC 2518 - 2518 / Agilent Infinity II - 2779

Date/Time Tested: 04/02/2026 12:15

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,317.64	ND	ND	ND
CBDa	4,317.64	ND	ND	ND
CBGa	4,317.64	< LOQ	< LOQ	< LOQ
CBG	4,317.64	0.78	7.85	19.62
CBD	4,317.64	< LOQ	< LOQ	< LOQ
THCV	4,317.64	< LOQ	< LOQ	< LOQ
CBN	4,317.64	< LOQ	< LOQ	< LOQ
D9-THC	4,317.64	24.01	240.09	600.23
D8-THC	4,317.64	ND	ND	ND
(6aR,9S)-d10-THC	4,317.64	ND	ND	ND
(6aR,9R)-d10-THC	4,317.64	ND	ND	ND
CBC	4,317.64	< LOQ	< LOQ	< LOQ
THCa	4,317.64	11.19	111.86	279.66
Total CBD		ND	ND	ND
Total THC		33.82	338.20	845.49
Total Cannabinoids		35.98	359.80	899.51

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBDT
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

SOP: SOP 205-NY

Date/Time Tested: 04/03/2026 10:58

Pass

Analyte	Limit (%)	%	Status
Moisture	15	7.0	Passed

Stiiizy

Order No.: ONYSTNY0331-0013048
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0331-PEIP-0025382

Strain: Strawberry Mango, Unit Weight: 2.5000g
 Batch#: NYS-MP-SBM-A2926, Batch Size: 2244 Units, LOT ID:
 1A41203000004DC000002249
 Date Sampled: 03/31/2026 14:48
 Sample Received: 03/31/2026 17:16
 Report Created: 04/04/2026 21:08
 Sampling SOP 204*

STIIIZY - 40'S MULTI JOINT - STRAWBERRY MANGO - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001101, Metrc Sample: 1A41203000004DC000002249, Metrc Manifest: 0000162850



Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX

qPCR - 3195

Date/Time Tested: 04/01/2026 15:17

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10		320,955	Tested
E. Coli		0	ND	Passed
Yeast & Mold	10		12,344	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY

Date/Time Tested: 04/02/2026 13:54

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.34	Passed

Stiiizy

Order No.: ONYSTNY0331-0013048
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0331-PEIP-0025382

Strain: Strawberry Mango, Unit Weight: 2.5000g
Batch#: NYS-MP-SBM-A2926, Batch Size: 2244 Units, LOT ID:
1A41203000004DC000002249
Date Sampled: 03/31/2026 14:48
Sample Received: 03/31/2026 17:16
Report Created: 04/04/2026 21:08
Sampling SOP 204*

STIIIZY - 40'S MULTI JOINT - STRAWBERRY MANGO - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001101, Metrc Sample: 1A41203000004DC000002249, Metrc Manifest: 0000162850



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 04/02/2026 16:53

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	1.9881	Passed	a-Terpinene	84		ND	Tested
Limonene	84		0.6428	Tested	p-Cymene	84		ND	Tested
b-Caryophyllene	84		0.3417	Tested	Eucalyptol	84		ND	Tested
b-Myrcene	84		0.2522	Tested	g-Terpinene	84		ND	Tested
Linalool	84		0.2043	Tested	Terpinolene	84		< LOQ	Tested
trans-b-Farnesene	84		0.1420	Tested	Sabinene Hydrate	84		ND	Tested
b-Pinene	84		0.0840	Tested	Fenchone	84		ND	Tested
a-Pinene	84		0.0589	Tested	Isopulegol	84		ND	Tested
a-Humulene	84		0.0558	Tested	Camphor	84		ND	Tested
a-Bisabolol	84		0.0557	Tested	Isoborneol	84		ND	Tested
Terpineol	84		0.0355	Tested	DL-Menthol	84		ND	Tested
trans-Nerolidol	84		0.0355	Tested	Borneol	84		< LOQ	Tested
Fenchol	84		0.0319	Tested	Nerol	84		ND	Tested
cis-Nerolidol	84		0.0195	Tested	Pulegone	84		ND	Tested
Caryophyllene Oxide	84		0.0193	Tested	Geraniol	84		ND	Tested
Valencene	84		0.0089	Tested	Geranyl Acetate	84		ND	Tested
Camphene	84		ND	Tested	a-Cedrene	84		< LOQ	Tested
Sabinene	84		ND	Tested	Guaiol	84		< LOQ	Tested
a-Phellandrene	84		ND	Tested	Cedrol	84		ND	Tested
d-3-Carene	84		ND	Tested	trans-b-Ocimene	84		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0331-0013048
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0331-PEIP-0025382

Strain: Strawberry Mango, Unit Weight: 2.5000g
 Batch#: NYS-MP-SBM-A2926, Batch Size: 2244 Units, LOT ID:
 1A41203000004DC000002249
 Date Sampled: 03/31/2026 14:48
 Sample Received: 03/31/2026 17:16
 Report Created: 04/04/2026 21:08
 Sampling SOP 204*

STIIIZY - 40'S MULTI JOINT - STRAWBERRY MANGO - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001101, Metrc Sample: 1A41203000004DC000002249, Metrc Manifest: 0000162850



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 1333 - 1333

Date/Time Tested: 04/01/2026 16:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	< LOQ	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0331-0013048
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0331-PEIP-0025382

Strain: Strawberry Mango, Unit Weight: 2.5000g
Batch#: NYS-MP-SBM-A2926, Batch Size: 2244 Units, LOT ID:
1A41203000004DC000002249
Date Sampled: 03/31/2026 14:48
Sample Received: 03/31/2026 17:16
Report Created: 04/04/2026 21:08
Sampling SOP 204*

STIIIZY - 40'S MULTI JOINT - STRAWBERRY MANGO - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001101, Metrc Sample: 1A41203000004DC000002249, Metrc Manifest: 0000162850



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 04/03/2026 13:05

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested
B2	4.8		ND	Tested
G1	4.8		ND	Tested
G2	4.8		ND	Tested
Ochratoxin A	4.8	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 04/02/2026 10:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.184	2.000	< LOQ	Passed
Arsenic	0.184	0.200	ND	Passed
Cadmium	0.184	0.200	ND	Passed
Chromium	0.184	110.000	< LOQ	Passed
Copper	0.221	30.000	4.407	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.221	5.000	< LOQ	Passed
Lead	0.184	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0331-0013048
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0331-PEIP-0025382

Strain: Strawberry Mango, Unit Weight: 2.5000g
Batch#: NYS-MP-SBM-A2926, Batch Size: 2244 Units, LOT ID:
1A41203000004DC000002249
Date Sampled: 03/31/2026 14:48
Sample Received: 03/31/2026 17:16
Report Created: 04/04/2026 21:08
Sampling SOP 204*

STIIIZY - 40'S MULTI JOINT - STRAWBERRY MANGO - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001101, Metrc Sample: 1A41203000004DC000002249, Metrc Manifest: 0000162850



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 04/02/2026 13:53

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed

Stiiizy

Order No.: ONYSTNY0331-0013048
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0331-PEIP-0025382

Strain: Strawberry Mango, Unit Weight: 2.5000g
Batch#: NYS-MP-SBM-A2926, Batch Size: 2244 Units, LOT ID:
1A41203000004DC000002249
Date Sampled: 03/31/2026 14:48
Sample Received: 03/31/2026 17:16
Report Created: 04/04/2026 21:08
Sampling SOP 204*

STIIIZY - 40'S MULTI JOINT - STRAWBERRY MANGO - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001101, Metrc Sample: 1A41203000004DC000002249, Metrc Manifest: 0000162850



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.