

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	2/23/2024	Sample ID:	20240118-ETANAU-001
Client Name:	Etain Adult Use	Sample Name:	Forte Motif Vape Solution Bulk - PM
Sampling Location:	Chestertown, New York	Sample Matrix:	Concentrate
Contact Name:	Sarah E. Collins Brzozowski	Sample Sub Type:	Cartridge
License Number:	OCM-XROND-23-000004	Package ID:	0908 4251 4538 5392/7714 7029 4159 8043
Medical/Adult Use:	Adult Use	Batch Lot ID:	FMVP2023-007 PM
Sampling Date:	01/18/2024 08:00:00 AM	Batch Size:	1491
		Serving Size (g):	0.0035

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	-	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	-	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: Forte Motif Vape Solution Bulk - PM (20240118-ETANAU-001)			
Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.219
CBDA	< MRL	< MRL	0.219
CBGA	0.454	0.016	0.219
CBG	1.356	0.047	0.219
CBD	< MRL	< MRL	0.219
THCV	1.627	0.057	0.219
CBN	0.537	0.019	0.219
D9-THC	65.695	2.299	0.219
D8-THC	< MRL	< MRL	0.219
D10-THC-S	< MRL	< MRL	0.219
D10-THC-R	< MRL	< MRL	0.219
CBC	< MRL	< MRL	0.219
THCA	4.735	0.166	0.219

MRL = Minimum reporting limit/limit of quantification Test ID: #50058 | Date Tested: 01/19/2024 02:56 PM

Potency Summary	% w/w	mg/serving
Total THC [Δ8-THC + Δ9-THC + Δ10-THC + (THCA * 0.877)]	69.848	2.445
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	74.404	2.604



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: Forte Motif Vape Solution Bulk - PM (20240118-ETANAU-001)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.13
Camphene	< MRL	0.13
Sabinene	< MRL	0.13
beta-Pinene	< MRL	0.13
beta-Myrcene	< MRL	0.13
Alpha-phellandrene	< MRL	0.13
Carene	< MRL	0.13
alpha-terpinene	< MRL	0.13
p-Cymene	< MRL	0.13
Limonene	< MRL	0.13
Eucalyptol	< MRL	0.13
Ocimene	< MRL	0.09
gamma-Terpinene	< MRL	0.13
Sabinene Hydrate	< MRL	0.13
Terpinolene	< MRL	0.13
Linalool	0.27	0.13
Fenchol	< MRL	0.13
Menthol	< MRL	0.13
Terpineol	< MRL	0.13
Citronellol	< MRL	0.13
Isopulegol	< MRL	0.13
Geraniol	< MRL	0.13
Alpha-cedrene	< MRL	0.10
Beta-Caryophyllene	0.96	0.13
Farnesene	0.16	0.13
alpha-Humulene	0.48	0.13
Valencene	< MRL	0.13
cis-Nerolidol	< MRL	0.05
trans-Nerolidol	< MRL	0.08
Caryophyllene oxide	< MRL	0.13
Guaiol	< MRL	0.13
alpha-Bisabolol	0.46	0.13

MRL = Minimum reporting limit/limit of quantification Test ID: #50064 | Date Tested: 01/22/2024 10:00 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	2.33	10	PASS



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: Forte Motif Vape Solution Bulk - PM (20240118-ETANAU-001) PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	3.745
2-Propanol	PASS	< MRL	5000	561.072
Acetone	PASS	< MRL	5000	112.214
Acetonitrile	PASS	< MRL	410	46.008
Butanes, total	PASS	< MRL	5000	561.072
Benzene	PASS	< MRL	2	0.749
Chloroform	PASS	< MRL	60	6.733
Dichloromethane	PASS	< MRL	600	67.329
Dimethyl Sulfoxide	PASS	< MRL	5000	1009.929
Ethanol	PASS	3058.0	5000	561.072
Ethyl acetate	PASS	< MRL	5000	561.072
Ethyl ether	PASS	< MRL	5000	561.072
n-Heptane	PASS	< MRL	5000	561.072
Hexanes, total	PASS	< MRL	290	32.542
Methanol	PASS	< MRL	3000	336.644
Pentanes, total	PASS	< MRL	5000	561.072
Propane	PASS	< MRL	5000	561.072
Toluene	PASS	< MRL	890	99.871
Trichloroethane	PASS	< MRL	1500	1009.929
Xylenes, total	PASS	< MRL	2170	243.506

MRL = Minimum reporting limit/limit of quantification

Test ID: #50063 | Date Tested: 01/23/2024 10:00 AM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: Forte Motif Vape Solution Bulk - PM (20240118-ETANAU-001) PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.249
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.498
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.249
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.249
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.249
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #50062 | Date Tested: 02/23/2024 01:43 PM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: Forte Motif Vape Solution Bulk - PM (20240118-ETANAU-001)				PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010
MRL = Minimum reporting limit/limit of quantification			Test ID: #50061 Date Tested: 01/20/2024 10:00 AM	

Heavy Metals: Forte Motif Vape Solution Bulk - PM (20240118-ETANAU-001)				PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	110.0	8.00
Nickel	PASS	< MRL	2.0	1.00
Copper	PASS	< MRL	30.0	8.00
Arsenic	PASS	< MRL	0.2	0.10
Cadmium	PASS	< MRL	0.3	0.10
Antimony	PASS	< MRL	2.0	1.00
Mercury	PASS	< MRL	0.1	0.05
Lead	PASS	< MRL	0.5	0.20
MRL = Minimum reporting limit/limit of quantification			Test ID: #50059 Date Tested: 02/23/2024 10:04 AM	

Microbiological Screen: Forte Motif Vape Solution Bulk - PM (20240118-ETANAU-001)				PASS
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	< MRL	10000	100
Total Yeast & Mold	PASS	< MRL	1000	100
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1
MRL = Minimum reporting limit/limit of quantification			Test ID: #50060 Date Tested: 01/22/2024 07:00 AM	



Ellen Parkin
Lab Director
2/23/2024

Deviations: Potency data associated with a sample duplicate that was out of specification. RSA data associated with a laboratory control standard that was out of specification. Laboratory investigation conducted prior to reporting.

