

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	2/26/2026
Client Name:	Empire Ag LLC
Sampling Location:	Hurley, NY
License Number:	OCM-PROC-24-000108
Medical/Adult Use:	Adult Use
Sampling Date:	02/20/2026 02:45:00 PM
METRC Test Tag ID:	1A41203000018A1000000073

Sample ID:	20260220-SIGM-001
Sample Name:	REMZzz Strawberry Siesta 100mg 20-Pack
Sample Matrix:	Edible
Sample Sub Type:	Gummy
Package ID:	
Batch Lot ID:	
Batch Size:	800
Serving Size (g):	4
METRC Source ID:	1A41203000018A1000000066

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	-	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: REMZzz Strawberry Siesta 100mg 20-Pack (20260220-SIGM-001)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.001
CBDA	< MRL	< MRL	0.001
CBGA	< MRL	< MRL	0.001
CBG	0.004	0.160	0.001
CBD	0.117	4.680	0.001
THCV	< MRL	< MRL	0.001
CBN	0.118	4.720	0.001
D9-THC	0.124	4.960	0.001
D8-THC	< MRL	< MRL	0.001
D10-THC-S	< MRL	< MRL	0.001
D10-THC-R	< MRL	< MRL	0.001
CBC	0.002	0.080	0.001
THCA	< MRL	< MRL	0.001

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #203707 | Date Tested: 02/23/2026 09:01 AM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	0.124	4.960
Total CBD [CBD + (CBDA * 0.877)]	0.117	4.680
Total Cannabinoids	0.365	14.600



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: REMZzz Strawberry Siesta 100mg 20-Pack (20260220-SIGM-001)

PASS

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.05
Camphene	< MRL	0.05
Sabinene	< MRL	0.05
beta-Pinene	< MRL	0.05
beta-Myrcene	< MRL	0.05
Alpha-phellandrene	< MRL	0.05
Carene	< MRL	0.05
alpha-terpinene	< MRL	0.05
p-Cymene	< MRL	0.05
Limonene	< MRL	0.05
Eucalyptol	< MRL	0.05
Ocimene	< MRL	0.04
gamma-Terpinene	< MRL	0.05
Sabinene Hydrate	< MRL	0.05
Terpinolene	< MRL	0.05
Linalool	< MRL	0.05
Fenchol	< MRL	0.05
Menthol	< MRL	0.05
Terpineol	< MRL	0.05
Citronellol	< MRL	0.05
Isopulegol	< MRL	0.05
Geraniol	< MRL	0.05
Alpha-cedrene	< MRL	0.04
Beta-Caryophyllene	< MRL	0.05
Farnesene	< MRL	0.05
alpha-Humulene	< MRL	0.05
Valencene	< MRL	0.05
cis-Nerolidol	< MRL	0.02
trans-Nerolidol	< MRL	0.03
Caryophyllene oxide	< MRL	0.05
Guaiol	< MRL	0.05
alpha-Bisabolol	< MRL	0.05

MRL = Minimum reporting limit/limit of quantification

Test ID: #203709 | Date Tested: 02/22/2026 02:34 PM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	< MRL	10	PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: REMZzz Strawberry Siesta 100mg 20-Pack (20260220-SIGM-001)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5.00	3.500
2-Propanol	PASS	< MRL	5000	500.000
Acetone	PASS	< MRL	5000	2000.000
Acetonitrile	PASS	< MRL	410	40.000
Butanes, total	PASS	< MRL	5000	2500.000
Benzene	PASS	< MRL	2.00	0.650
Chloroform	PASS	< MRL	60.0	6.000
Dichloromethane	PASS	< MRL	600	60.000
Dimethyl Sulfoxide	PASS	< MRL	5000	1000.000
Ethanol	PASS	< MRL	5000	500.000
Ethyl acetate	PASS	< MRL	5000	500.000
Ethyl ether	PASS	< MRL	5000	500.000
n-Heptane	PASS	< MRL	5000	500.000
Hexanes, total	PASS	< MRL	290	30.000
Methanol	PASS	< MRL	3000	300.000
Pentanes, total	PASS	< MRL	5000	500.000
Propane	PASS	< MRL	5000	500.000
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	400.000
Toluene	PASS	< MRL	890	100.000
Trichloroethane	PASS	< MRL	1500	1000.000
Xylenes, total	PASS	< MRL	2170	250.000

MRL = Minimum reporting limit/limit of quantification

Test ID: #203708 | Date Tested: 02/24/2026 09:49 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: REMZzz Strawberry Siesta 100mg 20-Pack (20260220-SIGM-001) **PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.500	0.100
Acephate	PASS	< MRL	0.400	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.200	0.100
Aldicarb	PASS	< MRL	0.400	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.200	0.100
Bifenazate	PASS	< MRL	0.200	0.100
Bifenthrin	PASS	< MRL	0.200	0.100
Boscalid	PASS	< MRL	0.400	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.200	0.100
Carbofuran	PASS	< MRL	0.200	0.100
Chlorantranilprole	PASS	< MRL	0.200	0.100
Chlordane	PASS	< MRL	1.00	0.100
Chlorfenapyr	PASS	< MRL	1.00	0.100
Chloromequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.200	0.100
Clofentezine	PASS	< MRL	0.200	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.200	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.200	0.100
Dimethomorph	PASS	< MRL	0.200	0.100
Ethoprophos	PASS	< MRL	0.200	0.100
Etofenprox	PASS	< MRL	0.400	0.100
Etioazole	PASS	< MRL	0.200	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.200	0.100
Fenpyroximate	PASS	< MRL	0.400	0.100
Fipronil	PASS	< MRL	0.400	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.400	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.200	0.100
Imidacloprid	PASS	< MRL	0.400	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.400	0.100
Malathion	PASS	< MRL	0.200	0.100
Metalaxyl	PASS	< MRL	0.200	0.100
Methiocarb	PASS	< MRL	0.200	0.100
Methomyl	PASS	< MRL	0.400	0.100
Methyl Parathion	PASS	< MRL	0.400	0.100
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.200	0.100
Myclobutanil	PASS	< MRL	0.200	0.100
Naled	PASS	< MRL	0.500	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.400	0.100
Pentachloronitrobenzene	PASS	< MRL	0.400	0.100
Permethrins, total	PASS	< MRL	0.200	0.100
Phosmet	PASS	< MRL	0.200	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.200	0.100
Propiconazole	PASS	< MRL	0.400	0.100
Propoxur	PASS	< MRL	0.200	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.200	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.200	0.100
Spiromesifen	PASS	< MRL	0.200	0.100
Spirotetramat	PASS	< MRL	0.200	0.100
Spiroxamine	PASS	< MRL	0.200	0.100
Tebuconazole	PASS	< MRL	0.400	0.100
Thiacloprid	PASS	< MRL	0.200	0.100
Thiamethoxam	PASS	< MRL	0.200	0.100
Trifloxystrobin	PASS	< MRL	0.200	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #203705 | Date Tested: 02/25/2026 08:27 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: REMZzz Strawberry Siesta 100mg 20-Pack (20260220-SIGM-001) PASS				
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.020	0.010
Total Aflatoxins	PASS	< MRL	0.020	0.010
MRL = Minimum reporting limit/limit of quantification			Test ID: #203706 Date Tested: 02/25/2026 10:37 AM	

Heavy Metals: REMZzz Strawberry Siesta 100mg 20-Pack (20260220-SIGM-001) PASS				
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	1100	8.00
Nickel	PASS	< MRL	20.0	1.00
Copper	PASS	< MRL	300	8.00
Arsenic	PASS	< MRL	1.50	0.10
Cadmium	PASS	< MRL	0.500	0.10
Antimony	PASS	< MRL	120	1.00
Mercury	PASS	< MRL	3.00	0.05
Lead	PASS	< MRL	0.500	0.20
MRL = Minimum reporting limit/limit of quantification			Test ID: #203704 Date Tested: 02/24/2026 08:25 AM	

Microbiology - Plating: REMZzz Strawberry Siesta 100mg 20-Pack (20260220-SIGM-001) PASS				
Microbial analysis utilizing microbial enumeration (SOP-700-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	< MRL	10000	10
Total Yeast & Mold	PASS	10	1000	10
Microbiology - qPCR:				
Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1
MRL = Minimum reporting limit/limit of quantification			Test IDs: #203711, #203710, #203713, #203712 Date Tested: 02/26/2026 01:38 PM, 02/24/2026 08:21 AM, 02/24/2026 11:23 AM, 02/24/2026 11:32 AM	

Water Activity: REMZzz Strawberry Siesta 100mg 20-Pack (20260220-SIGM-001) PASS				
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)				
Analyte	Pass/Fail	Result (a _w)	Limit (a _w)	
Water Activity	PASS	0.79	0.85	
MRL = Minimum reporting limit/limit of quantification			Test ID: #203703 Date Tested: 02/25/2026 02:33 PM	





Certificate of Analysis

Full Compliance Test

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Matthew Elmes
Lab Director
2/26/2026



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.