



# Certificate of Analysis

Pages 1 of 6

## FOR COMPLIANCE

## PASSED



**Batch #:** P-ANBLD12026-633A  
**Production Method:** Cured  
**Total Amount:** 3417 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 0.0125 gram  
**Servings:** 80  
**Metrc Package #:**  
1A412030000026D000018999  
**Metrc Source Package #:**  
1A412030000026D000018998

**Lab ID:** AL60416001-007  
**Sampled Date:** 04/16/26  
**Sample Collection Time:** 02:25 PM  
**Sampling End:** 03:25 PM  
**Sampling Method:** SOP.T.20.010.NY  
**Sample Size:** 13 units  
**Completed:** 04/27/26

### Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
License # : MM1001M



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**NOT TESTED**



Water Activity  
**PASSED**



Moisture  
Content  
**PASSED**



Terpenes  
**PASSED**



### Cannabinoid

**PASSED**



**Total THC**  
**49.2778%**

Total THC/Container : 492.7778 mg



**Total CBD**  
**<0.1000**

Total CBD/Container : 0



**Total Cannabinoids**  
**56.4648%**

Total Cannabinoids/Container :  
564.6485 mg

|         | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC     | CBD     | CBDA    | CBDV    | CBG     | CBGA   | D8-THC | CBN     | D9-THC | THCA     | THCV    |
|---------|---------------------|---------------------|---------|---------|---------|---------|---------|--------|--------|---------|--------|----------|---------|
| %       | <0.1000             | <0.1000             | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | 0.4121 | 0.1340 | <0.1000 | 0.8375 | 55.0812  | <0.1000 |
| mg/unit | <1.0000             | <1.0000             | <1.0000 | <1.0000 | <1.0000 | <1.0000 | <1.0000 | 4.1207 | 1.3398 | <1.0000 | 8.3755 | 550.8124 | <1.0000 |
| LOQ     | 0.1000              | 0.1000              | 0.1000  | 0.1000  | 0.1000  | 0.1000  | 0.1000  | 0.1000 | 0.1000 | 0.1000  | 0.1000 | 0.1000   | 0.1000  |
| %       | %                   | %                   | %       | %       | %       | %       | %       | %      | %      | %       | %      | %        | %       |

Qualifier

Weight:  
0.2151g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 04/26/26 18:34:49

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License # OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164

Signature  
04/27/26  
Laboratory License #: OCM-  
CPL-24-00006-L1



# Certificate of Analysis

Pages 2 of 6

**Curaleaf NY, LLC.**

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
License #: MM1001M

**Sample: AL60416001-007**

**Batch #:** P-ANBLD12026-633A  
**Seed to sale:** 1A412030000026D000018999

**Ordered:** 04/15/26  
**Sampled:** 04/16/26  
**Completed:** 04/27/26

**PASSED**



## Label Claim Verification

**PASSED**

### ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Weight:

Analysis Method : N/A

Analyzed Date : 04/26/26 18:34:57



## Terpenes

**PASSED**

### ANALYTES

LOQ LIMIT PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER

|                     |        |      |      |         |         |
|---------------------|--------|------|------|---------|---------|
| TOTAL TERPENES      | 0.1000 | 11.5 | PASS | 0.2900  | 2.9000  |
| BETA-CARYOPHYLLENE  | 0.0040 | 10   | PASS | 0.0700  | 0.7000  |
| LIMONENE            | 0.0040 | 10   | PASS | 0.0500  | 0.5000  |
| CARYOPHYLLENE OXIDE | 0.0040 | 10   | PASS | 0.0300  | 0.3000  |
| ALPHA-HUMULENE      | 0.0040 | 10   | PASS | 0.0300  | 0.3000  |
| ALPHA TERPINEOL     | 0.0040 | 10   | PASS | 0.0200  | 0.2000  |
| FENCHYL ALCOHOL     | 0.0040 | 10   | PASS | 0.0200  | 0.2000  |
| LINALOOL            | 0.0040 | 10   | PASS | 0.0200  | 0.2000  |
| BETA-MYRCENE        | 0.0040 | 10   | PASS | 0.0200  | 0.2000  |
| ALPHA-BISABOLOL     | 0.0040 | 10   | PASS | 0.0100  | 0.1000  |
| ALPHA-PINENE        | 0.0040 | 10   | PASS | 0.0100  | 0.1000  |
| BETA-PINENE         | 0.0040 | 10   | PASS | 0.0100  | 0.1000  |
| CAMPHENE            | 0.0040 | 10   | PASS | <0.0040 | <0.0400 |
| FARNESENE           | 0.0400 | 10   | PASS | <0.0400 | <0.4000 |
| GERANIOL            | 0.0040 | 10   | PASS | <0.0040 | <0.0400 |
| GUAIOL              | 0.0040 | 10   | PASS | <0.0040 | <0.0400 |
| MENTHOL             | 0.0040 | 10   | PASS | <0.0040 | <0.0400 |
| OCIMENE             | 0.0040 | 10   | PASS | <0.0040 | <0.0400 |
| TERPINOLENE         | 0.0040 | 10   | PASS | <0.0040 | <0.0400 |
| VALENCENE           | 0.0040 | 10   | PASS | <0.0040 | <0.0400 |
| ALPHA-PHELLANDRENE  | 0.0040 | 10   | PASS | <0.0040 | <0.0400 |
| ALPHA-TERPINENE     | 0.0040 | 10   | PASS | <0.0040 | <0.0400 |

Weight:

1.0109g

Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY

Analyzed Date : 04/24/26 11:28:31



## Pesticide

**PASSED**

### ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

|                       |     |        |     |      |         |
|-----------------------|-----|--------|-----|------|---------|
| PRALLETHRIN           | ppm | 0.1000 | 0.2 | PASS | <0.1000 |
| ACEQUINOCYL           | ppm | 0.1000 | 2   | PASS | <0.1000 |
| PYRETHRINS, TOTAL     | ppm | 0.1000 | 1   | PASS | <0.1000 |
| AZADIRACTIN           | ppm | 0.1000 | 1   | PASS | <0.1000 |
| INDOLE-3-BUTYRIC ACID | ppm | 0.1000 | 1   | PASS | <0.1000 |
| MYCLOBUTANIL          | ppm | 0.1000 | 0.2 | PASS | <0.1000 |
| PIPERONYL BUTOXIDE    | ppm | 0.1000 | 2   | PASS | <0.1000 |
| ABAMECTIN B1A         | ppm | 0.1000 | 0.5 | PASS | <0.1000 |
| ACEPHATE              | ppm | 0.1000 | 0.4 | PASS | <0.1000 |
| ACETAMIPRID           | ppm | 0.1000 | 0.2 | PASS | <0.1000 |
| ALDICARB              | ppm | 0.1000 | 0.4 | PASS | <0.1000 |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

State License # OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164

*Erica Troy*

Signature  
04/27/26

Laboratory License #: OCM-  
CPL-24-00006-L1



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs  
Anthem Bold Jet Fuel Infused Preroll Glass Tip 1g:Hybrid  
Matrix: Flower  
Classification: Infused Pre-rolls  
Type: Enhanced Pre-roll (Medical Use)



# Certificate of Analysis

Pages 3 of 6

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
License #: MM1001M

Sample: AL60416001-007

Batch #: P-ANBLD12026-633A  
Seed to sale: 1A412030000026D000018999

Ordered: 04/15/26  
Sampled: 04/16/26  
Completed: 04/27/26

**PASSED**

|                                                                                   |                  |               |
|-----------------------------------------------------------------------------------|------------------|---------------|
|  | <b>Pesticide</b> | <b>PASSED</b> |
|-----------------------------------------------------------------------------------|------------------|---------------|

| ANALYTES             | UNIT | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|----------------------|------|--------|-------|-----------|---------|-----------|
| AZOXYSTROBIN         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CHLORMEQUAT CHLORIDE | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| BIFENAZATE           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| BIFENTHRIN           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CARBARYL             | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CHLORPYRIFOS         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| COUMAPHOS            | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| DAMINOZIDE           | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| CARBOFURAN           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| BOSCALID             | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| CHLORANTRANILIPROLE  | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| DIAZINON             | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CLOFENTEZINE         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| DICHLORVOS           | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| DIMETHOATE           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| DIMETHOMORPH         | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| ETHOPROPHOS          | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| ETOFENPROX           | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| ETOXAZOLE            | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| FENHEXAMID           | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| FENOXYCARB           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| FENPYROXIMATE        | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| FIPRONIL             | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| FLONICAMID           | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| FLUDIOXONIL          | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| HEXYTHIAZOX          | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| IMAZALIL             | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| IMIDACLOPRID         | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| KRESOXIM METHYL      | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| MALATHION            | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| METALAXYL            | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| METHIOCARB           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| METHOMYL             | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| MEVINPHOS            | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| NALED                | ppm  | 0.1000 | 0.5   | PASS      | <0.1000 |           |
| OXAMYL               | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| PACLOBUTRAZOL        | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| PERMETHRIN           | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| PHOSMET              | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| PROPICONAZOLE        | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| PROPOXUR             | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| PYRIDABEN            | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| SPINETORAM, TOTAL    | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| SPINOSAD, TOTAL      | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| SPIROMESIFEN         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| SPIROTETRAMAT        | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| SPIROXAMINE          | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| TEBUCONAZOLE         | ppm  | 0.1000 | 0.4   | PASS      | <0.1000 |           |
| THIACLOPRID          | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| THIAMETHOXAM         | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| TRIFLOXYSTROBIN      | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CAPTAN               | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| CHLORDANE            | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| CHLORFENAPYR         | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License #: OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164



Signature  
04/27/26  
Laboratory License #: OCM-  
CPL-24-00006-L1



# Certificate of Analysis

Pages 4 of 6

**Curaleaf NY, LLC.**

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
License # : MM1001M

**Sample: AL60416001-007**

**Batch #:** P-ANBLD12026-633A  
**Seed to sale:** 1A412030000026D000018999

**Ordered:** 04/15/26  
**Sampled:** 04/16/26  
**Completed:** 04/27/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                | UNIT | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|-------------------------|------|--------|-------|-----------|---------|-----------|
| CYFLUTHRIN              | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| CYPERMETHRIN            | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |
| METHYL PARATHION        | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| MGK-264                 | ppm  | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| PENTACHLORONITROBENZENE | ppm  | 0.1000 | 1     | PASS      | <0.1000 |           |

**Weight:**  
0.9055g

**Analysis Method :** SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY  
**Analyzed Date :** 04/22/26 09:44:42

**Weight:**  
0.9055g

**Analysis Method :** SOP.T.40.154.NY  
**Analyzed Date :** 04/22/26 20:21:37



## Residual Solvents

**PASSED**

| ANALYTES                  | UNIT | LOQ   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---------------------------|------|-------|-------|-----------|--------|-----------|
| PENTANES, TOTAL           | ppm  | 125.0 | 5000  | PASS      | <125.0 |           |
| HEXANE, TOTAL             | ppm  | 125.0 | 290   | PASS      | <125.0 |           |
| 1,1,1-TRICHLOROETHANE     | ppm  | 375.0 | 1500  | PASS      | <375.0 |           |
| DIMETHYL SULFOXIDE        | ppm  | 375.0 | 5000  | PASS      | <375.0 |           |
| 1,1,1,2-TETRAFLUOROETHANE | ppm  | 500.0 | 1000  | PASS      | <500.0 |           |
| XYLENES, TOTAL            | ppm  | 125.0 | 2170  | PASS      | <125.0 |           |
| BUTANES, TOTAL            | ppm  | 750.0 | 5000  | PASS      | <750.0 |           |
| PROPANE                   | ppm  | 750.0 | 5000  | PASS      | <750.0 |           |
| 1,2-DICHLOROETHANE        | ppm  | 1.2   | 5     | PASS      | <1.2   |           |
| METHANOL                  | ppm  | 125.0 | 3000  | PASS      | 225.9  |           |
| ETHANOL                   | ppm  | 125.0 | 5000  | PASS      | <125.0 |           |
| ETHYL ETHER               | ppm  | 125.0 | 5000  | PASS      | <125.0 |           |
| ACETONE                   | ppm  | 125.0 | 5000  | PASS      | <125.0 |           |
| 2-PROPANOL                | ppm  | 125.0 | 5000  | PASS      | <125.0 |           |
| ACETONITRILE              | ppm  | 125.0 | 410   | PASS      | <125.0 |           |
| DICHLOROMETHANE           | ppm  | 125.0 | 600   | PASS      | <125.0 |           |
| ETHYL ACETATE             | ppm  | 125.0 | 5000  | PASS      | <125.0 |           |
| BENZENE                   | ppm  | 1.2   | 2     | PASS      | <1.2   |           |
| N-HEPTANE                 | ppm  | 125.0 | 5000  | PASS      | <125.0 |           |
| TOLUENE                   | ppm  | 125.0 | 890   | PASS      | <125.0 |           |
| CHLOROFORM                | ppm  | 1.2   | 60    | PASS      | <1.2   |           |

**Weight:**  
0.0246g

**Analysis Method :** SOP.T.40.044.NY  
**Analyzed Date :** 04/20/26 10:25:32



## Microbial

**PASSED**

| ANALYTES               | UNIT  | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------------|-------|-----|-------|-----------|--------|-----------|
| TOTAL AEROBIC BACTERIA | CFU/g | 10  | 10000 | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License # OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164

  
Signature  
04/27/26  
**Laboratory License #:** OCM-  
CPL-24-00006-L1



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs  
Anthem Bold Jet Fuel Infused Preroll Glass Tip 1g:Hybrid  
Matrix: Flower  
Classification: Infused Pre-rolls  
Type: Enhanced Pre-roll (Medical Use)



# Certificate of Analysis

Pages 5 of 6

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
License # : MM1001M

Sample: AL60416001-007

Batch #: P-ANBLD12026-633A  
Seed to sale: 1A412030000026D000018999

Ordered: 04/15/26  
Sampled: 04/16/26  
Completed: 04/27/26

**PASSED**



## Microbial

**PASSED**

### ANALYTES

TOTAL YEAST AND MOLD  
ESCHERICHIA COLI/SHIGELLA SPP.  
SALMONELLA SPECIES  
ASPERGILLUS FLAVUS  
ASPERGILLUS FUMIGATUS  
ASPERGILLUS NIGER  
ASPERGILLUS TERREUS

| UNIT  | LOQ | LIMIT       | PASS/FAIL | RESULT      | QUALIFIER |
|-------|-----|-------------|-----------|-------------|-----------|
| CFU/g | 10  | 1000        | PASS      | ND          |           |
|       |     | Not Present | PASS      | Not Present |           |
|       |     | Not Present | PASS      | Not Present |           |
|       |     | Not Present | PASS      | Not Present |           |
|       |     | Not Present | PASS      | Not Present |           |
|       |     | Not Present | PASS      | Not Present |           |
|       |     | Not Present | PASS      | Not Present |           |

Weight:  
0.9561g

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY  
Analyzed Date : 04/23/26 11:55:50



## Mycotoxins

**PASSED**

### ANALYTES

TOTAL AFLATOXINS (B1, B2, G1, G2)  
AFLATOXIN G2  
AFLATOXIN G1  
AFLATOXIN B2  
AFLATOXIN B1  
OCHRATOXIN A+

| UNIT | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|------|--------|-------|-----------|---------|-----------|
| ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |
| ppm  | 0.0100 | 0.02  | PASS      | <0.0100 |           |

Weight:  
0.9055g

Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY  
Analyzed Date : 04/22/26 09:45:55



## Water Activity

**PASSED**

### ANALYTES

WATER ACTIVITY

| UNIT | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------|------|-------|-----------|--------|-----------|
| aw   | 0.10 | 0.65  | PASS      | 0.41   |           |

Weight:  
0.3674g

Analysis Method : SOP.T.40.019  
Analyzed Date : 04/24/26 12:09:45



## Moisture Content

**PASSED**

### ANALYTES

MOISTURE CONTENT

| UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------|-----|-------|-----------|--------|-----------|
| %    | 1.0 | 15    | PASS      | 5.5    |           |

Weight:  
0.891g

Analysis Method : SOP.T.40.021  
Analyzed Date : 04/23/26 14:26:39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License # OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164

Signature  
04/27/26  
Laboratory License #: OCM-  
CPL-24-00006-L1



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs  
Anthem Bold Jet Fuel Infused Preroll Glass Tip 1g:Hybrid  
Matrix: Flower  
Classification: Infused Pre-rolls  
Type: Enhanced Pre-roll (Medical Use)



# Certificate of Analysis

Pages 6 of 6

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
License # : MM1001M

Sample: AL60416001-007

Batch #: P-ANBLD12026-633A  
Seed to sale: 1A412030000026D000018999

Ordered: 04/15/26  
Sampled: 04/16/26  
Completed: 04/27/26

**PASSED**



## Heavy Metals

**PASSED**

| ANALYTES | UNIT | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|----------|------|--------|-------|-----------|---------|-----------|
| ANTIMONY | ug/g | 0.1000 | 2     | PASS      | <0.1000 |           |
| ARSENIC  | ug/g | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CADMIUM  | ug/g | 0.1000 | 0.2   | PASS      | <0.1000 |           |
| CHROMIUM | ug/g | 1.0000 | 110   | PASS      | 1.0124  |           |
| COPPER   | ug/g | 1.0000 | 30    | PASS      | 4.5749  |           |
| LEAD     | ug/g | 0.1000 | 0.5   | PASS      | <0.1000 |           |
| MERCURY  | ug/g | 0.0100 | 0.1   | PASS      | <0.0100 |           |
| NICKEL   | ug/g | 0.1000 | 2     | PASS      | 0.3553  |           |

Weight:  
0.5836g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY  
Analyzed Date : 04/23/26 14:36:06

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License # OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164

Signature  
04/27/26  
Laboratory License #: OCM-  
CPL-24-00006-L1