

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
1 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Sample: 2603RLI0233-1163

Strain: Zkittlez #5  
Batch#: 1A4120300001200000000170; Batch Size: 1066 units  
Sample Received: 03/03/2026; Report Created: 03/13/2026;

Flower - Zkittlez #5 - 3.5g  
Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 03/02/26 1029  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:



### Safety

|            |            |                |                |
|------------|------------|----------------|----------------|
| Pass       | Pass       | Pass           | Pass           |
| Pesticides | Microbials | Mycotoxins     | Water Activity |
| Not Tested | Pass       | Pass           | Pass           |
| Solvents   | Metals     | Foreign Matter | Moisture       |

### Cannabinoids

|           |           |          |
|-----------|-----------|----------|
| 27.03%    | ND        | 11.5%    |
| Total THC | Total CBD | Moisture |

| Analyte                   | LOQ  | Result        | Result         |
|---------------------------|------|---------------|----------------|
|                           | mg/g | %             | mg/g           |
| CBDVa                     | 0.2  | ND            | ND             |
| CBDV                      | 0.2  | ND            | ND             |
| CBDa                      | 0.2  | ND            | ND             |
| CBGa                      | 0.2  | 1.48          | 14.8           |
| CBG                       | 0.2  | 101.06        | 1010.6         |
| CBD                       | 0.2  | ND            | ND             |
| THCV                      | 0.2  | ND            | ND             |
| THCVa                     | 0.2  | 0.10          | 1.0            |
| CBN                       | 0.2  | ND            | ND             |
| Δ9-THC                    | 0.2  | 0.33          | 3.3            |
| Δ8-THC                    | 0.2  | ND            | ND             |
| (6aR,9R)-d10-THC          | 0.2  | ND            | ND             |
| (6aR,9S)-d10-THC          | 0.2  | ND            | ND             |
| CBC                       | 0.2  | ND            | ND             |
| THCa                      | 0.2  | 30.45         | 304.5          |
| CBCa                      | 0.2  | ND            | ND             |
| <b>Total Cannabinoids</b> |      | <b>133.41</b> | <b>1334.12</b> |

Entered By: VJ, Instrument ID: AL2-004  
Method: MTHD-001, Date Tested: 03/05/2026 11:58  
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
2 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Sample: 2603RLI0233-1163

Strain: Zkittlez #5

Batch#: 1A4120300001200000000170; Batch Size: 1066 units

Sample Received: 03/03/2026; Report Created: 03/13/2026;

Flower - Zkittlez #5 - 3.5g

Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 03/02/26 1029  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

### Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

### Microbials

Pass

| Analyte               | LOQ     | Limit  | Result  | Status |
|-----------------------|---------|--------|---------|--------|
| Aspergillus flavus    | 1 CFU/g | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1       | Absent | Absence | Pass   |
| Aspergillus niger     | 1       | Absent | Absence | Pass   |
| Aspergillus terreus   | 1       | Absent | Absence | Pass   |
| Salmonella            | 1       | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1       | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10      | N/A    | 1000    | Tested |
| Yeast & Mold          | 10      | N/A    | 100000  | Tested |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
Aerobic Date Tested: 03/04/2026 15:45  
YM Date Tested: 03/05/2026 15:09 Sal/STEC/Asp Date Tested: 03/04/2026 15:11  
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

### Heavy Metals

Pass

| Analyte  | LOQ        | Limit        | Result | Status |
|----------|------------|--------------|--------|--------|
| Chromium | 1.0000 PPM | 110.0000 PPM | <LOQ   | Pass   |
| Nickel   | 0.5000     | 5.0000       | <LOQ   | Pass   |
| Copper   | 1.0000     | 30.0000      | 7.2115 | Pass   |
| Arsenic  | 0.1000     | 0.2000       | <LOQ   | Pass   |
| Cadmium  | 0.1000     | 0.2000       | <LOQ   | Pass   |
| Antimony | 0.5000     | 2.0000       | ND     | Pass   |
| Mercury  | 0.0500     | 0.1000       | ND     | Pass   |
| Lead     | 0.2500     | 0.5000       | <LOQ   | Pass   |

Entered By: BW, Instrument ID: AL2-001  
Method: MTHD-006 Date Tested: 03/05/2026 13:23  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

### Mycotoxins

Pass

| Analyte          | LOQ        | Limit      | Result | Status |
|------------------|------------|------------|--------|--------|
| Aflatoxin B1     | 0.005 µg/g | 0.020 µg/g | ND     | Pass   |
| Aflatoxin B2     | 0.005      | 0.020      | ND     | Pass   |
| Aflatoxin G1     | 0.005      | 0.020      | ND     | Pass   |
| Aflatoxin G2     | 0.005      | 0.020      | ND     | Pass   |
| Ochratoxin A     | 0.005      | 0.020      | ND     | Pass   |
| Total Aflatoxins |            | 0.020      | ND     | Pass   |

Entered By: at, Instrument ID: AL1-003  
Method: MTHD-009 Date Tested: 03/05/2026 11:47

Entered By: , Instrument ID:  
Method: , Date Tested:

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
3 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Sample: 2603RLI0233-1163

Strain: Zkittlez #5

Batch#: 1A4120300001200000000170; Batch Size: 1066 units

Sample Received: 03/03/2026; Report Created: 03/13/2026;

Flower - Zkittlez #5 - 3.5g

Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 03/02/26 1029  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte             | LOQ    | Result | Result |             |
|---------------------|--------|--------|--------|-------------|
|                     | %      | %      | mg/g   |             |
| β-Myrcene           | 0.0125 | 1.0    | 10.4   | <div></div> |
| Geraniol            | 0.0125 | 0.27   | 2.75   | <div></div> |
| α-Phellandrene      | 0.0125 | 0.19   | 1.94   | <div></div> |
| Linalool            | 0.0125 | 0.12   | 1.23   | <div></div> |
| β-Caryophyllene     | 0.0125 | 0.10   | 0.98   | <div></div> |
| Fenchol             | 0.0125 | 0.02   | 0.22   | <div></div> |
| α-Bisabolol         | 0.0125 | ND     | ND     |             |
| α-Humulene          | 0.0125 | ND     | ND     |             |
| α-Pinene            | 0.0125 | ND     | ND     |             |
| α-Terpinene         | 0.0125 | ND     | ND     |             |
| β-Pinene            | 0.0125 | ND     | ND     |             |
| Camphene            | 0.0125 | ND     | ND     |             |
| Caryophyllene Oxide | 0.0125 | ND     | ND     |             |
| Farnesene           | 0.0125 | ND     | ND     |             |
| Guaiol              | 0.0125 | ND     | ND     |             |
| Limonene            | 0.0125 | ND     | ND     |             |
| Ocimene             | 0.0125 | ND     | ND     |             |
| Terpineol           | 0.0125 | ND     | ND     |             |
| Terpinolene         | 0.0125 | ND     | ND     |             |
| Valencene           | 0.0125 | ND     | ND     |             |



Hops



Rose



Mint



Lavender



Cinnamon

1.7508%

Total Terpenes

Entered By: VJ, Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 03/11/2026 5:20

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director



Violet Josik  
Quality Assurance Officer

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
4 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Sample: 2603RLI0233-1163

Strain: Zkittlez #5

Batch#: 1A4120300001200000000170; Batch Size: 1066 units

Sample Received: 03/03/2026; Report Created: 03/13/2026;

Flower - Zkittlez #5 - 3.5g

Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 03/02/26 1029  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte              | LOQ  | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
|                      | PPM  | PPM   | PPM    |        |
| Abamectin            | 0.05 | 0.50  | ND     | Pass   |
| Acephate             | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl          | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid          | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb             | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a       |      |       | ND     | Tested |
| Avermectin-B1b       |      |       | ND     | Tested |
| Azadirachtin         | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin         | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate           | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin           | 0.05 | 0.20  | ND     | Pass   |
| Boscalid             | 0.05 | 0.40  | ND     | Pass   |
| Captan               | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl             | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran           | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole  | 0.05 | 0.20  | ND     | Pass   |
| Chlordane            | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr         | 0.50 | 1.00  | ND     | Pass   |
| Chlormequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos         | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1            |      |       | ND     | Tested |
| Clofentezine         | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos            | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin           | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin         | 0.05 | 1.00  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/03/2026 20:18

LC Method: MTHD-009 LC Date Tested: 03/05/2026 11:47

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Sample: 2603RLI0233-1163

Strain: Zkittlez #5

Batch#: 1A4120300001200000000170; Batch Size: 1066 units

Sample Received: 03/03/2026; Report Created: 03/13/2026;

Flower - Zkittlez #5 - 3.5g

Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 03/02/26 1029  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoazole           | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Flonicamid         | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Mevinphos          | 0.05 | 1.00  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/03/2026 20:18

LC Method: MTHD-009 LC Date Tested: 03/05/2026 11:47

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Sample: 2603RLI0233-1163

Strain: Zkittlez #5

Batch#: 1A4120300001200000000170; Batch Size: 1066 units

Sample Received: 03/03/2026; Report Created: 03/13/2026;

Flower - Zkittlez #5 - 3.5g

Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 03/02/26 1029  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| MGK-264                 | 0.05 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.05 | 0.20  | ND     | Pass   |
| Naled                   | 0.05 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.05 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.05 | 0.40  | ND     | Pass   |
| Parathion Methyl        | 0.10 | 0.20  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.05 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.05 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.05 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.05 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.05 | 0.40  | ND     | Pass   |
| Propoxur                | 0.05 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.05 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.05 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.05 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | ND     | Tested |
| Spinetoram L            |      |       | ND     | Tested |
| Spinosad                | 0.05 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | ND     | Tested |
| Spiromesifen            | 0.05 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.05 | 0.20  | <LOQ   | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/03/2026 20:18

LC Method: MTHD-009 LC Date Tested: 03/05/2026 11:47

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 7 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
 Bloomfield, NY 14469  
 info@6pointcannabis.com  
 (585) 233-7947  
 Lic. #OCM-MICR-24-000037

Sample: 2603RLI0233-1163

Strain: Zkittlez #5  
 Batch#: 1A4120300001200000000170; Batch Size: 1066 units  
 Sample Received: 03/03/2026; Report Created: 03/13/2026;

Flower - Zkittlez #5 - 3.5g

Plant, Flower - Cured  
 Parent Lot:

### Sampling

Sample Collection Date/Time: 03/02/26 1029  
 Sample Collection Site: Finger Lakes Hydro LLC  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/03/2026 20:18

LC Method: MTHD-009 LC Date Tested: 03/05/2026 11:47

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
8 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Sample: 2603RLI0233-1163

Strain: Zkittlez #5  
Batch#: 1A4120300001200000000170; Batch Size: 1066 units  
Sample Received: 03/03/2026; Report Created: 03/13/2026;

Flower - Zkittlez #5 - 3.5g

Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 03/02/26 1029  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Moisture Date/Time Tested: 03/04/2026; 12:15  
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 03/03/2026; 17:26  
Water Activity Method: MTHD-002

0.25 aw  
Limit: 0.65 aw  
Pass  
Water Activity

11.5%  
Limit: 15.0 %  
Pass  
Moisture

### Foreign Matter

Foreign Matter Method: MTHD-004  
Foreign Matter Date/Time Tested: 03/04/2026; 12:11

Pass

| Analyte          | Limit    | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0      | Pass   |
| FM Stems         | 5%       | 0      | Pass   |
| FM Other         | 2%       | 0      | Pass   |

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.