MFNY PROCESSOR LLC
320 Mt Airy Rd New Windsor, NY
matt@mfny.co
833-420-MFNY
License #: OCM-PROC-24-000175

Certificate of Analysis

Final


Date Released: 1/13/2026 12:42:42PM

Report #: 105342

Candy Rain - Live Resin 510 Carts (0.5g) | 2pk

Sample #: 22042, **Weight:** 20.00g, **Unit Count:**
Order #: X260106-0001
Category/Type: Concentrates & Extract, Concentrate
Date Collected: 1/5/2026 6:00:00PM
Date Received: 1/6/2026 9:48:11AM
Date Sampled: 1/5/2026 4:25:00PM
Regulator Sample ID: 1A4120300000466000000633
Regulator Source Package ID: 1A4120300000466000000632
Regulator Batch ID: 5102RESCDR2

Size: 3133Units, **Unit Count:**



Potency Analysis by HPLC

Total Cannabinoids: **76.11 % - 761.1 mg/g**
Total THC: **72.88 % - 728.8 mg/g**
Total CBD: **0.3879 % - 3.879 mg/g**

Date Completed: 01/08/2026 11:16AM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
d9-THC	1972-08-3	0.001000	72.88	728.8	
CBG	25654-31-3	0.001000	1.634	16.34	
CBC	20675-51-8	0.001000	0.7397	7.397	
THCV	31262-37-0	0.001000	0.4423	4.423	
CBDa	1244-58-2	0.001000	0.2192	2.192	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Micro and water activity testing subcontracted to an associated lab.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

Report Date: 01/13/2026 12:45:38PM

MFNY PROCESSOR LLC
320 Mt Airy Rd New Windsor, NY
matt@mfny.co
833-420-MFNY
License #: OCM-PROC-24-000175

Certificate of Analysis

Final


Sample #: 22042

Candy Rain - Live Resin 510 Carts (0.5g) | 2pk

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
CBD	13956-29-1	0.001000	0.1957	1.957	
THCa	23978-85-0	0.001000	ND	ND	
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC		0.001000	ND	ND	
d10/S9-THC		0.001000	ND	ND	
CBDV	24274-48-4	0.001000	ND	ND	
CBGa	25555-57-1	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS



Date Completed: 01/08/2026 1:50PM

Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-caryophyllene	87-44-5	0.1000	4.762	
Valencene	4630-07-3	0.1000	1.821	
Limonene	5989-27-5	0.1000	1.421	
Alpha-humulene	6753-98-6	0.1000	1.121	
Alpha-bisabolol	515-69-5	0.1000	0.6880	
Linalool	78-70-6	0.1000	0.6057	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Micro and water activity testing subcontracted to an associated lab.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

Report Date: 01/13/2026 12:45:38PM

MFNY PROCESSOR LLC
320 Mt Airy Rd New Windsor, NY
matt@mfny.co
833-420-MFNY
License #: OCM-PROC-24-000175

Certificate of Analysis

Final

Sample #: 22042 **Candy Rain - Live Resin 510 Carts (0.5g) | 2pk**

Compound	CAS#	LOQ (%)	%
Alpha-pinene	80-56-8	0.1000	0.1650
Terpineol	8006-39-1	0.1000	0.1372
Beta-myrcene	123-35-3	0.1000	ND
Beta-pinene	127-91-3	0.1000	ND
Terpinolene	586-62-9	0.1000	ND
Ocimene	13877-91-3	0.1000	ND
Caryophyllene-oxide	1139-30-6	0.1000	ND
Geraniol	106-24-1	0.1000	ND
Camphene	79-92-5	0.1000	ND
Guaiol	489-86-1	0.1000	ND
Alpha-terpinene	99-86-5	0.1000	ND
Fenchol	14575-74-7	0.1000	ND
Alpha-phellandrene	99-83-2	0.1000	ND
Farnesene	502-61-4	0.1000	ND

Relative Concentration



Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 01/12/2026 11:52 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Micro and water activity testing subcontracted to an associated lab.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

Report Date: 01/13/2026 12:45:38PM

MFNY PROCESSOR LLC
320 Mt Airy Rd New Windsor, NY
matt@mfny.co
833-420-MFNY
License #: OCM-PROC-24-000175

Certificate of Analysis

Final

Sample #: 22042

Candy Rain - Live Resin 510 Carts (0.5g) | 2pk

Pesticides by LCMSMS

Pass

Analysis Date: 01/12/2026 11:52 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Micro and water activity testing subcontracted to an associated lab.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

Report Date: 01/13/2026 12:45:38PM

MFNY PROCESSOR LLC
320 Mt Airy Rd New Windsor, NY
matt@mfny.co
833-420-MFNY
License #: OCM-PROC-24-000175

Certificate of Analysis

Final

Sample #: 22042

Candy Rain - Live Resin 510 Carts (0.5g) | 2pk

Pesticides by LCMSMS

Pass

Analysis Date: 01/12/2026 11:52 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Micro and water activity testing subcontracted to an associated lab.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

Report Date: 01/13/2026 12:45:38PM

MFNY PROCESSOR LLC
320 Mt Airy Rd New Windsor, NY
matt@mfny.co
833-420-MFNY
License #: OCM-PROC-24-000175

Certificate of Analysis

Final

Sample #: 22042 **Candy Rain - Live Resin 510 Carts (0.5g) | 2pk**

Pesticides by LCMSMS

Pass

Analysis Date: 01/12/2026 11:52 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 01/08/2026 2:24 pm

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
1,2-Dichloroethane	0.0500	5.00	ND	Pass
Acetone	50.00	5000	ND	Pass
Acetonitrile	50.00	410	ND	Pass
Benzene	0.5000	2.00	ND	Pass
Butanes Total	25.00	5000	152.8	Pass
Chloroform	0.5000	60.0	ND	Pass
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass
Ethanol	50.00	5000	ND	Pass
Ethyl acetate	50.00	5000	ND	Pass
Ethyl ether	50.00	5000	ND	Pass
Freon	50.00	1000	ND	Pass
Heptane	50.00	5000	ND	Pass
Hexanes Total	10.00	290	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Micro and water activity testing subcontracted to an associated lab.
Results based on simple acceptance, not taking into consideration measurement uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

Report Date: 01/13/2026 12:45:38PM

MFNY PROCESSOR LLC
320 Mt Airy Rd New Windsor, NY
matt@mfny.co
833-420-MFNY
License #: OCM-PROC-24-000175

Certificate of Analysis

Final

Sample #: 22042

Candy Rain - Live Resin 510 Carts (0.5g) | 2pk

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 01/08/2026 2:24 pm

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
Isopropanol	50.00	5000	155.1	Pass
Methanol	50.00	3000	ND	Pass
Methylene chloride	50.00	600	ND	Pass
Pentanes Total	16.70	5000	ND	Pass
Propane	50.00	5000	ND	Pass
Toluene	50.00	890	ND	Pass
Total xylenes	25.00	2170	ND	Pass
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass

Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.

Mycotoxins by LCMSMS

Pass

Analysis Date: 01/12/2026 11:52 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 01/08/2026 9:40 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	ND	Pass
Cadmium	0.00150	0.300	ND	Pass
Chromium	0.280	110	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Micro and water activity testing subcontracted to an associated lab.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

Report Date: 01/13/2026 12:45:38PM

MFNY PROCESSOR LLC
320 Mt Airy Rd New Windsor, NY
matt@mfny.co
833-420-MFNY
License #: OCM-PROC-24-000175

Certificate of Analysis

Final

Sample #: 22042

Candy Rain - Live Resin 510 Carts (0.5g) | 2pk

Heavy Metals by ICPMS

Pass

Analysis Date: 01/08/2026 9:40 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Copper	0.0750	30.0	ND	Pass
Lead	0.00250	0.500	ND	Pass
Mercury	0.000500	0.100	ND	Pass
Nickel	0.0100	2.00	0.0268	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Micro and water activity testing subcontracted to an associated lab.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

Report Date: 01/13/2026 12:45:38PM