

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	3/18/2026	Sample ID:	20260311-MARV-009
Client Name:	Marvela Industries	Sample Name:	ERVA Legacy Hash: Blood Moon Gelato
Sampling Location:	Bohemia, NY	Sample Matrix:	Concentrate
Contact Name:	Antonella Velaoras	Sample Sub Type:	Solventless Hash
Contact Email:	Marvelaindustries@gmail.com	Package ID:	
License Number:	OCM-PROC-24-000231	Batch Lot ID:	LH-BHG-0002
Phone:	516-660-6338	Batch Size:	750
Medical/Adult Use:	Adult Use	Serving Size (g):	0.01
Sampling Date:	03/11/2026 12:30:00 PM	METRC Source ID:	1A41203000013950000000053
METRC Test Tag ID:	1A41203000013950000000054		

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	-	Terpenes	P
		Moisture	P	Filth & Foreign Material	P		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: ERVA Legacy Hash: Blood Moon Gelato (20260311-MARV-009)			
Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.322
CBDA	< MRL	< MRL	0.322
CBGA	< MRL	< MRL	0.322
CBG	1.445	0.145	0.322
CBD	1.934	0.193	0.322
THCV	< MRL	< MRL	0.322
CBN	2.017	0.202	0.322
D9-THC	45.708	4.571	0.322
D8-THC	< MRL	< MRL	0.322
D10-THC-S	< MRL	< MRL	0.322
D10-THC-R	< MRL	< MRL	0.322
CBC	0.508	0.051	0.322
THCA	12.536	1.254	0.322

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #213105 | Date Tested: 03/16/2026 08:07 AM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	56.702	5.670
Total CBD [CBD + (CBDA * 0.877)]	1.934	0.193
Total Cannabinoids	64.148	6.415



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: ERVA Legacy Hash: Blood Moon Gelato (20260311-MARV-009)

PASS

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.11
Camphene	< MRL	0.11
Sabinene	< MRL	0.11
beta-Pinene	< MRL	0.11
beta-Myrcene	0.15	0.11
Alpha-phellandrene	< MRL	0.11
Carene	< MRL	0.11
alpha-terpinene	< MRL	0.11
p-Cymene	< MRL	0.11
Limonene	0.46	0.11
Eucalyptol	< MRL	0.11
Ocimene	< MRL	0.08
gamma-Terpinene	< MRL	0.11
Sabinene Hydrate	< MRL	0.11
Terpinolene	< MRL	0.11
Linalool	0.19	0.11
Fenchol	< MRL	0.11
Menthol	< MRL	0.11
Terpineol	< MRL	0.11
Citronellol	< MRL	0.11
Isopulegol	< MRL	0.11
Geraniol	< MRL	0.11
Alpha-cedrene	< MRL	0.09
Beta-Caryophyllene	0.74	0.11
Farnesene	< MRL	0.11
alpha-Humulene	0.26	0.11
Valencene	< MRL	0.11
cis-Nerolidol	< MRL	0.05
trans-Nerolidol	< MRL	0.07
Caryophyllene oxide	< MRL	0.11
Guaiol	< MRL	0.11
alpha-Bisabolol	< MRL	0.11

MRL = Minimum reporting limit/limit of quantification

Test ID: #213108 | Date Tested: 03/16/2026 12:46 PM

Terpenes Summary

Result

Limit

Pass/Fail

Total Terpenes (% w/w)

1.80

10

PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: ERVA Legacy Hash: Blood Moon Gelato (20260311-MARV-009)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.500	0.100
Acephate	PASS	< MRL	0.400	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.200	0.100
Aldicarb	PASS	< MRL	0.400	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.200	0.100
Bifenazate	PASS	< MRL	0.200	0.100
Bifenthrin	PASS	< MRL	0.200	0.100
Boscalid	PASS	< MRL	0.400	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.200	0.100
Carbofuran	PASS	< MRL	0.200	0.100
Chlorantranilprole	PASS	< MRL	0.200	0.100
Chlordane	PASS	< MRL	1.00	0.100
Chlorfenapyr	PASS	< MRL	1.00	0.100
Chloromequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.200	0.100
Clofentezine	PASS	< MRL	0.200	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.200	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.200	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.200	0.100
Etofenprox	PASS	< MRL	0.400	0.100
Etioazole	PASS	< MRL	0.200	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.200	0.100
Fenpyroximate	PASS	< MRL	0.400	0.100
Fipronil	PASS	< MRL	0.400	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.400	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.200	0.100
Imidacloprid	PASS	< MRL	0.400	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.400	0.100
Malathion	PASS	< MRL	0.200	0.100
Metalaxyl	PASS	< MRL	0.200	0.100
Methiocarb	PASS	< MRL	0.200	0.100
Methomyl	PASS	< MRL	0.400	0.100
Methyl Parathion	PASS	< MRL	0.200	0.100
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.200	0.100
Myclobutanil	PASS	< MRL	0.200	0.100
Naled	PASS	< MRL	0.500	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.400	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.100
Permethrins, total	PASS	< MRL	0.200	0.100
Phosmet	PASS	< MRL	0.200	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.200	0.100
Propiconazole	PASS	< MRL	0.400	0.100
Propoxur	PASS	< MRL	0.200	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.200	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.200	0.100
Spiromesifen	PASS	< MRL	0.200	0.100
Spirotetramat	PASS	< MRL	0.200	0.100
Spiroxamine	PASS	< MRL	0.200	0.100
Tebuconazole	PASS	< MRL	0.400	0.100
Thiacloprid	PASS	< MRL	0.200	0.100
Thiamethoxam	PASS	< MRL	0.200	0.100
Trifloxystrobin	PASS	< MRL	0.200	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #213102 | Date Tested: 03/18/2026 08:07 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: ERVA Legacy Hash: Blood Moon Gelato (20260311-MARV-009)				PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.020	0.010
Total Aflatoxins	PASS	< MRL	0.020	0.010
MRL = Minimum reporting limit/limit of quantification			Test ID: #213103 Date Tested: 03/18/2026 12:06 PM	

Heavy Metals: ERVA Legacy Hash: Blood Moon Gelato (20260311-MARV-009)				PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	110	8.00
Nickel	PASS	1.450	2.00	1.00
Copper	PASS	< MRL	30.0	8.00
Arsenic	PASS	< MRL	0.200	0.10
Cadmium	PASS	< MRL	0.200	0.10
Antimony	PASS	< MRL	2.00	1.00
Mercury	PASS	< MRL	0.100	0.05
Lead	PASS	0.399	0.500	0.20
MRL = Minimum reporting limit/limit of quantification			Test ID: #213101 Date Tested: 03/13/2026 07:59 AM	

Microbiology - Plating: ERVA Legacy Hash: Blood Moon Gelato (20260311-MARV-009)				PASS
Microbial analysis utilizing microbial enumeration (SOP-700-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	< MRL	None	100
Total Yeast & Mold	PASS	< MRL	None	100
Microbiology - qPCR:				
Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1
MRL = Minimum reporting limit/limit of quantification			Test IDs: #213110, #213109, #213112, #213111 Date Tested: 03/16/2026 01:33 PM, 03/15/2026 02:43 PM, 03/15/2026 10:57 AM, 03/15/2026 10:55 AM	

Moisture: ERVA Legacy Hash: Blood Moon Gelato (20260311-MARV-009)				PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)				
Analyte	Pass/Fail	Result (%)	Limit (%)	
Moisture	PASS	ND	15.0	
MRL = Minimum reporting limit/limit of quantification			Test ID: #213104 Date Tested: 03/13/2026 09:51 AM	



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Water Activity: ERVA Legacy Hash: Blood Moon Gelato (20260311-MARV-009)			PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)			
Analyte	Pass/Fail	Result (a_w)	Limit (a_w)
Water Activity	PASS	0.40	0.65
MRL = Minimum reporting limit/limit of quantification		Test ID: #213100 Date Tested: 03/13/2026 10:03 AM	

Filt and Foreign Material: ERVA Legacy Hash: Blood Moon Gelato (20260311-MARV-009)			PASS
Filt and Foreign Material analysis utilizing microscopy (SOP-057-NY)			
Analyte	Results	Limit	Pass/Fail
Foreign Material (other, % m/m)	ND	2.00	PASS
Foreign Material (stems, % m/m)	ND	5.00	PASS
Mammalian Excreta (mg/lb)	ND	1.00	PASS
ND = Not Detected		Test ID: #213099 Date Tested: 03/13/2026 09:41 AM	



Matthew Elmes
Lab Director
3/18/2026

