

Stiiizy

Order No.: ONYSTNY0122-0011658
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0122-PEIP-0023154

Strain: Strawnana, Unit Weight: 2.5000g
Batch#: NYS-MP-STN-A1625, Batch Size: 890 Units, LOT ID:
1A41203000004DC000001068
Date Sampled: 01/22/2026 08:47
Sample Received: 01/22/2026 10:50
Report Created: 02/06/2026 11:53
Sampling SOP 204 ♦

STIIIZY - 40'S MULTI JOINT - STRAWNANA - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001016, Metrc Sample: 1A41203000004DC000001068, Metrc Manifest: 0000066823



Results

27.56 %
D9-THC

0 %
CBD

689.11 mg/unit
D9-THC

0 mg/unit
CBD



976.42 mg/unit
Total Cannabinoids

4.653%
Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY0122-0011658
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0122-PEIP-0023154

Strain: Strawnana, Unit Weight: 2.5000g
Batch#: NYS-MP-STN-A1625, Batch Size: 890 Units, LOT ID:
1A41203000004DC000001068
Date Sampled: 01/22/2026 08:47
Sample Received: 01/22/2026 10:50
Report Created: 02/06/2026 11:53
Sampling SOP 204 ♦

STIIIZY - 40'S MULTI JOINT - STRAWNANA - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001016, Metrc Sample: 1A41203000004DC000001068, Metrc Manifest: 0000066823



Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent Infinity II - 2779

Date/Time Tested: 01/26/2026 13:02

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,114.23	ND	ND	ND
CBDa	4,114.23	ND	ND	ND
CBGa	4,114.23	< LOQ	< LOQ	< LOQ
CBG	4,300.89	0.86	8.60	21.50
CBD	4,300.89	ND	ND	ND
THCV	4,300.89	ND	ND	ND
CBN	4,186.50	0.46	4.65	11.62
D9-THC	4,300.89	27.56	275.65	689.11
D8-THC	4,186.50	ND	ND	ND
(6aR,9S)-d10-THC	4,300.89	ND	ND	ND
(6aR,9R)-d10-THC	4,114.23	ND	ND	ND
CBC	4,114.23	0.44	4.40	10.99
THCa	4,300.89	9.73	97.28	243.19
Total CBD		ND	ND	ND
Total THC		36.10	360.96	902.40
Total Cannabinoids		39.06	390.57	976.42

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBDT
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

SOP: SOP 205-NY

Instrument: Shimadzu Moisture Meter - 2560

Date/Time Tested: 01/28/2026 08:24

Pass

Analyte	Limit (%)	%	Status
Moisture	15	4.4	Passed



Stiiizy

Order No.: ONYSTNY0122-0011658
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0122-PEIP-0023154

Strain: Strawnana, Unit Weight: 2.5000g
Batch#: NYS-MP-STN-A1625, Batch Size: 890 Units, LOT ID:
1A41203000004DC000001068
Date Sampled: 01/22/2026 08:47
Sample Received: 01/22/2026 10:50
Report Created: 02/06/2026 11:53
Sampling SOP 204 ♦

STIIIZY - 40'S MULTI JOINT - STRAWNANA - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001016, Metrc Sample: 1A41203000004DC000001068, Metrc Manifest: 0000066823



Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX

qPCR - 3195

Date/Time Tested: 01/23/2026 17:48

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		203,232	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		25,162	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY

Date/Time Tested: 01/29/2026 10:14

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.18	Passed

Stiiizy

Order No.: ONYSTNY0122-0011658
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0122-PEIP-0023154

Strain: Strawnana, Unit Weight: 2.5000g
Batch#: NYS-MP-STN-A1625, Batch Size: 890 Units, LOT ID:
1A41203000004DC000001068
Date Sampled: 01/22/2026 08:47
Sample Received: 01/22/2026 10:50
Report Created: 02/06/2026 11:53
Sampling SOP 204 ♦

STIIIZY - 40'S MULTI JOINT - STRAWNANA - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001016, Metrc Sample: 1A41203000004DC000001068, Metrc Manifest: 0000066823



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 01/27/2026 13:11

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	4.6531	Passed	d-3-Carene	83		ND	Tested
b-Caryophyllene	83		1.4232	Tested	a-Terpinene	83		ND	Tested
Limonene	83		0.9798	Tested	p-Cymene	83		ND	Tested
Linalool	83		0.6067	Tested	Eucalyptol	83		ND	Tested
b-Myrcene	83		0.4031	Tested	g-Terpinene	83		ND	Tested
Terpineol	83		0.2695	Tested	Sabinene Hydrate	83		ND	Tested
Fenchol	83		0.1821	Tested	Fenchone	83		ND	Tested
a-Bisabolol	83		0.1614	Tested	Isopulegol	83		ND	Tested
b-Pinene	83		0.1522	Tested	Camphor	83		ND	Tested
a-Humulene	83		0.1514	Tested	Isoborneol	83		ND	Tested
a-Pinene	83		0.0754	Tested	DL-Menthol	83		< LOQ	Tested
trans-b-Farnesene	83		0.0612	Tested	Borneol	83		< LOQ	Tested
Caryophyllene Oxide	83		0.0608	Tested	Nerol	83		ND	Tested
Terpinolene	83		0.0373	Tested	Pulegone	83		ND	Tested
trans-Nerolidol	83		0.0335	Tested	Geranyl Acetate	83		ND	Tested
Geraniol	83		0.0203	Tested	a-Cedrene	83		ND	Tested
Camphene	83		0.0189	Tested	Valencene	83		ND	Tested
cis-Nerolidol	83		0.0163	Tested	Guaiol	83		< LOQ	Tested
Sabinene	83		ND	Tested	Cedrol	83		ND	Tested
a-Phellandrene	83		ND	Tested	trans-b-Ocimene	83		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0122-0011658
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0122-PEIP-0023154

Strain: Strawnana, Unit Weight: 2.5000g
Batch#: NYS-MP-STN-A1625, Batch Size: 890 Units, LOT ID:
1A41203000004DC000001068
Date Sampled: 01/22/2026 08:47
Sample Received: 01/22/2026 10:50
Report Created: 02/06/2026 11:53
Sampling SOP 204 ♦

STIIIZY - 40'S MULTI JOINT - STRAWNANA - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001016, Metrc Sample: 1A41203000004DC000001068, Metrc Manifest: 0000066823



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 01/27/2026 10:30

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	< LOQ	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0122-0011658
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0122-PEIP-0023154

Strain: Strawnana, Unit Weight: 2.5000g
Batch#: NYS-MP-STN-A1625, Batch Size: 890 Units, LOT ID:
1A41203000004DC000001068
Date Sampled: 01/22/2026 08:47
Sample Received: 01/22/2026 10:50
Report Created: 02/06/2026 11:53
Sampling SOP 204 ♦

STIIIZY - 40'S MULTI JOINT - STRAWNANA - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001016, Metrc Sample: 1A41203000004DC000001068, Metrc Manifest: 0000066823



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 01/24/2026 16:33

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested
B2	4.8		ND	Tested
G1	4.8		ND	Tested
G2	4.8		ND	Tested
Ochratoxin A	4.8	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 01/27/2026 10:49

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.189	2.000	ND	Passed
Arsenic	0.189	0.200	ND	Passed
Cadmium	0.189	0.200	ND	Passed
Chromium	0.189	110.000	0.259	Passed
Copper	0.227	30.000	4.144	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.227	5.000	0.228	Passed
Lead	0.189	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

Amended

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0122-0011658
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0122-PEIP-0023154

Strain: Strawnana, Unit Weight: 2.5000g
Batch#: NYS-MP-STN-A1625, Batch Size: 890 Units, LOT ID:
1A41203000004DC000001068
Date Sampled: 01/22/2026 08:47
Sample Received: 01/22/2026 10:50
Report Created: 02/06/2026 11:53
Sampling SOP 204 ♦

STIIIZY - 40'S MULTI JOINT - STRAWNANA - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001016, Metrc Sample: 1A41203000004DC000001068, Metrc Manifest: 0000066823



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 01/24/2026 14:09

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	< LOQ	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Kimberly Krisolofsky
Kimberly Krisolofsky
Lead Technical Director

Amend Note: Rev01: Updated Batch ID. Rev02: Updated Batch ID

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued



Certificate of Analysis

Amended

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0122-0011658
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0122-PEIP-0023154

Strain: Strawnana, Unit Weight: 2.5000g
Batch#: NYS-MP-STN-A1625, Batch Size: 890 Units, LOT ID:
1A41203000004DC000001068
Date Sampled: 01/22/2026 08:47
Sample Received: 01/22/2026 10:50
Report Created: 02/06/2026 11:53
Sampling SOP 204 ♦

STIIIZY - 40'S MULTI JOINT - STRAWNANA - 2.5G

Plant, Enhanced/Infused Preroll

Metrc Batch: 1A41203000004DC000001016, Metrc Sample: 1A41203000004DC000001068, Metrc Manifest: 0000066823



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	< LOQ	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
Lead Technical Director

Amend Note: Rev01: Updated Batch ID. Rev02: Updated Batch ID

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued