

Stiiizy

Order No.: ONYSTNY0508-0013883
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0508-CVAP-0026699

Strain: Apple Fritter, Unit Weight: 1.0000g
Batch#: NYS-AIO-APF-E0626, Batch Size: 1015 Units, LOT ID:
1A41203000004DC000002933
Date Sampled: 05/08/2026 11:53
Sample Received: 05/08/2026 14:37
Report Created: 05/15/2026 16:45
Sampling SOP 204*

STIIIZY - ORG AIO - APPLE FRITTER - 1G

Concentrates & Extracts, Vape

Metrc Batch: 1A41203000004DC000002819, Metrc Sample: 1A41203000004DC000002933, Metrc Manifest: 0000218007



Results

90.9 %
D9-THC

0 %
CBD

909.05 mg/unit
D9-THC

0 mg/unit
CBD



942.85 mg/unit
Total Cannabinoids

3.696%
Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY0508-0013883
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0508-CVAP-0026699

Strain: Apple Fritter, Unit Weight: 1.0000g
Batch#: NYS-AIO-APF-E0626, Batch Size: 1015 Units, LOT ID:
1A41203000004DC000002933
Date Sampled: 05/08/2026 11:53
Sample Received: 05/08/2026 14:37
Report Created: 05/15/2026 16:45
Sampling SOP 204*

STIIIZY - ORG AIO - APPLE FRITTER - 1G

Concentrates & Extracts, Vape

Metrc Batch: 1A41203000004DC000002819, Metrc Sample: 1A41203000004DC000002933, Metrc Manifest: 0000218007



Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 05/10/2026 11:54

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,217.72	ND	ND	ND
CBDa	4,217.72	ND	ND	ND
CBGa	4,217.72	ND	ND	ND
CBG	4,217.72	2.08	20.81	20.81
CBD	4,217.72	ND	ND	ND
THCV	4,217.72	0.51	5.09	5.09
CBN	4,217.72	< LOQ	< LOQ	< LOQ
D9-THC	4,217.72	90.90	909.05	909.05
D8-THC	4,217.72	ND	ND	ND
(6aR,9S)-d10-THC	4,217.72	ND	ND	ND
(6aR,9R)-d10-THC	4,217.72	ND	ND	ND
CBC	4,217.72	0.79	7.91	7.91
THCa	4,217.72	ND	ND	ND
Total CBD		ND	ND	ND
Total THC		90.90	909.05	909.05
Total Cannabinoids		94.29	942.85	942.85

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBDB
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX

qPCR - 3195

Date/Time Tested: 05/10/2026 15:01

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed	Aspergillus Flavus		0	ND	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus		0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed	Aspergillus Niger		0	ND	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Stiiizy

Order No.: ONYSTNY0508-0013883
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0508-CVAP-0026699

Strain: Apple Fritter, Unit Weight: 1.0000g
Batch#: NYS-AIO-APF-E0626, Batch Size: 1015 Units, LOT ID:
1A41203000004DC000002933
Date Sampled: 05/08/2026 11:53
Sample Received: 05/08/2026 14:37
Report Created: 05/15/2026 16:45
Sampling SOP 204*

STIIIZY - ORG AIO - APPLE FRITTER - 1G

Concentrates & Extracts, Vape

Metrc Batch: 1A41203000004DC000002819, Metrc Sample: 1A41203000004DC000002933, Metrc Manifest: 0000218007



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 05/11/2026 16:34

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	3.6962	Passed	Camphor	164		ND	Tested
Limonene	164		3.4626	Tested	Isoborneol	164		ND	Tested
Isopulegol	164		0.1926	Tested	DL-Menthol	164		ND	Tested
Nerol	164		0.0409	Tested	Borneol	164		ND	Tested
a-Pinene	164		ND	Tested	Terpineol	164		ND	Tested
Camphene	164		ND	Tested	Pulegone	164		ND	Tested
Sabinene	164		ND	Tested	Geraniol	164		ND	Tested
b-Pinene	164		ND	Tested	Geranyl Acetate	164		ND	Tested
b-Myrcene	164		ND	Tested	a-Cedrene	164		ND	Tested
a-Phellandrene	164		ND	Tested	b-Caryophyllene	164	< LOQ		Tested
d-3-Carene	164		ND	Tested	a-Humulene	164		ND	Tested
a-Terpinene	164		ND	Tested	Valencene	164		ND	Tested
p-Cymene	164		ND	Tested	cis-Nerolidol	164		ND	Tested
Eucalyptol	164		ND	Tested	trans-Nerolidol	164		ND	Tested
g-Terpinene	164		ND	Tested	Guaiol	164		ND	Tested
Terpinolene	164		ND	Tested	Caryophyllene Oxide	164	< LOQ		Tested
Fenchol	164		ND	Tested	Cedrol	164		ND	Tested
Sabinene Hydrate	164		ND	Tested	a-Bisabolol	164	< LOQ		Tested
Linalool	164		ND	Tested	trans-b-Ocimene	164		ND	Tested
Fenchone	164		ND	Tested	trans-b-Farnesene	164		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0508-0013883
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0508-CVAP-0026699

Strain: Apple Fritter, Unit Weight: 1.0000g
 Batch#: NYS-AIO-APF-E0626, Batch Size: 1015 Units, LOT ID:
 1A41203000004DC000002933
 Date Sampled: 05/08/2026 11:53
 Sample Received: 05/08/2026 14:37
 Report Created: 05/15/2026 16:45
 Sampling SOP 204*

STIIIZY - ORG AIO - APPLE FRITTER - 1G

Concentrates & Extracts, Vape

Metrc Batch: 1A41203000004DC000002819, Metrc Sample: 1A41203000004DC000002933, Metrc Manifest: 0000218007



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 05/07/2026 15:49

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	< LOQ	Passed
Ethyl Ether	2,500	5,000	< LOQ	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0508-0013883
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0508-CVAP-0026699

Strain: Apple Fritter, Unit Weight: 1.0000g
Batch#: NYS-AIO-APF-E0626, Batch Size: 1015 Units, LOT ID:
1A41203000004DC000002933
Date Sampled: 05/08/2026 11:53
Sample Received: 05/08/2026 14:37
Report Created: 05/15/2026 16:45
Sampling SOP 204*

STIIIZY - ORG AIO - APPLE FRITTER - 1G

Concentrates & Extracts, Vape

Metrc Batch: 1A41203000004DC000002819, Metrc Sample: 1A41203000004DC000002933, Metrc Manifest: 0000218007



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 05/09/2026 12:35

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 05/11/2026 12:23

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.182	2.000	ND	Passed
Arsenic	0.182	0.200	ND	Passed
Cadmium	0.182	0.200	ND	Passed
Chromium	0.182	110.000	ND	Passed
Copper	0.218	30.000	ND	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.218	2.000	ND	Passed
Lead	0.182	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0508-0013883
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0508-CVAP-0026699

Strain: Apple Fritter, Unit Weight: 1.0000g
Batch#: NYS-AIO-APF-E0626, Batch Size: 1015 Units, LOT ID:
1A41203000004DC000002933
Date Sampled: 05/08/2026 11:53
Sample Received: 05/08/2026 14:37
Report Created: 05/15/2026 16:45
Sampling SOP 204*

STIIIZY - ORG AIO - APPLE FRITTER - 1G

Concentrates & Extracts, Vape

Metrc Batch: 1A41203000004DC000002819, Metrc Sample: 1A41203000004DC000002933, Metrc Manifest: 0000218007



Pesticides

SOP: SOP 814-NY

Instrument: Agilent LC-MS-MS 2755 - 2755 / Agilent GCMS 2541 - 2541

Date/Time Tested: 05/09/2026 13:00

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed

Stiiizy

Order No.: ONYSTNY0508-0013883
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232
OCM-PROC-24-000128-P1

Sample: SNYSTNY0508-CVAP-0026699

Strain: Apple Fritter, Unit Weight: 1.0000g
Batch#: NYS-AIO-APF-E0626, Batch Size: 1015 Units, LOT ID:
1A41203000004DC000002933
Date Sampled: 05/08/2026 11:53
Sample Received: 05/08/2026 14:37
Report Created: 05/15/2026 16:45
Sampling SOP 204*

STIIIZY - ORG AIO - APPLE FRITTER - 1G

Concentrates & Extracts, Vape

Metrc Batch: 1A41203000004DC000002819, Metrc Sample: 1A41203000004DC000002933, Metrc Manifest: 0000218007



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.09	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	< LOQ	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.