

Vireo Health

Order No.: ONYVHTH0121-0011628
256 County Route 117
New York, 12095
5187057399
OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023079

Strain: Banana OG, Unit Weight: 1.0000g
Batch#: 1A4120300000C1F000001467, Batch Size: 1116 Units, LOT ID:
1A4120300000C1F000004010
Date Sampled: 01/21/2026 12:18
Sample Received: 01/21/2026 13:00
Report Created: 01/28/2026 22:06
Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Banana OG

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000C1F000001467, Metrc Sample: 1A4120300000C1F000004010, Metrc Manifest: 0000065267



Results

2.71 mg/dose
D9-THC

0 mg/dose
Total CBD

2.71 mg/dose
Total THC


2.71 mg/dose
Total Cannabinoids

5.185%
Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Pass
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Vireo Health

Order No.: ONYVHTH0121-0011628
256 County Route 117
New York, 12095
5187057399
OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023079

Strain: Banana OG, Unit Weight: 1.0000g
Batch#: 1A4120300000C1F000001467, Batch Size: 1116 Units, LOT ID:
1A4120300000C1F000004010
Date Sampled: 01/21/2026 12:18
Sample Received: 01/21/2026 13:00
Report Created: 01/28/2026 22:06
Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Banana OG

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000C1F000001467, Metrc Sample: 1A4120300000C1F000004010, Metrc Manifest: 0000065267



Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent HPLC 2518 - 2518

Date/Time Tested: 01/23/2026 16:36

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,413.73	ND	ND	ND	ND
CBDa	4,413.73	ND	ND	ND	ND
CBGa	4,413.73	ND	ND	ND	ND
CBG	4,413.73	ND	ND	ND	ND
CBD	4,413.73	ND	ND	ND	ND
THCV	4,413.73	< LOQ	< LOQ	< LOQ	< LOQ
CBN	4,413.73	< LOQ	< LOQ	< LOQ	< LOQ
D9-THC	4,413.73	90.18	901.79	2.71	901.79
D8-THC	4,413.73	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,413.73	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,413.73	ND	ND	ND	ND
CBC	4,413.73	ND	ND	ND	ND
THCa	4,413.73	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		90.18	901.79	2.71	901.79
Total Cannabinoids		90.18	901.79	2.71	901.79

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBDT
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Tested

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C
Incubator - 1034

Date/Time Tested: 01/22/2026 16:14

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Pass

Homogeneity

Instrument: Agilent HPLC 2518 - 2518

Date/Time Tested: 01/23/2026 16:36

Analyte	Result
Homogeneity	Pass

Pass

Vireo Health

Order No.: ONYVHTH0121-0011628
256 County Route 117
New York, 12095
5187057399
OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023079

Strain: Banana OG, Unit Weight: 1.0000g
Batch#: 1A4120300000C1F000001467, Batch Size: 1116 Units, LOT ID:
1A4120300000C1F000004010
Date Sampled: 01/21/2026 12:18
Sample Received: 01/21/2026 13:00
Report Created: 01/28/2026 22:06
Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Banana OG

Concentrates & Extracts, Vape
Metric Batch: 1A4120300000C1F000001467, Metric Sample: 1A4120300000C1F000004010, Metric Manifest: 0000065267



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 01/23/2026 21:38

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	5.1854	Passed	Eucalyptol	166		ND	Tested
b-Caryophyllene	166		2.2921	Tested	g-Terpinene	166		ND	Tested
a-Humulene	166		0.7490	Tested	Fenchol	166		ND	Tested
Linalool	166		0.4618	Tested	Sabinene Hydrate	166		ND	Tested
Valencene	166		0.4409	Tested	Fenchone	166		ND	Tested
a-Bisabolol	166		0.3906	Tested	Isopulegol	166		ND	Tested
Terpineol	166		0.3495	Tested	Camphor	166		ND	Tested
trans-Nerolidol	166		0.2723	Tested	Isoborneol	166		ND	Tested
b-Myrcene	166		0.0747	Tested	DL-Menthol	166		ND	Tested
Limonene	166		0.0673	Tested	Borneol	166		ND	Tested
Terpinolene	166		0.0469	Tested	Nerol	166		ND	Tested
Caryophyllene Oxide	166		0.0221	Tested	Pulegone	166		ND	Tested
a-Pinene	166		0.0183	Tested	Geraniol	166		ND	Tested
Camphene	166		ND	Tested	Geranyl Acetate	166		< LOQ	Tested
Sabinene	166		ND	Tested	a-Cedrene	166		ND	Tested
b-Pinene	166		< LOQ	Tested	cis-Nerolidol	166		< LOQ	Tested
a-Phellandrene	166		ND	Tested	Guaiol	166		ND	Tested
d-3-Carene	166		ND	Tested	Cedrol	166		ND	Tested
a-Terpinene	166		ND	Tested	trans-b-Ocimene	166		ND	Tested
p-Cymene	166		ND	Tested	trans-b-Farnesene	166		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Vireo Health

Order No.: ONYVHTH0121-0011628
256 County Route 117
New York, 12095
5187057399
OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023079

Strain: Banana OG, Unit Weight: 1.0000g
Batch#: 1A4120300000C1F000001467, Batch Size: 1116 Units, LOT ID:
1A4120300000C1F000004010
Date Sampled: 01/21/2026 12:18
Sample Received: 01/21/2026 13:00
Report Created: 01/28/2026 22:06
Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Banana OG

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000C1F000001467, Metrc Sample: 1A4120300000C1F000004010, Metrc Manifest: 0000065267



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 01/23/2026 16:47

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	ND	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Vireo Health

Order No.: ONYVHTH0121-0011628
256 County Route 117
New York, 12095
5187057399
OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023079

Strain: Banana OG, Unit Weight: 1.0000g
Batch#: 1A4120300000C1F000001467, Batch Size: 1116 Units, LOT ID:
1A4120300000C1F000004010
Date Sampled: 01/21/2026 12:18
Sample Received: 01/21/2026 13:00
Report Created: 01/28/2026 22:06
Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Banana OG

Concentrates & Extracts, Vape
Metrc Batch: 1A4120300000C1F000001467, Metrc Sample: 1A4120300000C1F000004010, Metrc Manifest: 0000065267



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 01/22/2026 16:10

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 01/27/2026 10:49

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.179	2.000	< LOQ	Passed
Arsenic	0.179	0.200	ND	Passed
Cadmium	0.179	0.200	ND	Passed
Chromium	0.179	110.000	< LOQ	Passed
Copper	0.215	30.000	< LOQ	Passed
Mercury	0.043	0.100	ND	Passed
Nickel	0.215	2.000	< LOQ	Passed
Lead	0.179	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Vireo Health

Order No.: ONYVHTH0121-0011628
256 County Route 117
New York, 12095
5187057399
OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023079

Strain: Banana OG, Unit Weight: 1.0000g
Batch#: 1A4120300000C1F000001467, Batch Size: 1116 Units, LOT ID:
1A4120300000C1F000004010
Date Sampled: 01/21/2026 12:18
Sample Received: 01/21/2026 13:00
Report Created: 01/28/2026 22:06
Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Banana OG

Concentrates & Extracts, Vape
Metric Batch: 1A4120300000C1F000001467, Metric Sample: 1A4120300000C1F000004010, Metric Manifest: 0000065267



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 01/22/2026 11:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	< LOQ	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed

Vireo Health

Order No.: ONYVHTH0121-0011628
256 County Route 117
New York, 12095
5187057399
OCM-ROND-23-000003_MM0201M-P1

Sample: SNYVHTH0121-CVAP-0023079

Strain: Banana OG, Unit Weight: 1.0000g
Batch#: 1A4120300000C1F000001467, Batch Size: 1116 Units, LOT ID:
1A4120300000C1F000004010
Date Sampled: 01/21/2026 12:18
Sample Received: 01/21/2026 13:00
Report Created: 01/28/2026 22:06
Sampling SOP 204 ♦

Claybourne Co Gassers Vape AIO 1g Banana OG

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000C1F000001467, Metrc Sample: 1A4120300000C1F000004010, Metrc Manifest: 0000065267



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	< LOQ	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	< LOQ	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	0.12	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	0.37	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.