

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
1 of 7

## Moby & Zeke, LLC

Contact Person: Nicholas Pistoletti  
Newfield, NY 14867

(607) 382-3386

Lic. #OCM-PROC-24-000031

## Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2603RLI0334-1703

Strain: Gorilla Glue #4

Batch#: GOGL-001-CART4; Batch Size: 3581 units

Sample Received: 03/25/2026; Report Created: 04/08/2026;

## Sampling

Sample Collection Date/Time: 03/24/26 1005  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:



## Safety

|                    |                    |                              |                              |
|--------------------|--------------------|------------------------------|------------------------------|
| Pass<br>Pesticides | Pass<br>Microbials | Pass<br>Mycotoxins           | Not Tested<br>Water Activity |
| Pass<br>Solvents   | Pass<br>Metals     | Not Tested<br>Foreign Matter | Not Tested<br>Moisture       |

## Cannabinoids

|                     |                 |                |
|---------------------|-----------------|----------------|
| 90.69%<br>Total THC | ND<br>Total CBD | NT<br>Moisture |
|---------------------|-----------------|----------------|

| Analyte                   | LOQ  | Result       | Result        |
|---------------------------|------|--------------|---------------|
|                           | mg/g | %            | mg/g          |
| CBDVa                     | 0.2  | ND           | ND            |
| CBDV                      | 0.2  | ND           | ND            |
| CBDa                      | 0.2  | ND           | ND            |
| CBGa                      | 0.2  | ND           | ND            |
| CBG                       | 0.2  | ND           | ND            |
| CBD                       | 0.2  | ND           | ND            |
| THCV                      | 0.2  | ND           | ND            |
| THCVa                     | 0.2  | ND           | ND            |
| CBN                       | 0.2  | 1.49         | 14.9          |
| Δ9-THC                    | 0.2  | 90.69        | 906.9         |
| Δ8-THC                    | 0.2  | ND           | ND            |
| (6aR,9R)-d10-THC          | 0.2  | ND           | ND            |
| (6aR,9S)-d10-THC          | 0.2  | ND           | ND            |
| CBC                       | 0.2  | ND           | ND            |
| THCa                      | 0.2  | ND           | ND            |
| CBCa                      | 0.2  | ND           | ND            |
| <b>Total Cannabinoids</b> |      | <b>92.18</b> | <b>921.79</b> |

Entered By: VJ, Instrument ID: AL2-004  
Method: MTHD-001, Date Tested: 03/30/2026 05:15  
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
2 of 7

## Moby & Zeke, LLC

Contact Person: Nicholas Pistoletti  
Newfield, NY 14867

(607) 382-3386

Lic. #OCM-PROC-24-000031

## Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2603RLI0334-1703

Strain: Gorilla Glue #4

Batch#: GOGL-001-CART4; Batch Size: 3581 units

Sample Received: 03/25/2026; Report Created: 04/08/2026;

## Sampling

Sample Collection Date/Time: 03/24/26 1005  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Residual Solvents

Pass

| Analyte                    | LOQ   | Limit  | Result | Status |
|----------------------------|-------|--------|--------|--------|
|                            | PPM   | PPM    | PPM    |        |
| 1,2-Dichloro-Ethane        | 3.9   | 5.0    | ND     | Pass   |
| 2,2-Dimethyl-Butane        | 31.3  |        | ND     | Tested |
| 2,3-Dimethyl-Butane        | 31.3  |        | ND     | Tested |
| 2-Methyl-Pentane           | 31.3  |        | ND     | Tested |
| 3-Methyl-Pentane           | 31.3  |        | ND     | Tested |
| Acetone                    | 156.3 | 5000.0 | ND     | Pass   |
| Acetonitrile               | 156.3 | 410.0  | ND     | Pass   |
| Benzene                    | 1.6   | 2.0    | ND     | Pass   |
| Chloroform                 | 1.6   | 60.0   | ND     | Pass   |
| Dimethyl Sulfoxide         | 156.3 | 5000.0 | ND     | Pass   |
| Ethanol                    | 156.3 | 5000.0 | ND     | Pass   |
| Ethyl-Acetate              | 156.3 | 5000.0 | ND     | Pass   |
| Ethyl-Ether                | 156.3 | 5000.0 | ND     | Pass   |
| Isobutane                  | 78.1  |        | ND     | Tested |
| 2-Methyl-Butane            | 52.1  |        | ND     | Tested |
| Isopropanol                | 156.3 | 5000.0 | ND     | Pass   |
| m+p Xylene                 | 78.1  | 2170.0 | ND     | Pass   |
| Methanol                   | 156.3 | 3000.0 | ND     | Pass   |
| n-Butane                   | 78.1  |        | ND     | Tested |
| Neopentane                 | 52.1  |        | ND     | Tested |
| n-Hexane                   | 31.3  |        | ND     | Tested |
| n-Pentane                  | 52.1  |        | ND     | Tested |
| o-Xylene                   | 39.1  |        | ND     | Tested |
| Propane                    | 156.3 | 5000.0 | ND     | Pass   |
| Toluene                    | 156.3 | 890.0  | ND     | Pass   |
| Trichloroethane            | 78.1  | 1500.0 | ND     | Pass   |
| 1,1,1,2-Tetrafluoro-Ethane | 156.3 | 1000.0 | ND     | Pass   |
| Butanes                    |       | 5000.0 | ND     | Pass   |
| Hexanes                    |       | 290.0  | ND     | Pass   |
| Pentanes                   |       | 5000.0 | ND     | Pass   |
| Xylenes                    |       | 2170.0 | ND     | Pass   |

Entered By: at, Instrument ID: AL1-001

Method: MTHD-007, Date Tested: 04/06/2026 10:58

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

## Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | 10000  | ND      | Pass   |
| Yeast & Mold          | 10    | 1000   | ND      | Pass   |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012

Aerobic Date Tested: 03/26/2026 15:17

YM Date Tested: 03/27/2026 15:20 Sal/STEC/Asp Date Tested: 03/26/2026 16:20

Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

## Heavy Metals

Pass

| Analyte  | LOQ    | Limit    | Result | Status |
|----------|--------|----------|--------|--------|
|          | PPM    | PPM      | PPM    |        |
| Chromium | 1.0000 | 110.0000 | ND     | Pass   |
| Nickel   | 0.5000 | 2.0000   | <LOQ   | Pass   |
| Copper   | 1.0000 | 30.0000  | <LOQ   | Pass   |
| Arsenic  | 0.1000 | 0.2000   | ND     | Pass   |
| Cadmium  | 0.1000 | 0.2000   | ND     | Pass   |
| Antimony | 0.5000 | 2.0000   | ND     | Pass   |
| Mercury  | 0.0500 | 0.1000   | ND     | Pass   |
| Lead     | 0.2500 | 0.5000   | 0.2588 | Pass   |

Entered By: BW, Instrument ID: AL2-001

Method: MTHD-006 Date Tested: 03/26/2026 16:34

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins

Pass

| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
|                  | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin B2     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.005 | 0.020 | ND     | Pass   |
| Ochratoxin A     | 0.005 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | ND     | Pass   |

Entered By: gtg, Instrument ID: AL1-003

Method: MTHD-009 Date Tested: 03/27/2026 23:37

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi  
Newfield, NY 14867

(607) 382-3386

Lic. #OCM-PROC-24-000031

## Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2603RLI0334-1703

Strain: Gorilla Glue #4

Batch#: GOGL-001-CART4; Batch Size: 3581 units

Sample Received: 03/25/2026; Report Created: 04/08/2026;

## Sampling

Sample Collection Date/Time: 03/24/26 1005  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte             | LOQ    | Result | Result |
|---------------------|--------|--------|--------|
|                     | %      | %      | mg/g   |
| Caryophyllene Oxide | 0.0125 | 0.14   | 1.45   |
| α-Bisabolol         | 0.0125 | ND     | ND     |
| α-Humulene          | 0.0125 | ND     | ND     |
| α-Phellandrene      | 0.0125 | ND     | ND     |
| α-Pinene            | 0.0125 | ND     | ND     |
| α-Terpinene         | 0.0125 | ND     | ND     |
| β-Caryophyllene     | 0.0125 | ND     | ND     |
| β-Myrcene           | 0.0125 | ND     | ND     |
| β-Pinene            | 0.0125 | ND     | ND     |
| Camphene            | 0.0125 | ND     | ND     |
| Farnesene           | 0.0125 | ND     | ND     |
| Fenchol             | 0.0125 | ND     | ND     |
| Geraniol            | 0.0125 | ND     | ND     |
| Guaiol              | 0.0125 | ND     | ND     |
| Limonene            | 0.0125 | ND     | ND     |
| Linalool            | 0.0125 | ND     | ND     |
| Ocimene             | 0.0125 | ND     | ND     |
| Terpineol           | 0.0125 | ND     | ND     |
| Terpinolene         | 0.0125 | ND     | ND     |
| Valencene           | 0.0125 | ND     | ND     |



Wood

0.1447%

Total Terpenes

Entered By: at, Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 04/02/2026 10:04

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
4 of 7

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi  
Newfield, NY 14867

(607) 382-3386

Lic. #OCM-PROC-24-000031

## Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2603RLI0334-1703

Strain: Gorilla Glue #4

Batch#: GOGL-001-CART4; Batch Size: 3581 units

Sample Received: 03/25/2026; Report Created: 04/08/2026;

## Sampling

Sample Collection Date/Time: 03/24/26 1005  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte              | LOQ  | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
|                      | PPM  | PPM   | PPM    |        |
| Abamectin            | 0.05 | 0.50  | ND     | Pass   |
| Acephate             | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl          | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid          | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb             | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a       |      |       | ND     | Tested |
| Avermectin-B1b       |      |       | ND     | Tested |
| Azadirachtin         | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin         | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate           | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin           | 0.05 | 0.20  | ND     | Pass   |
| Boscalid             | 0.05 | 0.40  | ND     | Pass   |
| Captan               | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl             | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran           | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole  | 0.05 | 0.20  | ND     | Pass   |
| Chlordane            | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr         | 0.50 | 1.00  | ND     | Pass   |
| Chlormequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos         | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1            |      |       | ND     | Tested |
| Clofentezine         | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos            | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin           | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin         | 0.05 | 1.00  | ND     | Pass   |

Entered By: gtg, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/27/2026 00:39

LC Method: MTHD-009 LC Date Tested: 03/27/2026 23:37

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 7

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi  
Newfield, NY 14867

(607) 382-3386

Lic. #OCM-PROC-24-000031

## Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2603RLI0334-1703

Strain: Gorilla Glue #4

Batch#: GOGL-001-CART4; Batch Size: 3581 units

Sample Received: 03/25/2026; Report Created: 04/08/2026;

## Sampling

Sample Collection Date/Time: 03/24/26 1005  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Flonicamid         | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Mevinphos          | 0.05 | 1.00  | ND     | Pass   |

Entered By: gtg, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/27/2026 00:39

LC Method: MTHD-009 LC Date Tested: 03/27/2026 23:37

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

## Moby & Zeke, LLC

Contact Person: Nicholas Pistoless  
Newfield, NY 14867

(607) 382-3386

Lic. #OCM-PROC-24-000031

## Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2603RLI0334-1703

Strain: Gorilla Glue #4

Batch#: GOGL-001-CART4; Batch Size: 3581 units

Sample Received: 03/25/2026; Report Created: 04/08/2026;

## Sampling

Sample Collection Date/Time: 03/24/26 1005  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| MGK-264                 | 0.05 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.05 | 0.20  | ND     | Pass   |
| Naled                   | 0.05 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.05 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.05 | 0.40  | ND     | Pass   |
| Parathion Methyl        | 0.10 | 0.20  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.05 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.05 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.05 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.05 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.05 | 0.40  | ND     | Pass   |
| Propoxur                | 0.05 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.05 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.05 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.05 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | ND     | Tested |
| Spinetoram L            |      |       | ND     | Tested |
| Spinosad                | 0.05 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | ND     | Tested |
| Spiromesifen            | 0.05 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.05 | 0.20  | ND     | Pass   |

Entered By: gtg, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/27/2026 00:39

LC Method: MTHD-009 LC Date Tested: 03/27/2026 23:37

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
7 of 7

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi  
Newfield, NY 14867

(607) 382-3386

Lic. #OCM-PROC-24-000031

## Gorilla Glue #4 510 Vape

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2603RLI0334-1703

Strain: Gorilla Glue #4

Batch#: GOGL-001-CART4; Batch Size: 3581 units

Sample Received: 03/25/2026; Report Created: 04/08/2026;

## Sampling

Sample Collection Date/Time: 03/24/26 1005  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: gtg, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/27/2026 00:39

LC Method: MTHD-009 LC Date Tested: 03/27/2026 23:37

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.