

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                               |
|---------------------------|-------------------------------|
| <b>Date Reported:</b>     | 8/26/2026                     |
| <b>Client Name:</b>       | Nutriponics, LLC dba. STIIIZY |
| <b>Sampling Location:</b> | Sidney, NY                    |
| <b>License Number:</b>    | OCM-PROC-24-000128            |
| <b>Medical/Adult Use:</b> | Adult Use                     |
| <b>Sampling Date:</b>     | 08/18/2026 12:13:00 PM        |
| <b>METRC Test Tag ID:</b> | 1A41203000004DC000004111      |

|                          |                                               |
|--------------------------|-----------------------------------------------|
| <b>Sample ID:</b>        | 20260818-STIZ-016                             |
| <b>Sample Name:</b>      | STIIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G |
| <b>Sample Matrix:</b>    | Flower                                        |
| <b>Sample Sub Type:</b>  | Infused Pre-roll                              |
| <b>Batch Lot ID:</b>     | NYS-1G-PEX-H1226                              |
| <b>Batch Size:</b>       | 1813                                          |
| <b>Serving Size (g):</b> | 1                                             |
| <b>METRC Source ID:</b>  | 1A41203000004DC000004066                      |

|                       |          |                        |          |                                     |           |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|-----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b>  | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>P</b>  | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>NT</b> |                   |          |

"NT" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: STIIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G (20260818-STIZ-016)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.205       |
| CBDA      | < MRL  | < MRL      | 0.205       |
| CBGA      | 2.980  | 29.802     | 0.205       |
| CBG       | 0.340  | 3.399      | 0.205       |
| CBD       | < MRL  | < MRL      | 0.205       |
| THCV      | < MRL  | < MRL      | 0.205       |
| CBN       | < MRL  | < MRL      | 0.205       |
| D9-THC    | 2.577  | 25.766     | 0.205       |
| D8-THC    | < MRL  | < MRL      | 0.205       |
| D10-THC-S | < MRL  | < MRL      | 0.205       |
| D10-THC-R | < MRL  | < MRL      | 0.205       |
| CBC       | < MRL  | < MRL      | 0.205       |
| THCA      | 45.064 | 450.643    | 0.205       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #305209 | Date Tested: 08/19/2026 11:39 AM

| Potency Summary                                                                               | % w/w  | mg/serving |
|-----------------------------------------------------------------------------------------------|--------|------------|
| <b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + ( $\Delta 10$ -THC + (THCA * 0.877)) ] | 42.098 | 420.980    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                     | < MRL  | < MRL      |
| <b>Total Cannabinoids</b>                                                                     | 50.961 | 509.610    |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: STIIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G (20260818-STIZ-016) PASS

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | 0.17           | 0.14        |
| Camphene            | < MRL          | 0.14        |
| Sabinene            | < MRL          | 0.14        |
| beta-Pinene         | 0.17           | 0.14        |
| beta-Myrcene        | 0.81           | 0.14        |
| Alpha-phellandrene  | < MRL          | 0.14        |
| Carene              | < MRL          | 0.14        |
| alpha-terpinene     | < MRL          | 0.14        |
| p-Cymene            | < MRL          | 0.14        |
| Limonene            | 0.19           | 0.14        |
| Eucalyptol          | < MRL          | 0.14        |
| Ocimene             | < MRL          | 0.10        |
| gamma-Terpinene     | < MRL          | 0.14        |
| Sabinene Hydrate    | < MRL          | 0.14        |
| Terpinolene         | < MRL          | 0.14        |
| Linalool            | 0.18           | 0.14        |
| Fenchol             | < MRL          | 0.14        |
| Menthol             | < MRL          | 0.14        |
| Terpineol           | < MRL          | 0.14        |
| Citronellol         | < MRL          | 0.14        |
| Isopulegol          | < MRL          | 0.14        |
| Geraniol            | < MRL          | 0.14        |
| Alpha-cedrene       | < MRL          | 0.11        |
| Beta-Caryophyllene  | 1.29           | 0.14        |
| Farnesene           | < MRL          | 0.14        |
| alpha-Humulene      | 0.49           | 0.14        |
| Valencene           | < MRL          | 0.14        |
| cis-Nerolidol       | < MRL          | 0.05        |
| trans-Nerolidol     | < MRL          | 0.08        |
| Caryophyllene oxide | < MRL          | 0.14        |
| Guaiol              | < MRL          | 0.14        |
| alpha-Bisabolol     | < MRL          | 0.14        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #305213 | Date Tested: 08/20/2026 12:08 PM

| Terpenes Summary       | Result | Limit | Pass/Fail |
|------------------------|--------|-------|-----------|
| Total Terpenes (% w/w) | 3.29   | 10    | PASS      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Residual Solvents: STIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G (20260818- STIZ-016) **PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-----------------------------------------|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5.00         | 3.500      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 500.000    |
| Acetone                                 | PASS      | < MRL         | 5000         | 2000.000   |
| Acetonitrile                            | PASS      | < MRL         | 410          | 40.000     |
| Butanes, total                          | PASS      | < MRL         | 5000         | 2500.000   |
| Benzene                                 | PASS      | < MRL         | 2.00         | 0.650      |
| Chloroform                              | PASS      | < MRL         | 60.0         | 6.000      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 60.000     |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 1000.000   |
| Ethanol                                 | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 500.000    |
| n-Heptane                               | PASS      | < MRL         | 5000         | 500.000    |
| Hexanes, total                          | PASS      | < MRL         | 290          | 30.000     |
| Methanol                                | PASS      | < MRL         | 3000         | 300.000    |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 500.000    |
| Propane                                 | PASS      | < MRL         | 5000         | 500.000    |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 400.000    |
| Toluene                                 | PASS      | < MRL         | 890          | 100.000    |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 1000.000   |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 250.000    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #305212 | Date Tested: 08/21/2026 08:45 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: STIIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G (20260818-STIZ-016)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.500        | 0.100      |
| Acephate                | PASS      | < MRL         | 0.400        | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.400        | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.200        | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.400        | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.200        | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.200        | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.200        | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.200        | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.200        | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.200        | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.200        | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 1.00         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.200        | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.400        | 0.100      |
| Etiozazole              | PASS      | < MRL         | 0.200        | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.400        | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.400        | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.400        | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.200        | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.400        | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.400        | 0.100      |
| Malathion               | PASS      | < MRL         | 0.200        | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.200        | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.400        | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.200        | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.200        | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.200        | 0.100      |
| Naled                   | PASS      | < MRL         | 0.500        | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.400        | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.200        | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.200        | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.200        | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.400        | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.200        | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.200        | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.200        | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.200        | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.200        | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.200        | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.400        | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.200        | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.200        | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #305206 | Date Tested: 08/20/2026 04:25 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Mycotoxins: STIIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G (20260818-STIZ-016)

**PASS**

Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte          | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|------------------|-----------|---------------|--------------|------------|
| Ochratoxin       | PASS      | < MRL         | 0.020        | 0.010      |
| Total Aflatoxins | PASS      | < MRL         | 0.020        | 0.010      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #305207 | Date Tested: 08/20/2026 04:26 PM

### Heavy Metals: STIIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G (20260818-STIZ-016)

**PASS**

Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)

| Analyte  | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|----------|-----------|---------------|--------------|------------|
| Chromium | PASS      | < MRL         | 110          | 8.00       |
| Nickel   | PASS      | < MRL         | 5.00         | 1.00       |
| Copper   | PASS      | 8.701         | 30.0         | 8.00       |
| Arsenic  | PASS      | < MRL         | 0.200        | 0.10       |
| Cadmium  | PASS      | < MRL         | 0.200        | 0.10       |
| Antimony | PASS      | < MRL         | 2.00         | 1.00       |
| Mercury  | PASS      | < MRL         | 0.100        | 0.05       |
| Lead     | PASS      | < MRL         | 0.500        | 0.20       |

MRL = Minimum reporting limit/limit of quantification

Test ID: #305205 | Date Tested: 08/20/2026 08:58 AM

### Microbiology: STIIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G (20260818-STIZ-016)

**PASS**

Microbial analysis utilizing TEMPO microbial enumeration (SOP-719-NY)

| Analyte                | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) |
|------------------------|-----------|-----------------|---------------|-------------|
| Total Aerobic Bacteria | PASS      | 46000           | None          | 100         |
| Total Yeast & Mold     | PASS      | 200             | None          | 100         |

### Microbiology - qPCR:

Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-734-NY)

| Analyte                                         | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) |
|-------------------------------------------------|-----------|-----------------|---------------|-------------|
| Salmonella spp                                  | PASS      | Absent          | Absent        | 1           |
| Shiga toxin-producing E. coli                   | PASS      | Absent          | Absent        | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus) | PASS      | Absent          | Absent        | 1           |

MRL = Minimum reporting limit/limit of quantification

Test IDs: #305214, #305217, #305216, #305215 | Date Tested: 08/26/2026 10:49 AM, 08/20/2026 04:43 PM, 08/20/2026 08:18 PM

### Moisture: STIIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G (20260818-STIZ-016)

**PASS**

Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)

| Analyte  | Pass/Fail | Result (%) | Limit (%) |
|----------|-----------|------------|-----------|
| Moisture | PASS      | 9.2        | 15.0      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #305208 | Date Tested: 08/19/2026 07:28 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Water Activity: STIIIZY - 40'S JOINT - PINEAPPLE EXPRESS - 1G (20260818-STIZ-016)**

**PASS**

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

| Analyte        | Pass/Fail | Result ( $a_w$ ) | Limit ( $a_w$ ) |
|----------------|-----------|------------------|-----------------|
| Water Activity | PASS      | 0.64             | 0.65            |

MRL = Minimum reporting limit/limit of quantification

Test ID: #305218 | Date Tested: 08/20/2026 11:37 AM



Matthew Elmes  
Lab Director  
8/26/2026



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.