

Veterans Holdings

34 W Fulton St, Gloversville, NY 12078
 sonja@veteranshempmarket.com
 518-246-0755
 License #: OCM-PROC-24-000069

Certificate of Analysis

Final



Date Released: 9/6/2024 9:20:33AM

Report #: 22585

SN Runtz 1g

Sample #: 5703, Weight: 11.40g, Unit Count:
 Order #: X240826-0001

Category/Type: Concentrates & Extract, Concentrate

Date Collected: 8/23/2024 5:02:00PM

Date Received: 8/26/2024 10:29:06AM

Date Sampled: 8/23/2024 2:17:00PM

Regulator Sample ID: VHSN510RZ

Regulator Source Package ID: VHSN510RZ

Regulator Batch ID: VHSN510RZ

Size: 3000Units, Unit Count:



Total Cannabinoids
 88.36 %
 883.6 mg/g



Total THC
 81.96 %
 819.6 mg/g




Total CBD
 0.3010 %
 3.010 mg/g



Total Terpenes
 1.178 %



Heavy Metals
 PASS



Microbials
 PASS



Residual Solvents
 PASS



Pesticides
 PASS



Mycotoxins
 PASS

Potency Analysis by HPLC

Total Cannabinoids: **88.36 % - 883.6 mg/g**
 Total THC: **81.96 % - 819.6 mg/g**
 Total CBD: **0.3010 % - 3.010 mg/g**

Date Completed: 08/27/2024 10:53AM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|----------|------------|----------|--------|-------|-------------------------------------|
| d9-THC | 1972-08-3 | 0.001000 | 81.45 | 814.5 | <div style="width: 81.45%;"></div> |
| CBG | 25654-31-3 | 0.001000 | 2.675 | 26.75 | <div style="width: 2.675%;"></div> |
| CBN | 521-35-7 | 0.001000 | 1.818 | 18.18 | <div style="width: 1.818%;"></div> |
| CBC | 20675-51-8 | 0.001000 | 0.7827 | 7.827 | <div style="width: 0.7827%;"></div> |
| THCa | 23978-85-0 | 0.001000 | 0.5786 | 5.786 | <div style="width: 0.5786%;"></div> |
| THCV | 31262-37-0 | 0.001000 | 0.5786 | 5.786 | <div style="width: 0.5786%;"></div> |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5703

SN Runtz 1g

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|---------------------|------------|---------|----|------------------------|
| Ocimene | 13877-91-3 | 0.1000 | ND | |
| Alpha-bisabolol | 515-69-5 | 0.1000 | ND | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | |
| Terpineol | 8006-39-1 | 0.1000 | ND | |
| Fenchol | 14575-74-7 | 0.1000 | ND | |
| Valencene | 4630-07-3 | 0.1000 | ND | |
| Alpha-phellandrene | 99-83-2 | 0.1000 | ND | |
| Farnesene | 502-61-4 | 0.1000 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 08/28/2024 11:39 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------|------------|---------------|---------------|--------|
| Abamectin | 0.0100 | 0.500 | ND | Pass |
| Acephate | 0.0100 | 0.400 | ND | Pass |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass |
| Aldicarb | 0.0100 | 0.400 | ND | Pass |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass |
| Bifenazate | 0.0100 | 0.200 | ND | Pass |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass |
| Boscalid | 0.0100 | 0.400 | ND | Pass |
| Captan | 0.0100 | 1.00 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5703

SN Runtz 1g

Pesticides by LCMSMS

Pass

Analysis Date: 08/28/2024 11:39 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------------------|------------|---------------|---------------|--------|
| Carbaryl | 0.0100 | 0.200 | ND | Pass |
| Carbofuran | 0.0100 | 0.200 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass |
| Chlormequat Chloride | 0.0100 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass |
| Clofentezine | 0.0100 | 0.200 | ND | Pass |
| Coumaphos | 0.0100 | 1.00 | ND | Pass |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass |
| Cypermethrin | 0.0100 | 1.00 | ND | Pass |
| Daminozide | 0.0100 | 1.00 | ND | Pass |
| Diazinon | 0.0100 | 0.200 | ND | Pass |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass |
| Dimethoate | 0.0100 | 0.200 | ND | Pass |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass |
| Ethoprophos | 0.0100 | 0.200 | ND | Pass |
| Etofenprox | 0.0100 | 0.400 | ND | Pass |
| Etozazole | 0.0100 | 0.200 | ND | Pass |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass |
| Fipronil | 0.0100 | 0.400 | ND | Pass |
| Fonicamid | 0.0100 | 1.00 | ND | Pass |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Veterans Holdings

34 W Fulton St, Gloversville, NY 12078

sonja@veteranshempmarket.com

518-246-0755

License #: OCM-PROC-24-000069

Certificate of Analysis

Final



Sample #: 5703

SN Runtz 1g

Pesticides by LCMSMS

Pass

Analysis Date: 08/28/2024 11:39 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| Imazalil | 0.0100 | 0.200 | ND | Pass |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass |
| Malathion | 0.0100 | 0.200 | ND | Pass |
| Metalaxyl | 0.0100 | 0.200 | ND | Pass |
| Methiocarb | 0.0100 | 0.200 | ND | Pass |
| Methomyl | 0.0100 | 0.400 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass |
| Mevinphos | 0.0100 | 1.00 | ND | Pass |
| MGK-264 | 0.0100 | 0.200 | ND | Pass |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass |
| Naled | 0.0100 | 0.500 | ND | Pass |
| Oxamyl | 0.0100 | 1.00 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass |
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass |
| Phosmet | 0.0100 | 0.200 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass |
| Prallethrin | 0.0100 | 0.200 | ND | Pass |
| Propiconazole | 0.0100 | 0.400 | ND | Pass |
| Propoxur | 0.0100 | 0.200 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass |
| Pyridaben | 0.0100 | 0.200 | ND | Pass |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 5703

SN Runtz 1g

Pesticides by LCMSMS

Pass

Analysis Date: 08/28/2024 11:39 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Spiromesifen | 0.0100 | 0.200 | ND | Pass |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 08/28/2024 11:39 am

| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
|---------------------------|-----------|--------------|--------------|--------|
| 1,2-Dichloroethane | 0.0500 | 5.00 | ND | Pass |
| Acetone | 50.00 | 5000 | ND | Pass |
| Acetonitrile | 50.00 | 410 | ND | Pass |
| Benzene | 0.5000 | 2.00 | ND | Pass |
| Butanes Total | 25.00 | 5000 | ND | Pass |
| Chloroform | 0.5000 | 60.0 | ND | Pass |
| Dimethyl Sulfoxide (DMSO) | 50.00 | 5000 | ND | Pass |
| Ethanol | 50.00 | 5000 | ND | Pass |
| Ethyl acetate | 50.00 | 5000 | ND | Pass |
| Ethyl ether | 50.00 | 5000 | ND | Pass |
| Freon | 50.00 | 1000 | ND | Pass |
| Heptane | 50.00 | 5000 | ND | Pass |
| Hexanes Total | 10.00 | 290 | ND | Pass |
| Isopropanol | 50.00 | 5000 | ND | Pass |
| Methanol | 50.00 | 3000 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5703

SN Runtz 1g

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 08/28/2024 11:39 am

| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
|--------------------------|-----------|--------------|--------------|--------|
| Methylene chloride | 50.00 | 600 | ND | Pass |
| Pentanes Total | 16.70 | 5000 | ND | Pass |
| Propane | 50.00 | 5000 | ND | Pass |
| Toluene | 50.00 | 890 | ND | Pass |
| Total xylenes | 25.00 | 2170 | ND | Pass |
| Trichloroethane (1,1,1-) | 50.00 | 1500 | ND | Pass |

Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.

Mycotoxins by LCMSMS

Pass

Analysis Date: 08/28/2024 11:39 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 08/29/2024 3:43 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100 | 2.00 | ND | Pass |
| Arsenic | 0.00100 | 0.200 | ND | Pass |
| Cadmium | 0.00150 | 0.300 | ND | Pass |
| Chromium | 0.280 | 110 | ND | Pass |
| Copper | 0.0750 | 30.0 | ND | Pass |
| Lead | 0.00250 | 0.500 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5703

SN Runtz 1g

| Heavy Metals by ICPMS | | Pass | | Analysis Date: 08/29/2024 3:43 pm | |
|------------------------------|------------|---------------|---------------|--|--|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status | |
| Mercury | 0.000500 | 0.100 | ND | Pass | |
| Nickel | 0.0100 | 2.00 | ND | Pass | |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

| Micro by Petri & qPCR | | Pass | | Analysis Date: 08/28/2024 11:40 am | |
|---|-------------|----------------|----------------|---|--|
| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status | |
| Aspergillus flavus Qualitative | 1 | 0 | Not Detected | Pass | |
| Aspergillus fumigatus Qualitative | 1 | 0 | Not Detected | Pass | |
| Aspergillus niger Qualitative | 1 | 0 | Not Detected | Pass | |
| Aspergillus terreus Qualitative | 1 | 0 | Not Detected | Pass | |
| Salmonella Qualitative | 1 | 0 | Not Detected | Pass | |
| Shiga Toxin-Producing E. coli Qualitative | 1 | 0 | Not Detected | Pass | |
| Total Aerobic Bacteria | 10 | 10000 | <LOQ | Pass | |
| Total Yeast & Mold | 10 | 1000 | <LOQ | Pass | |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed.
Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director

