

## Adonis Distribution

Contact Person: Andrew Dugan  
 Gloversville, NY 12078  
 adugan@adonisny.com  
 (443) 286-7108  
 Lic. #OCMPROC-24-000063

Sample: 2408RLI0192-0669

Strain: Gary Payton  
 Batch#: NX-IPR-1G-GP; Batch Size: 1750 units  
 Sample Received: 08/15/2024; Report Created: 08/23/2024;

Naturel Xotics – Gary Payton - 1G Hash Infu:  
 Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 08/15/24 10:15  
 Sample Collection Site: Adonis Distribution  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:



## Safety

|                           |                           |                               |
|---------------------------|---------------------------|-------------------------------|
| <b>Pass</b><br>Pesticides | <b>Pass</b><br>Microbials | <b>Pass</b><br>Mycotoxins     |
| <b>Pass</b><br>Solvents   | <b>Pass</b><br>Metals     | <b>Pass</b><br>Foreign Matter |

## Cannabinoids

|                            |                        |                          |
|----------------------------|------------------------|--------------------------|
| <b>25.77%</b><br>Total THC | <b>ND</b><br>Total CBD | <b>10.5%</b><br>Moisture |
|----------------------------|------------------------|--------------------------|

| Analyte                   | LOQ  | Result       | Result        |
|---------------------------|------|--------------|---------------|
|                           | mg/g | %            | mg/g          |
| CBDVa                     | 0.2  | ND           | ND            |
| CBDV                      | 0.2  | ND           | ND            |
| CBDa                      | 0.2  | ND           | ND            |
| CBGa                      | 0.2  | 2.50         | 25.0          |
| CBG                       | 0.2  | ND           | ND            |
| CBD                       | 0.2  | ND           | ND            |
| THCV                      | 0.2  | ND           | ND            |
| THCVa                     | 0.2  | ND           | ND            |
| CBN                       | 0.2  | ND           | ND            |
| Δ9-THC                    | 0.2  | 6.77         | 67.7          |
| Δ8-THC                    | 0.2  | ND           | ND            |
| (6aR,9R)-d10-THC          | 0.2  | ND           | ND            |
| (6aR,9S)-d10-THC          | 0.2  | ND           | ND            |
| CBC                       | 0.2  | ND           | ND            |
| THCa                      | 0.2  | 21.67        | 216.7         |
| CBCa                      | 0.2  | ND           | ND            |
| <b>Total Cannabinoids</b> |      | <b>30.94</b> | <b>309.41</b> |

Entered By: VJ, Instrument ID: AL2-004  
 Method: MTHD-001, Date Tested: 08/20/2024 12:40  
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
 Laboratory Director

*Violet Josik*

Violet Josik  
 Quality Assurance Lead



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

## Adonis Distribution

Contact Person: Andrew Dugan  
 Gloversville, NY 12078  
 adugan@adonisny.com  
 (443) 286-7108  
 Lic. #OCMPROC-24-000063

Sample: 2408RLI0192-0669

Strain: Gary Payton  
 Batch#: NX-IPR-1G-GP; Batch Size: 1750 units  
 Sample Received: 08/15/2024; Report Created: 08/23/2024;

Naturel Xotics – Gary Payton -1G Hash Infu:  
 Plant, Enhanced/Infused Preroll

### Sampling

Sample Collection Date/Time: 08/15/24 10:15  
 Sample Collection Site: Adonis Distribution  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

### Residual Solvents

Pass

| Analyte                    | LOQ   | Limit  | Result | Status |
|----------------------------|-------|--------|--------|--------|
|                            | PPM   | PPM    | PPM    |        |
| 1,2-Dichloro-Ethane        | 3.9   | 5.0    | ND     | Pass   |
| 2,2-Dimethyl-Butane        | 31.3  |        | ND     | Tested |
| 2,3-Dimethyl-Butane        | 31.3  |        | ND     | Tested |
| 2-Methyl-Pentane           | 31.3  |        | ND     | Tested |
| 3-Methyl-Pentane           | 31.3  |        | ND     | Tested |
| Acetone                    | 156.3 | 5000.0 | ND     | Pass   |
| Acetonitrile               | 156.3 | 410.0  | ND     | Pass   |
| Benzene                    | 1.6   | 2.0    | ND     | Pass   |
| Chloroform                 | 1.6   | 60.0   | ND     | Pass   |
| Dichloromethane            | 156.3 | 600.0  | ND     | Pass   |
| Dimethyl Sulfoxide         | 156.3 | 5000.0 | ND     | Pass   |
| Ethanol                    | 156.3 | 5000.0 | ND     | Pass   |
| Ethyl-Acetate              | 156.3 | 5000.0 | ND     | Pass   |
| Ethyl-Ether                | 156.3 | 5000.0 | ND     | Pass   |
| Heptane                    | 156.3 | 5000.0 | ND     | Pass   |
| Isobutane                  | 78.1  |        | ND     | Tested |
| 2-Methyl-Butane            | 52.1  |        | ND     | Tested |
| Isopropanol                | 156.3 | 5000.0 | ND     | Pass   |
| m+p Xylene                 | 78.1  | 2170.0 | ND     | Pass   |
| Methanol                   | 156.3 | 3000.0 | ND     | Pass   |
| n-Butane                   | 78.1  |        | ND     | Tested |
| Neopentane                 | 52.1  |        | ND     | Tested |
| n-Hexane                   | 31.3  |        | ND     | Tested |
| n-Pentane                  | 52.1  |        | ND     | Tested |
| o-Xylene                   | 39.1  |        | ND     | Tested |
| Propane                    | 156.3 | 5000.0 | ND     | Pass   |
| Toluene                    | 156.3 | 890.0  | ND     | Pass   |
| Trichloroethane            | 78.1  | 1500.0 | ND     | Pass   |
| 1,1,1,2-Tetrafluoro-Ethane | 156.3 | 1000.0 | NR     | NT     |
| Butanes                    |       | 5000.0 | ND     | Pass   |
| Hexanes                    |       | 290.0  | ND     | Pass   |
| Pentanes                   |       | 5000.0 | ND     | Pass   |
| Xylenes                    |       | 2170.0 | ND     | Pass   |

Entered By: CB, Instrument ID: AL1-001  
 Method: MTHD-007, Date Tested: 08/20/2024 14:31  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported  
 Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

### Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | N/A    | 25000   | Tested |
| Yeast & Mold          | 10    | N/A    | 10000   | Tested |

Entered By: MN, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
 Aerobic Date Tested: 08/21/2024 15:02  
 YM Date Tested: 08/22/2024 08:15 Sal/STEC/Asp Date Tested: 08/22/2024 09:41  
 Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

### Heavy Metals

Pass

| Analyte  | LOQ    | Limit     | Result | Status |
|----------|--------|-----------|--------|--------|
|          | PPM    | PPM       | PPM    |        |
| Chromium | 1.0000 | 1100.0000 | <LOQ   | Pass   |
| Nickel   | 0.5000 | 5.0000    | <LOQ   | Pass   |
| Copper   | 1.0000 | 30.0000   | 7.4937 | Pass   |
| Arsenic  | 0.1000 | 0.2000    | <LOQ   | Pass   |
| Cadmium  | 0.1000 | 0.2000    | <LOQ   | Pass   |
| Antimony | 0.5000 | 2.0000    | ND     | Pass   |
| Mercury  | 0.0500 | 0.1000    | ND     | Pass   |
| Lead     | 0.2500 | 0.5000    | <LOQ   | Pass   |

Entered By: AS, Instrument ID: AL2-001  
 Method: MTHD-006 Date Tested: 08/16/2024 14:37:59  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

### Mycotoxins

Pass

| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
|                  | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.010 | 0.020 | ND     | Pass   |
| Aflatoxin B2     | 0.010 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.010 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.010 | 0.020 | ND     | Pass   |
| Ochratoxin A     | 0.010 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | ND     | Pass   |

Entered By: AS, Instrument ID: AL1-003  
 Method: MTHD-009 Date Tested: 08/20/2024 15:27

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



*Andrew Shrestha*

Anshu Shrestha  
 Laboratory Director

*Violet Josik*

Violet Josik  
 Quality Assurance Lead



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



# Certificate of Analysis

## Adonis Distribution

Contact Person: Andrew Dugan  
 Gloversville, NY 12078  
 adugan@adonisny.com  
 (443) 286-7108  
 Lic. #OCMPROC-24-000063

Sample: 2408RLI0192-0669

Strain: Gary Payton  
 Batch#: NX-IPR-1G-GP; Batch Size: 1750 units  
 Sample Received: 08/15/2024; Report Created: 08/23/2024;

Naturel Xotics – Gary Payton -1G Hash Infu:  
 Plant, Enhanced/Infused Preroll













### Sampling



Sample Collection Date/Time: 08/15/24 10:15  
 Sample Collection Site: Adonis Distribution  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte             | LOQ    | Result | Result |   |
|---------------------|--------|--------|--------|---|
|                     | %      | %      | mg/g   |   |
| β-Caryophyllene     | 0.0650 | 0.90   | 9.05   |   |
| Valencene           | 0.0210 | 0.29   | 2.92   |    |
| α-Humulene          | 0.0065 | 0.27   | 2.71   |    |
| α-Bisabolol         | 0.0065 | 0.21   | 2.11   |    |
| Fenchol             | 0.0104 | 0.13   | 1.33   |    |
| Linalool            | 0.0065 | 0.07   | 0.65   |    |
| Limonene            | 0.0065 | 0.05   | 0.50   |   |
| Caryophyllene Oxide | 0.0065 | 0.02   | 0.25   |  |
| Farnesene           | 0.0021 | 0.02   | 0.22   |  |
| β-Myrcene           | 0.0065 | 0.02   | 0.22   |  |
| β-Pinene            | 0.0065 | 0.01   | 0.14   |  |
| Terpinolene         | 0.0065 | 0.01   | 0.10   |  |
| α-Phellandrene      | 0.0052 | ND     | ND     |   |
| α-Pinene            | 0.0065 | <LOQ   | <LOQ   |   |
| α-Terpinene         | 0.0065 | ND     | ND     |   |
| Camphene            | 0.0065 | ND     | ND     |   |
| Geraniol            | 0.0065 | ND     | ND     |   |
| Guaiol              | 0.0065 | ND     | ND     |   |
| Ocimene             | 0.0065 | ND     | ND     |   |
| Terpineol           | 0.0052 | ND     | ND     |   |



**2.0208%**  
 Total Terpenes

Entered By: CB, Instrument ID: AL1-001  
 Method: MTHD-005, Date Tested: 08/21/2024 13:55

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
 Laboratory Director

*Violet Josik*

Violet Josik  
 Quality Assurance Lead



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
4 of 8

## Adonis Distribution

Contact Person: Andrew Dugan  
Gloversville, NY 12078  
adugan@adonisny.com  
(443) 286-7108  
Lic. #OCMPROC-24-000063

Sample: 2408RLI0192-0669

Strain: Gary Payton  
Batch#: NX-IPR-1G-GP; Batch Size: 1750 units  
Sample Received: 08/15/2024; Report Created: 08/23/2024;

Naturel Xotics – Gary Payton -1G Hash Infu:  
Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 08/15/24 10:15  
Sample Collection Site: Adonis Distribution  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte              | LOQ  | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
|                      | PPM  | PPM   | PPM    |        |
| Abamectin            | 0.10 | 0.50  | ND     | Pass   |
| Acephate             | 0.10 | 0.40  | ND     | Pass   |
| Acequinocyl          | 0.10 | 2.00  | ND     | Pass   |
| Acetamiprid          | 0.10 | 0.20  | ND     | Pass   |
| Aldicarb             | 0.10 | 0.40  | ND     | Pass   |
| Avermectin-B1a       |      |       | 0.00   | Tested |
| Avermectin-B1b       |      |       | ND     | Tested |
| Azadirachtin         | 0.50 | 1.00  | ND     | Pass   |
| Azoxystrobin         | 0.10 | 0.20  | ND     | Pass   |
| Bifenazate           | 0.10 | 0.20  | ND     | Pass   |
| Bifenthrin           | 0.10 | 0.20  | ND     | Pass   |
| Boscalid             | 0.10 | 0.40  | ND     | Pass   |
| Captan               | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl             | 0.10 | 0.20  | ND     | Pass   |
| Carbofuran           | 0.10 | 0.20  | ND     | Pass   |
| Chlorantraniliprole  | 0.10 | 0.20  | ND     | Pass   |
| Chlordane            | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr         | 0.50 | 1.00  | ND     | Pass   |
| Chlormequat chloride | 0.10 | 1.00  | ND     | Pass   |
| Chlorpyrifos         | 0.10 | 0.20  | ND     | Pass   |
| Cinerin 1            |      |       | 0.00   | Tested |
| Clofentezine         | 0.10 | 0.20  | ND     | Pass   |
| Coumaphos            | 0.10 | 1.00  | ND     | Pass   |
| Cyfluthrin           | 0.10 | 1.00  | ND     | Pass   |
| Cypermethrin         | 0.10 | 1.00  | ND     | Pass   |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 08/19/2024 17:32  
LC Method: MTHD-009 LC Date Tested: 08/20/2024 15:27  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 8

## Adonis Distribution

Contact Person: Andrew Dugan  
Gloversville, NY 12078  
adugan@adonisny.com  
(443) 286-7108  
Lic. #OCMPROC-24-000063

Sample: 2408RLI0192-0669

Strain: Gary Payton  
Batch#: NX-IPR-1G-GP; Batch Size: 1750 units  
Sample Received: 08/15/2024; Report Created: 08/23/2024;

Naturel Xotics – Gary Payton -1G Hash Infu:  
Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 08/15/24 10:15  
Sample Collection Site: Adonis Distribution  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.10 | 1.00  | ND     | Pass   |
| Diazinon           | 0.10 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.10 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.10 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.10 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.10 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.10 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.10 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.10 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.10 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.10 | 0.40  | ND     | Pass   |
| Fipronil           | 0.10 | 0.40  | ND     | Pass   |
| Fonicamid          | 0.10 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.10 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.10 | 1.00  | ND     | Pass   |
| Imazalil           | 0.10 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.10 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.50 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.10 | 0.40  | ND     | Pass   |
| Malathion          | 0.10 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.10 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.10 | 0.20  | ND     | Pass   |
| Methomyl           | 0.10 | 0.40  | ND     | Pass   |
| Methyl Parathion   | 0.10 | 0.20  | ND     | Pass   |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 08/19/2024 17:32  
LC Method: MTHD-009 LC Date Tested: 08/20/2024 15:27  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
6 of 8

## Adonis Distribution

Contact Person: Andrew Dugan  
Gloversville, NY 12078  
adugan@adonisny.com  
(443) 286-7108  
Lic. #OCMPROC-24-000063

Sample: 2408RLI0192-0669

Strain: Gary Payton  
Batch#: NX-IPR-1G-GP; Batch Size: 1750 units  
Sample Received: 08/15/2024; Report Created: 08/23/2024;

Naturel Xotics – Gary Payton -1G Hash Infu:  
Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 08/15/24 10:15  
Sample Collection Site: Adonis Distribution  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| Mevinphos               | 0.10 | 1.00  | ND     | Pass   |
| MGK-264                 | 0.10 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.10 | 0.20  | ND     | Pass   |
| Naled                   | 0.10 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.10 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.10 | 0.40  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.10 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.10 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.10 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.10 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.10 | 0.40  | ND     | Pass   |
| Propoxur                | 0.10 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.03 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.10 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.10 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | 0.00   | Tested |
| Spinetoram L            |      |       | 0.00   | Tested |
| Spinosad                | 0.10 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | 0.00   | Tested |
| Spiromesifen            | 0.10 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.10 | 0.20  | ND     | Pass   |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 08/19/2024 17:32  
LC Method: MTHD-009 LC Date Tested: 08/20/2024 15:27  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
7 of 8

## Adonis Distribution

Contact Person: Andrew Dugan  
Gloversville, NY 12078  
adugan@adonisny.com  
(443) 286-7108  
Lic. #OCMPROC-24-000063

Sample: 2408RLI0192-0669

Strain: Gary Payton  
Batch#: NX-IPR-1G-GP; Batch Size: 1750 units  
Sample Received: 08/15/2024; Report Created: 08/23/2024;

Naturel Xotics – Gary Payton - 1G Hash Infu:  
Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 08/15/24 10:15  
Sample Collection Site: Adonis Distribution  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.10 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.10 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.10 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.10 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.10 | 0.20  | ND     | Pass   |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 08/19/2024 17:32  
LC Method: MTHD-009 LC Date Tested: 08/20/2024 15:27  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
8 of 8

## Adonis Distribution

Contact Person: Andrew Dugan  
Gloversville, NY 12078  
adugan@adonisny.com  
(443) 286-7108  
Lic. #OCMPROC-24-000063

Sample: 2408RLI0192-0669

Strain: Gary Payton  
Batch#: NX-IPR-1G-GP; Batch Size: 1750 units  
Sample Received: 08/15/2024; Report Created: 08/23/2024;

Naturel Xotics – Gary Payton -1G Hash Infu:  
Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 08/15/24 10:15  
Sample Collection Site: Adonis Distribution  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Moisture Date/Time Tested: 08/19/2024; 10:35  
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 08/19/2024; 13:34  
Water Activity Method: MTHD-002

**0.57 aw**  
Limit: 0.65 aw  
*Pass*  
**Water Activity**

**10.5%**  
Limit: 15.0 %  
*Pass*  
**Moisture**

## Foreign Matter

Foreign Matter Method: MTHD-004  
Foreign Matter Date/Time Tested: 08/20/2024; 13:37

Pass

| Analyte          | Limit    | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0      | Pass   |
| FM Stems         | 5%       | 0      | Pass   |
| FM Other         | 2%       | 0      | Pass   |

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.