

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	7/29/2024	Sample ID:	20240722-CRNA-006
Client Name:	Hemp Hunter Labs Inc. dba Cirona Labs	Sample Name:	PR-J-TGDP5-01-0624
Sampling Location:	Rochester, New York	Sample Matrix:	Flower
Contact Name:	Tyler Bast	Sample Sub Type:	Infused pre-roll
Contact Email:	tyler@cironalabs.com	Package ID:	
License Number:	OCM-AUCP-22-000002	Batch Lot ID:	PR-J-TGDP5-01-0624
Medical/Adult Use:	Adult Use	Batch Size:	1700
Sampling Date:	07/22/2024 01:00:00 PM	Serving Size (g):	0.5

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	P	Filth & Foreign Material	P		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: PR-J-TGDP5-01-0624 (20240722-CRNA-006)			
Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.046
CBDA	< MRL	< MRL	0.046
CBGA	1.444	7.218	0.046
CBG	0.632	3.162	0.046
CBD	0.123	0.613	0.046
THCV	< MRL	< MRL	0.046
CBN	0.799	3.994	0.046
D9-THC	16.598	82.991	0.046
D8-THC	< MRL	< MRL	0.046
D10-THC-S	< MRL	< MRL	0.046
D10-THC-R	< MRL	< MRL	0.046
CBC	< MRL	< MRL	0.046
THCA	16.057	80.283	0.046

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)
Reported on a dry-weight basis based on the calculation:
(wet sample % x 100)/(100 - %MC)

Test ID: #68563 | Date Tested: 07/24/2024 11:23 AM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	30.680	153.399
Total CBD [CBD + (CBDA * 0.877)]	0.123	0.613
Total Cannabinoids	35.653	178.261



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: PR-J-TGDP5-01-0624 (20240722-CRNA-006)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.06
Camphene	< MRL	0.06
Sabinene	< MRL	0.06
beta-Pinene	< MRL	0.06
beta-Myrcene	0.11	0.06
Alpha-phellandrene	< MRL	0.06
Carene	< MRL	0.06
alpha-terpinene	0.17	0.06
p-Cymene	< MRL	0.06
Limonene	0.16	0.06
Eucalyptol	< MRL	0.06
Ocimene	< MRL	0.04
gamma-Terpinene	< MRL	0.06
Sabinene Hydrate	< MRL	0.06
Terpinolene	0.07	0.06
Linalool	< MRL	0.06
Fenchol	< MRL	0.06
Menthol	< MRL	0.06
Terpineol	< MRL	0.06
Citronellol	< MRL	0.06
Isopulegol	< MRL	0.06
Geraniol	< MRL	0.06
Alpha-cedrene	0.07	0.05
Beta-Caryophyllene	< MRL	0.06
Farnesene	0.18	0.06
alpha-Humulene	0.20	0.06
Valencene	0.15	0.06
cis-Nerolidol	< MRL	0.02
trans-Nerolidol	< MRL	0.04
Caryophyllene oxide	< MRL	0.06
Guaiol	< MRL	0.06
alpha-Bisabolol	< MRL	0.06

MRL = Minimum reporting limit/limit of quantification Test ID: #68571 | Date Tested: 07/28/2024 10:00 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	1.11	10	PASS



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: PR-J-TGDP5-01-0624 (20240722-CRNA-006)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	3.796
2-Propanol	PASS	< MRL	5000	568.767
Acetone	PASS	< MRL	5000	113.753
Acetonitrile	PASS	< MRL	410	46.639
Butanes, total	PASS	< MRL	5000	568.767
Benzene	PASS	< MRL	2	0.759
Chloroform	PASS	< MRL	60	6.825
Dichloromethane	PASS	< MRL	600	68.252
Dimethyl Sulfoxide	PASS	< MRL	5000	1023.780
Ethanol	PASS	< MRL	5000	568.767
Ethyl acetate	PASS	< MRL	5000	568.767
Ethyl ether	PASS	< MRL	5000	568.767
n-Heptane	PASS	< MRL	5000	568.767
Hexanes, total	PASS	< MRL	290	32.988
Methanol	PASS	< MRL	3000	341.261
Pentanes, total	PASS	< MRL	5000	568.767
Propane	PASS	< MRL	5000	568.767
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	368.561
Toluene	PASS	< MRL	890	101.240
Trichloroethane	PASS	< MRL	1500	1023.780
Xylenes, total	PASS	< MRL	2170	246.846

MRL = Minimum reporting limit/limit of quantification

Test ID: #68570 | Date Tested: 07/27/2024 05:42 AM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: PR-J-TGDP5-01-0624 (20240722-CRNA-006)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #68569 | Date Tested: 07/28/2024 02:56 PM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: PR-J-TGDP5-01-0624 (20240722-CRNA-006)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.02	0.010	
Total Aflatoxins	PASS	< MRL	0.02	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #68568 Date Tested: 07/28/2024 02:56 PM		

Heavy Metals: PR-J-TGDP5-01-0624 (20240722-CRNA-006)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110.0	8.00	
Nickel	PASS	< MRL	5.0	1.00	
Copper	PASS	14.090	30.0	8.00	
Arsenic	PASS	< MRL	0.2	0.10	
Cadmium	PASS	0.107	0.3	0.10	
Antimony	PASS	< MRL	2.0	1.00	
Mercury	PASS	< MRL	0.1	0.05	
Lead	PASS	< MRL	0.5	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #68565 Date Tested: 07/24/2024 07:48 AM		

Microbiological Screen: PR-J-TGDP5-01-0624 (20240722-CRNA-006)					PASS
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	275500	None	100	
Total Yeast & Mold	PASS	6650	None	100	
Salmonella spp	PASS	Absent	Absent	1	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1	
MRL = Minimum reporting limit/limit of quantification			Test ID: #68566 Date Tested: 07/28/2024 01:53 PM		

Moisture: PR-J-TGDP5-01-0624 (20240722-CRNA-006)				PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)				
Analyte	Pass/Fail	Result (%)	Limit (%)	
Moisture	PASS	7.1	15	
MRL = Minimum reporting limit/limit of quantification			Test ID: #68567 Date Tested: 07/24/2024 10:48 AM	

Water Activity: PR-J-TGDP5-01-0624 (20240722-CRNA-006)				PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)				
Analyte	Pass/Fail	Result (a _w)	Limit (a _w)	
Water Activity	PASS	0.52	0.65	
MRL = Minimum reporting limit/limit of quantification			Test ID: #68572 Date Tested: 07/24/2024 10:48 AM	



Green Analytics NY, LLC
 401 North Middletown Road, Building 60B
 Pearl River, NY 10965
 www.greenanalyticsllc.com
 License #: OCMPPCL-00013
 ISO 17025 Certificate No.: 4356.09

Filtration and Foreign Material: PR-J-TGDP5-01-0624 (20240722-CRNA-006)			PASS
Filtration and Foreign Material analysis utilizing microscopy (SOP-057-NY)			
Analyte	Results	Limit	Pass/Fail
Foreign Material (other, % m/m)	ND	2	PASS
Foreign Material (stems, % m/m)	ND	5	PASS
Mammalian Excreta (mg/lb)	ND	1	PASS
ND = Not Detected		Test ID: #68564 Date Tested: 07/24/2024 10:48 AM	



Matthew Elmes
 Lab Director
 7/29/2024

