Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

MFNY Processor

Order No.: ONYMFNY0630-0015112
320 Mt. Airy Rd.
New York, 12553
tommy@otsnymgmt.com
8455549310
OCM-PROC-24-000175-P1

Sample: SNYMFNY0630-IGUM-0028475

Unit Weight: 26.1000g
Batch#: PCSXPREG9, Batch Size: 11738 Units, LOT ID: 1A4120300000466000003690
Date Sampled: 06/30/2026 12:26
Sample Received: 06/30/2026 13:49
Report Created: 07/08/2026 10:10
Sampling SOP 204*

Pina Colada x Strawpaya Live Resin Gummies | 10 pk

Ingestible, Gummy
Metrc Batch: 1A4120300000466000003689, Metrc Sample: 1A4120300000466000003690, Metrc Manifest: 0000291241



Results

10.11 mg/dose D9-THC	**0.51 mg/dose** CBG
ND Total CBD	**10.11 mg/dose** Total THC
10.72 mg/dose Total Cannabinoids	**0%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Water Activity Pass	**Foreign Matter** Not Tested	**Homogeneity** Not Tested
Terpenes Tested	**Residual Solvents** Pass	**Mycotoxins** Pass
Heavy Metals Pass	**Pesticides** Pass	

Dominant Terpenes

No terpenes detected

ACCREDITED CERT #7425.01

Angus Alfieri
Angus Alfieri
Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

MFNY Processor

Order No.: ONYMFNY0630-0015112
320 Mt. Airy Rd.
New York, 12553
tommy@otsnymgmt.com
8455549310
OCM-PROC-24-000175-P1

Sample: SNYMFNY0630-IGUM-0028475

Unit Weight: 26.1000g
Batch#: PCSXPREG9, Batch Size: 11738 Units, LOT ID: 1A4120300000466000003690
Date Sampled: 06/30/2026 12:26
Sample Received: 06/30/2026 13:49
Report Created: 07/08/2026 10:10
Sampling SOP 204*

Pina Colada x Strawpaya Live Resin Gummies | 10 pk

Ingestible, Gummy
Metrc Batch: 1A4120300000466000003689, Metrc Sample: 1A4120300000466000003690, Metrc Manifest: 0000291241

Cannabinoids

Tested

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 07/01/2026 16:23

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	26.36	ND	ND	ND	ND
CBDa	26.36	ND	ND	ND	ND
CBGa	26.36	< LOQ	< LOQ	< LOQ	< LOQ
CBG	26.36	**0.020**	**0.20**	**0.51**	**5.10**
CBD	26.36	< LOQ	< LOQ	< LOQ	< LOQ
THCV	26.36	< LOQ	< LOQ	< LOQ	< LOQ
CBN	26.36	< LOQ	< LOQ	< LOQ	< LOQ
D8-THC	26.36	ND	ND	ND	ND
D9-THC	26.36	**0.387**	**3.87**	**10.11**	**101.10**
CBC	26.36	**0.004**	**0.04**	**0.10**	**1.03**
THCa	26.36	ND	ND	ND	ND
Total D10-THC		ND	ND	ND	ND
Total CBD		ND	ND	ND	ND
Total THC		**0.387**	**3.87**	**10.11**	**101.10**
Total Cannabinoids		**0.411**	**4.11**	**10.72**	**107.23**

Report notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + Δ10-THC Total Δ10-THC = (6aR,9S)-d10-THC + (6aR,9R)-d10-THC Total CBD = CBDa * 0.877 + CBD Total Cannabinoids = Sum of all cannabinoids LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

Pass

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX qPCR - 3195
Date/Time Tested: 07/01/2026 14:39

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

Pass

SOP: SOP 206-NY
Date/Time Tested: 07/02/2026 08:13

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	**0.70**	Passed

ACCREDITED CERT #7425.01

Angus Alfieri
Angus Alfieri
Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

MFNY Processor

Order No.: ONYMFNY0630-0015112
320 Mt. Airy Rd.
New York, 12553
tommy@otsnymgmt.com
8455549310
OCM-PROC-24-000175-P1

Sample: SNYMFNY0630-IGUM-0028475

Unit Weight: 26.1000g
Batch#: PCSXPREG9, Batch Size: 11738 Units, LOT ID: 1A4120300000466000003690
Date Sampled: 06/30/2026 12:26
Sample Received: 06/30/2026 13:49
Report Created: 07/08/2026 10:10
Sampling SOP 204*

Pina Colada x Strawpaya Live Resin Gummies | 10 pk

Ingestible, Gummy
Metrc Batch: 1A4120300000466000003689, Metrc Sample: 1A4120300000466000003690, Metrc Manifest: 0000291241

Terpenes

Tested

SOP: SOP 620-NY
Instrument: Agilent GC-FID 3540 - 3540
Date/Time Tested: 06/30/2026 10:36

Analyte	LOQ (ug/mL)	%	Analyte	LOQ (ug/mL)	%
a-Pinene	164	ND	DL-Menthol	164	ND
Camphene	164	ND	Borneol	164	ND
Sabinene	164	ND	Terpineol	164	ND
b-Pinene	164	ND	Nerol	164	ND
b-Myrcene	164	ND	Pulegone	164	ND
a-Phellandrene	164	ND	Geraniol	164	ND
d-3-Carene	164	ND	Geranyl Acetate	164	ND
a-Terpinene	164	ND	a-Cedrene	164	ND
Limonene	164	ND	b-Caryophyllene	164	ND
p-Cymene	164	ND	a-Humulene	164	ND
Eucalyptol	164	ND	Valencene	164	ND
g-Terpinene	164	ND	cis-Nerolidol	164	ND
Terpinolene	164	ND	trans-Nerolidol	164	ND
Fenchol	164	ND	Guaiol	164	ND
Sabinene Hydrate	164	ND	Caryophyllene Oxide	164	ND
Linalool	164	ND	Cedrol	164	ND
Fenchone	164	ND	a-Bisabolol	164	ND
Isopulegol	164	ND	trans-b-Ocimene	164	ND
Camphor	164	ND	trans-b-Farnesene	253	ND
Isoborneol	164	ND	Total Terpenes		ND

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Angus Alfieri
Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

MFNY Processor

Order No.: ONYMFNY0630-0015112
320 Mt. Airy Rd.
New York, 12553
tommy@otsnymgmt.com
8455549310
OCM-PROC-24-000175-P1

Sample: SNYMFNY0630-IGUM-0028475

Unit Weight: 26.1000g
Batch#: PCSXPREG9, Batch Size: 11738 Units, LOT ID: 1A4120300000466000003690
Date Sampled: 06/30/2026 12:26
Sample Received: 06/30/2026 13:49
Report Created: 07/08/2026 10:10
Sampling SOP 204*

Pina Colada x Strawpaya Live Resin Gummies | 10 pk

Ingestible, Gummy
Metrc Batch: 1A4120300000466000003689, Metrc Sample: 1A4120300000466000003690, Metrc Manifest: 0000291241

Residual Solvents

Pass

SOP: SOP 612-NY
Instrument: Agilent HS-GC-MS 1333 - 1333
Date/Time Tested: 07/04/2026 09:19

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	ND	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	**3,185.1**	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	< LOQ	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Angus Alfieri
Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

MFNY Processor

Order No.: ONYMFNY0630-0015112
320 Mt. Airy Rd.
New York, 12553
tommy@otsnymgmt.com
8455549310
OCM-PROC-24-000175-P1

Sample: SNYMFNY0630-IGUM-0028475

Unit Weight: 26.1000g
Batch#: PCSXPREG9, Batch Size: 11738 Units, LOT ID: 1A4120300000466000003690
Date Sampled: 06/30/2026 12:26
Sample Received: 06/30/2026 13:49
Report Created: 07/08/2026 10:10
Sampling SOP 204*

Pina Colada x Strawpaya Live Resin Gummies | 10 pk

Ingestible, Gummy
Metrc Batch: 1A4120300000466000003689, Metrc Sample: 1A4120300000466000003690, Metrc Manifest: 0000291241

Mycotoxins

Pass

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 06/30/2026 14:34

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested
B2	4.8		ND	Tested
G1	4.8		ND	Tested
G2	4.8		ND	Tested
Ochratoxin A	4.8	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

Pass

SOP: SOP 250-NY
Date/Time Tested: 07/02/2026 11:18

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.167	120.000	ND	Passed
Arsenic	0.167	1.500	ND	Passed
Cadmium	0.167	0.500	ND	Passed
Chromium	0.167	1,100.000	< LOQ	Passed
Copper	0.201	300.000	< LOQ	Passed
Mercury	0.040	3.000	ND	Passed
Nickel	0.201	20.000	ND	Passed
Lead	0.167	0.500	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Angus Alfieri
Angus Alfieri
Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

MFNY Processor

Order No.: ONYMFNY0630-0015112
320 Mt. Airy Rd.
New York, 12553
tommy@otsnymgmt.com
8455549310
OCM-PROC-24-000175-P1

Sample: SNYMFNY0630-IGUM-0028475

Unit Weight: 26.1000g
Batch#: PCSXPREG9, Batch Size: 11738 Units, LOT ID: 1A4120300000466000003690
Date Sampled: 06/30/2026 12:26
Sample Received: 06/30/2026 13:49
Report Created: 07/08/2026 10:10
Sampling SOP 204*

Pina Colada x Strawpaya Live Resin Gummies | 10 pk

Ingestible, Gummy
Metrc Batch: 1A4120300000466000003689, Metrc Sample: 1A4120300000466000003690, Metrc Manifest: 0000291241

Pesticides

Pass

SOP: SOP 814-NY
Instrument: Agilent GCMS 2541 - 2541 / Agilent LC-MS-MS 2755 - 2755
Date/Time Tested: 06/30/2026 11:02

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed

Angus Alfieri
Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

MFNY Processor

Order No.: ONYMFNY0630-0015112
320 Mt. Airy Rd.
New York, 12553
tommy@otsnymgmt.com
8455549310
OCM-PROC-24-000175-P1

Sample: SNYMFNY0630-IGUM-0028475

Unit Weight: 26.1000g
Batch#: PCSXPREG9, Batch Size: 11738 Units, LOT ID: 1A4120300000466000003690
Date Sampled: 06/30/2026 12:26
Sample Received: 06/30/2026 13:49
Report Created: 07/08/2026 10:10
Sampling SOP 204*

Pina Colada x Strawpaya Live Resin Gummies | 10 pk

Ingestible, Gummy
Metrc Batch: 1A4120300000466000003689, Metrc Sample: 1A4120300000466000003690, Metrc Manifest: 0000291241

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.10	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

Angus Alfieri
Technical Director

♦ indicates a subcontracted result. † indicates a result not regulated by OCM. * indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.