

Back Home Farm

2387 Lucas Tpk, High Falls, NY 12440

Will@backhomefarmny.com

732-673-6442

License #: OCM-AUCC-22-000208

Certificate of Analysis

Final



Date Released: 8/29/2024 2:51:10PM

Report #: 21762

Lemon Diesel

Sample #: 5628, Weight: 45.50g, Unit Count:

Order #: X240820-0002

Category/Type: Plant, Flower - Cured

Date Collected: 8/19/2024 6:35:00PM

Date Received: 8/20/2024 10:27:08AM

Date Sampled: 8/19/2024 3:54:00PM

Regulator Sample ID: LD05

Regulator Source Package ID: LD05

Regulator Batch ID: LD05

Size: 3200Units, Unit Count:



Total Cannabinoids
23.50 %
235.0 mg/g



Total THC
20.21 %
202.1 mg/g



Total CBD
0.07130 %
0.7130 mg/g




Total Terpenes
1.3 %



Moisture
13.0 %



Heavy Metals
PASS



Microbials
PASS



Pesticides
PASS



Mycotoxins
PASS



Foreign Matter
PASS



Water Activity
PASS

Cannabinoids Avg

Total Cannabinoids: **23.50 % - 235.0 mg/g**

Total THC: **20.21 % - 202.1 mg/g**

Total CBD: **0.07130 % - 0.7130 mg/g**

Date Completed: 08/23/2024 11:06AM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	20.41	204.1	<div></div>
d9-THC	1972-08-3	0.001000	2.311	23.11	<div></div>
CBGa	25555-57-1	0.001000	0.5956	5.956	<div></div>
CBDa	1244-58-2	0.001000	0.08130	0.8130	<div></div>
CBG	25654-31-3	0.001000	0.05563	0.5563	<div></div>
CBC	20675-51-8	0.001000	0.04052	0.4052	<div></div>
CBDV	24274-48-4	0.001000	ND	ND	<div></div>

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Back Home Farm

2387 Lucas Tpk, High Falls, NY 12440

Will@backhomefarmny.com

732-673-6442

License #: OCM-AUCC-22-000208

Certificate of Analysis

Final



Sample #: 5628


Lemon Diesel

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCV	31262-37-0	0.001000	ND	ND	
CBD	13956-29-1	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS

Date Completed: 08/26/2024 11:58AM



Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-caryophyllene	87-44-5	0.1000	0.4440	<div></div>
Farnesene	502-61-4	0.1000	0.4307	<div></div>
Limonene	5989-27-5	0.1000	0.1797	<div></div>
Linalool	78-70-6	0.1000	0.1356	<div></div>
Alpha-humulene	6753-98-6	0.1000	0.1049	<div></div>
Beta-myrcene	123-35-3	0.1000	ND	
Alpha-pinene	80-56-8	0.1000	ND	
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Back Home Farm

2387 Lucas Tpk, High Falls, NY 12440

Will@backhomefarmny.com

732-673-6442

License #: OCM-AUCC-22-000208

Certificate of Analysis

Final

**Sample #: 5628****Lemon Diesel**

Compound	CAS#	LOQ (%)	%	Relative Concentration
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.**Foreign Matter by Microscopy****Pass****Analysis Date:** 08/21/2024 5:19 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass
Mammalian Excreta	0.00100	0.03	ND	Pass
Stems	0.00100	5.0	ND	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.**Moisture LWG****Pass****Analysis Date:** 08/21/2024 5:19 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	5 - 15	13.0	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

**Keystone State Testing of New York**
1809 Vestal Pkwy EVestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 5628 Lemon Diesel

Water Activity		Pass		Analysis Date: 08/21/2024 5:19 pm	
Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
Water Activity	0.05	0.65	0.52	Pass	
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.					

Pesticides by LCMSMS		Pass		Analysis Date: 08/23/2024 11:40 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	
Captan	0.0100	1.00	ND	Pass	
Carbaryl	0.0100	0.200	ND	Pass	
Carbofuran	0.0100	0.200	ND	Pass	
Chlorantraniliprole	0.0100	0.200	ND	Pass	
Chlordane-alpha	0.0100	1.00	ND	Pass	
Chlorfenapyr	0.0100	1.00	ND	Pass	
Chlormequat Chloride	0.0100	1.00	ND	Pass	
Chlorpyrifos	0.0100	0.200	ND	Pass	
Clofentezine	0.0100	0.200	ND	Pass	
Coumaphos	0.0100	1.00	ND	Pass	
Cyfluthrin	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measurement uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

KEYSTONE STATE TESTING

ACCREDITED
CERTIFICATE NUMBER 4405.03

Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



Back Home Farm

2387 Lucas Tpk, High Falls, NY 12440

Will@backhomefarmny.com

732-673-6442

License #: OCM-AUCC-22-000208

Certificate of Analysis

Final

**Sample #: 5628****Lemon Diesel****Pesticides by LCMSMS****Pass****Analysis Date: 08/23/2024 11:40 am**

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 5628 Lemon Diesel

Pesticides by LCMSMS		Pass		Analysis Date: 08/23/2024 11:40 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
MGK-264	0.0100	0.200	ND	Pass	
Myclobutanil	0.0100	0.200	ND	Pass	
Naled	0.0100	0.500	ND	Pass	
Oxamyl	0.0100	1.00	ND	Pass	
Paclobutrazol	0.0100	0.400	ND	Pass	
Pentachloronitrobenzene	0.0100	1.00	ND	Pass	
Permethrins, Total	0.0100	0.200	ND	Pass	
Phosmet	0.0100	0.200	ND	Pass	
Piperonyl Butoxide	0.0100	2.00	ND	Pass	
Prallethrin	0.0100	0.200	ND	Pass	
Propiconazole	0.0100	0.400	ND	Pass	
Propoxur	0.0100	0.200	ND	Pass	
Pyrethrins Total	0.0100	1.00	ND	Pass	
Pyridaben	0.0100	0.200	ND	Pass	
Spinetoram Total	0.0100	1.00	ND	Pass	
Spinosad Total	0.0100	0.200	ND	Pass	
Spiromesifen	0.0100	0.200	ND	Pass	
Spirotetramat	0.0100	0.200	ND	Pass	
Spiroxamine	0.0100	0.200	ND	Pass	
Tebuconazole	0.0100	0.400	ND	Pass	
Thiacloprid	0.0100	0.200	ND	Pass	
Thiamethoxam	0.0100	0.200	ND	Pass	
Trifloxystrobin	0.0100	0.200	ND	Pass	

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measurement uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007


Dr. Kelly Greenland, Lab Director





Sample #: 5628 Lemon Diesel

Mycotoxins by LCMSMS		Pass		Analysis Date: 08/23/2024 11:40 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Aflatoxin B1	0.0050	0.020	ND	Pass	
Aflatoxin B2	0.0050	0.020	ND	Pass	
Aflatoxin G1	0.0050	0.020	ND	Pass	
Aflatoxin G2	0.0050	0.020	ND	Pass	
Ochratoxin A	0.0050	0.020	ND	Pass	
Total Aflatoxin	0.0050	0.020	ND	Pass	
Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.					

Heavy Metals by ICPMS		Pass		Analysis Date: 08/22/2024 9:03 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Antimony	0.0100	2.00	ND	Pass	
Arsenic	0.00100	0.200	ND	Pass	
Cadmium	0.00150	0.200	0.00577	Pass	
Chromium	0.280	110	0.530	Pass	
Copper	0.0750	30.0	10.0	Pass	
Lead	0.00250	0.500	0.0791	Pass	
Mercury	0.000500	0.100	0.00317	Pass	
Nickel	0.0100	5.00	0.502	Pass	
Comment:	Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.				

Micro by Petri & qPCR		Pass		Analysis Date: 08/22/2024 1:55 pm	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
Aspergillus flavus Qualitative	1	0	Not Detected	Pass	
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass	
Aspergillus niger Qualitative	1	0	Not Detected	Pass	
Aspergillus terreus Qualitative	1	0	Not Detected	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measurement uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 5628

Lemon Diesel

Micro by Petri & qPCR		Pass		Analysis Date: 08/22/2024 1:55 pm	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
Salmonella Qualitative	1	0	Not Detected	Pass	
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass	
Total Aerobic Bacteria	10		<LOQ	Pass	
Total Yeast & Mold	10		21000	Pass	
Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.					

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland
Dr. Kelly Greenland, Lab Director

