



Warning: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

PRODUCT INFORMATION

Product Name:

Batch:

Manufacture Date:

Manufacturer: Natures Healing Center 00000046DCYJ00671222

Product created with Co2 distillate and solventless rosin.

CO2 DISTILLATE SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

ROSIN SOURCE MATERIAL

License Name:

RCIN:

Manufacture Date:

**Grön products are only sold in cannabis dispensaries
licensed by the state of Arizona.**



Found in the Following Locations:

- Apache County Dispensary LLC:
00000133ESGJ79432018
- Arizona Organix:
00000099DCPL00826691
- Cave Creek Cannabis:
0000001DCQP00496571
- CuraLeaf Central Hub:
00000053DCXB00858835
- Curaleaf 19th Ave:
00000107DCFT00824215
- Curaleaf 48th ST:
00000131ESYX97720376
- Curaleaf Airport:
00000087DCTX00681297
- Curaleaf Camelback:
00000047DCOU00565305
- Curaleaf Gilbert:
00000034DCOD00007550
- Curaleaf Glendale:
00000050ESTO08528992
- Curaleaf Michigan Ave:
00000076DCBK00035366
- Curaleaf Midtown:
00000016DCCC00020807
- Curaleaf Pavilions:
00000049ESUK39624376
- Curaleaf Peoria:
00000059ESZW76539792
- Curaleaf Phoenix N 19th:
00000026ESRZ88769978
- Curaleaf Scottsdale:
00000125EMC92036121
- Curaleaf Sedona:
00000082DCYU00561946
- Curaleaf Tucson:
00000040DOVO00144711
- Curaleaf Youngtown:
00000029ESAA16670843
- D2 Dispensary:
000000116DCJL00597353
- Earth's Healing Benson:
00000027DCPI00457346
- Globe Pharmacy Inc:
00000045DCYU00647140
- FWA, INC (Farm Fresh):
00000043DCBC00869823
- Giving Tree Dispensary:
000000021DCLU00461342
- Green Hills Patient Center:
00000051DCYH00987523
- GreenPharms Flagstaff:
00000038DCAL00224416
- Hana Green Valley:
00000096DCXQ00231932
- Hana Meds:
00000003DCOU00038157
- Jars 24th ST:
00000073DCSV00210732
- Jars Bullhead City:
00000002DCJK00811479
- Jars Cave Creek:
00000107ESVJ79465811
- Jars Globe: 00000136ESTJ56415147
- Jars Legacy Hub:
00000079ESTS64678211
- Jars Metro:
00000024DCTZ00479209
- Jars N. Phoenix:
00000133DCEJ00283862
- Jars New River:
00000006DCDX00478035
- Jars Payson:
00000137ESPF58509627
- Jars Peoria:
00000111DCCI00384281
- Jars Safford:
00000138ESOA91816349
- Jars Somerton:
00000145ESNP12373673
- Kompo: 00000068DCJU00476804
- Local Joint by Zen Leaf:
00000091DCWY00555666
- MK Associates LLC:
00000143ESKB17654619
- Natures Medicines Happy Valley:
00000013DCOU00042197
- Natures Wonder:
00000089ESLW87335751
- Phoenix Cannabis Club Hub:
00000104ESDH57805022
- Phoenix Relief Center:
00000095DCVW00172644
- Ponderosa Dispensary Chandler:
00000066DCBO00410690
- Ponderosa Relief:
00000066DCBO00410690
- Reef Bell: 00000069ESPV40435704
- Reef San Tan:
00000053ESYR15319850
- RJK Ventures:
00000131DCYO00924714
- Salubrious Wellness Clinic:
00000097DCGK00454998
- Sea of Green LLC:
00000113DCUX00454549
- Soothing Options LLC:
00000094DCTJ00667966
- Sticky Saguaro:
00000108DCVB00423429
- Story Cannabis Bisbee:
0000159ESTFT57497963
- Story Cannabis Glendale:
00000051ESYP04501588
- Story Cannabis Grand:
00000014DCHT00564851
- Story Cannabis Kingman:
0000147ESTXX54706468
- Story Cannabis McDowell:
00000088DCXB00897085
- Story Cannabis North:
00000100DCWU00857159
- Story Cannabis Revlon Hub:
00000100DCWU00857159
- Story Cannabis South:
00000036DCOP00819772
- Story Cannabis Tolleson:
00000104ESDH57805022
- Story Cannabis Williams:
0000158ESTLH17620655
- Story Cannabis Lake Havasu:
0000149ESTUL49249395
- Sunday Goods:
00000070DCBD00783295
- Sunday Goods TEMPE 723:
00000114DCPD00232092
- The Downtown Dispensary:
00000057DCHF00477864
- The Flower Shop PHX Hub:
00000041ESLU31226658
- The Flower Shop Tukee:
00000046DCYJ00671222
- The Healing Center Farmacy:
00000004DCKF00438872
- The Superior Dispensary:
00000065DCLV00799347
- White Mountain Health Center:
00000103DCDR00369521
- Yavapai Herbal Services Inc:
0000156ESTDP70697204
- Zen Leaf Cave Creek:
00000105DCOU00194638
- Zen Leaf Chandler:
000000126DCSO00060479
- Zen Leaf Dunlap:
00000033DCCX00134006
- Zen Leaf Gilbert:
00000043ESPE02331128
- Zen Leaf Mesa:
00000084ESFH12297246
- MCCSE240, LLC
0000169ESTMB88870542
- MCCSE214, LLC
0000164ESTEB22806734
- Mohave Cannabis Club LLC
00000098ESAA47054477



Grön
5619 N 53rd Ave.
Glendale, AZ 85301
License #: 00000046DCYJ00671222
Sample ID: 2311SMAZ0269.0848
Batch #: AZPPG4A2723



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 1566

100mg THC Peach Prosecco Pearl

Batch #: AZPPG4A2723

Strain: Hybrid

Parent Batch #: LQDM.080323 /
H081423DC

Sample Collected: 11/06/2023 11:35:00


Published: 11/09/2023

Sample ID: 2311SMAZ0269.0848

Amount Received: 33.2 g

Sample Type: Soft Chew

Received: 11/06/2023



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

0.322%

Total THC

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

0.310%

Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

0.002%

CBN

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

0.001%

CBG

0.637%


Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
5619 N 53rd Ave.
Glendale, AZ 85301
License #: 00000046DCYJ00671222
Sample ID: 2311SMAZ0269.0848
Batch #: AZPPG4A2723



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 1566

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/06/2023
SOP: 418.AZ
Batch Number: 309

Sample Analysis

Date: 11/08/2023
SOP: 417.AZ - HPLC
Sample Weight: 1.038 g
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.009	1	<LOQ	<LOQ	<LOQ	<LOQ	M3
CBD	0.003	0.009	1	0.310	3.098	10.285	102.854	M3
CBDA	0.003	0.009	1	ND	ND	ND	ND	M3
CBDV	0.003	0.009	1	0.001	0.011	0.037	0.365	M3
CBG	0.003	0.009	1	0.001	0.012	0.040	0.398	M3
CBGA	0.003	0.009	1	ND	ND	ND	ND	M3
CBN	0.003	0.009	1	0.002	0.016	0.053	0.531	M3
d8-THC	0.003	0.009	1	ND	ND	ND	ND	M3
d9-THC	0.003	0.009	1	0.322	3.217	10.680	106.804	M3
THCA	0.003	0.009	1	ND	ND	ND	ND	M3
THCV	0.003	0.009	1	0.002	0.020	0.066	0.664	M3


Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.322	3.217	10.680	106.804	
Total CBD	0.310	3.098	10.285	102.854	
Total Cannabinoids	0.637	6.373	21.158	211.584	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
Serving Weight: 3.32 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
5619 N 53rd Ave.
Glendale, AZ 85301
License #: 00000046DCYJ00671222
Sample ID: 2311SMAZ0269.0848
Batch #: AZPPG4A2723



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 1566

Microbial Analysis

Pass

Sample Prep

Batch Date: 11/07/2023
SOP: 431.AZ
Batch Number: 319

Sample Analysis

Date: 11/08/2023
SOP: 431.AZ - TEMPO (MPN)
Sample Weight: 1.054 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/07/2023
SOP: 406.AZ
Batch Number: 316

Sample Analysis

Date: 11/08/2023
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.028 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
5619 N 53rd Ave.
Glendale, AZ 85301
License #: 00000046DCYJ00671222
Sample ID: 2311SMAZ0269.0848
Batch #: AZPPG4A2723



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 1566

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 11/06/2023
SOP: 405.AZ
Batch Number: 305

Sample Analysis


Date: 11/08/2023
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	2698		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
5619 N 53rd Ave.
Glendale, AZ 85301
License #: 00000046DCYJ00671222
Sample ID: 2311SMAZ0269.0848
Batch #: AZPPG4A2723



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 1566

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 11/07/2023
SOP: 428.AZ
Batch Number: 317

Sample Analysis

Date: 11/08/2023
SOP: 428.AZ - ICP-MS
Sample Weight: 0.210 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.019	0.191	10	0.4	ND	
Cadmium	0.019	0.191	10	0.4	ND	
Lead	0.019	0.476	10	1	ND	
Mercury	0.019	0.095	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 11/06/2023
SOP: 432.AZ
Batch Number: 306

Sample Analysis

Date: 11/08/2023
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.514 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.89	0.76	1	20	ND	
Aflatoxin B1	3.89	9.73	1	0	ND	
Aflatoxin B2	3.89	9.73	1	0	ND	
Aflatoxin G1	3.89	9.73	1	0	ND	
Aflatoxin G2	3.89	4.86	1	0	ND	
Ochratoxin A	9.73	9.73	1	20	ND	I1, R1V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
5619 N 53rd Ave.
Glendale, AZ 85301
License #: 00000046DCYJ00671222
Sample ID: 2311SMAZ0269.0848
Batch #: AZPPG4A2723



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 1566

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 11/06/2023
SOP: 432.AZ
Batch Number: 306

Sample Analysis

Date: 11/08/2023
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.514 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.243	1	0.5	ND	V1	Hexythiazox	0.162 / 0.486	1	1	ND	M2
Acephate	0.065 / 0.195	1	0.4	ND		Imazalil	0.032 / 0.097	1	0.2	ND	M2
Acetamiprid	0.032 / 0.097	1	0.2	ND		Imidacloprid	0.065 / 0.195	1	0.4	ND	
Aldicarb	0.065 / 0.195	1	0.4	ND		Kresoxim-methyl	0.065 / 0.195	1	0.4	ND	
Azoxystrobin	0.032 / 0.097	1	0.2	ND		Malathion	0.032 / 0.097	1	0.2	ND	
Bifenazate	0.032 / 0.097	1	0.2	ND		Metaxyl	0.032 / 0.097	1	0.2	ND	
Bifenthrin	0.032 / 0.097	1	0.2	ND		Methiocarb	0.032 / 0.097	1	0.2	ND	L1
Boscalid	0.065 / 0.195	1	0.4	ND		Methomyl	0.065 / 0.195	1	0.4	ND	
Carbaryl	0.032 / 0.097	1	0.2	ND		Myclobutanil	0.032 / 0.097	1	0.2	ND	
Carbofuran	0.032 / 0.097	1	0.2	ND		Naled	0.081 / 0.243	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.097	1	0.2	ND		Oxamyl	0.162 / 0.486	1	1	ND	
Chlorfenapyr	0.162 / 0.486	1	1	ND	I1, M2	Paclobutrazol	0.065 / 0.195	1	0.4	ND	
Chlorpyrifos	0.032 / 0.097	1	0.2	ND	M2 R1	Permethrins	0.032 / 0.097	1	0.2	ND	
Clofentezine	0.032 / 0.097	1	0.2	ND		Phosmet	0.032 / 0.097	1	0.2	ND	
Cyfluthrin	0.162 / 0.486	1	1	ND	V1	Piperonyl Butoxide	0.324 / 0.973	1	2	ND	
Cypermethrin	0.162 / 0.486	1	1	ND		Prallethrin	0.032 / 0.097	1	0.2	ND	
Daminozide	0.162 / 0.486	1	1	ND		Propiconazole	0.065 / 0.195	1	0.4	ND	
Diazinon	0.032 / 0.097	1	0.2	ND		Propoxur	0.032 / 0.097	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.136 / 0.408	1	1	ND	
Dimethoate	0.032 / 0.097	1	0.2	ND		Pyridaben	0.032 / 0.097	1	0.2	ND	
Ethoprophos	0.032 / 0.097	1	0.2	ND		Spinosad	0.032 / 0.097	1	0.2	ND	
Etofenprox	0.065 / 0.195	1	0.4	ND		Spiromesifen	0.032 / 0.097	1	0.2	ND	
Etoxazole	0.032 / 0.097	1	0.2	ND		Spirotetramat	0.032 / 0.097	1	0.2	ND	
Fenoxycarb	0.032 / 0.097	1	0.2	ND		Spiroxamine	0.065 / 0.195	1	0.4	ND	
Fenpyroximate	0.065 / 0.195	1	0.4	ND		Tebuconazole	0.065 / 0.195	1	0.4	ND	
Fipronil	0.065 / 0.195	1	0.4	ND		Thiacloprid	0.032 / 0.097	1	0.2	ND	
Fonicamid	0.162 / 0.486	1	1	ND		Thiamethoxam	0.032 / 0.097	1	0.2	ND	
Fludioxonil	0.065 / 0.195	1	0.4	ND		Trifloxystrobin	0.032 / 0.097	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Grön
5619 N 53rd Ave.
Glendale, AZ 85301
License #: 00000046DCYJ00671222
Sample ID: 2311SMAZ0269.0848
Batch #: AZPPG4A2723



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 1566

Qualifier Legend


- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>