

Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
 Gloversville, NY 12078
 adugan@adonisny.com
 (443) 286-7108
 Lic. #OCMPROC-24-000063

Sample: 2409RLI0246-0824

Strain: White Sherbert
 Batch#: RIP-3.3-WST; Batch Size: 1500 units
 Sample Received: 09/18/2024; Report Created: 09/27/2024;

RIPS - White Sherbert - 11 x 0.3G Preroll Pa
 Plant, Preroll

Sampling

Sample Collection Date/Time: 09/17/24 11:05
 Sample Collection Site: Adonis NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:



Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins
Not Tested Solvents	Pass Metals	Pass Foreign Matter

Cannabinoids

20.92% Total THC	ND Total CBD	10.8% Moisture
----------------------------	------------------------	--------------------------

Analyte	LOQ	Result	Result
	mg/g	%	mg/g
CBDVa	0.2	ND	ND
CBDV	0.2	ND	ND
CBDa	0.2	ND	ND
CBGa	0.2	1.16	11.6
CBG	0.2	ND	ND
CBD	0.2	ND	ND
THCV	0.2	ND	ND
THCVa	0.2	ND	ND
CBN	0.2	ND	ND
Δ9-THC	0.2	5.43	54.3
Δ8-THC	0.2	ND	ND
(6aR,9R)-d10-THC	0.2	ND	ND
(6aR,9S)-d10-THC	0.2	ND	ND
CBC	0.2	ND	ND
THCa	0.2	17.66	176.6
CBCa	0.2	ND	ND
Total Cannabinoids		24.25	242.50

Entered By: VJ, Instrument ID: AL2-004
 Method: MTHD-001, Date Tested: 09/19/2024 11:51
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
 Laboratory Director

Violet Josik

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
 Gloversville, NY 12078
 adugan@adonisny.com
 (443) 286-7108
 Lic. #OCMPROC-24-000063

Sample: 2409RLI0246-0824

Strain: White Sherbert
 Batch#: RIP-3.3-WST; Batch Size: 1500 units
 Sample Received: 09/18/2024; Report Created: 09/27/2024;

RIPS - White Sherbert - 11 x 0.3G Preroll Pa
 Plant, Preroll

Sampling


Sample Collection Date/Time: 09/17/24 11:05
 Sample Collection Site: Adonis NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

Analyte	LOQ	Result	Result	
	%	%	mg/g	
β-Caryophyllene	0.0650	0.61	6.13	
α-Humulene	0.0065	0.18	1.78	
α-Bisabolol	0.0065	0.14	1.38	
Limonene	0.0065	0.07	0.66	
Valencene	0.0021	0.04	0.40	
Linalool	0.0065	0.04	0.39	
Caryophyllene Oxide	0.0065	0.03	0.29	
β-Myrcene	0.0065	0.03	0.27	
β-Pinene	0.0065	0.02	0.21	
α-Pinene	0.0065	0.02	0.20	
Fenchol	0.0104	0.02	0.20	
Guaiol	0.0065	0.01	0.14	
α-Phellandrene	0.0052	ND	ND	
α-Terpinene	0.0065	ND	ND	
Camphene	0.0065	ND	ND	
Farnesene	0.0021	ND	ND	
Geraniol	0.0065	<LOQ	<LOQ	
Ocimene	0.0065	ND	ND	
Terpineol	0.0052	ND	ND	
Terpinolene	0.0065	<LOQ	<LOQ	



1.2063%
 Total Terpenes

Entered By: CB, Instrument ID: AL1-001
 Method: MTHD-005, Date Tested: 09/20/2024 17:44

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
 Laboratory Director

Violet Josik

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
 Gloversville, NY 12078
 adugan@adonisny.com
 (443) 286-7108
 Lic. #OCMPROC-24-000063

Sample: 2409RLI0246-0824

Strain: White Sherbert
 Batch#: RIP-3.3-WST; Batch Size: 1500 units
 Sample Received: 09/18/2024; Report Created: 09/27/2024;

RIPS - White Sherbert - 11 x 0.3G Preroll Pa
 Plant, Preroll

Sampling

Sample Collection Date/Time: 09/17/24 11:05
 Sample Collection Site: Adonis NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.10	0.50	ND	Pass
Acephate	0.10	0.40	ND	Pass
Acequinocyl	0.10	2.00	ND	Pass
Acetamiprid	0.10	0.20	ND	Pass
Aldicarb	0.10	0.40	ND	Pass
Avermectin-B1a			ND	Tested
Avermectin-B1b			ND	Tested
Azadirachtin	0.50	1.00	ND	Pass
Azoxystrobin	0.10	0.20	ND	Pass
Bifenazate	0.10	0.20	ND	Pass
Bifenthrin	0.10	0.20	ND	Pass
Boscalid	0.10	0.40	ND	Pass
Captan	0.50	1.00	ND	Pass
Carbaryl	0.10	0.20	ND	Pass
Carbofuran	0.10	0.20	ND	Pass
Chlorantraniliprole	0.10	0.20	ND	Pass
Chlordane	0.50	1.00	ND	Pass
Chlorfenapyr	0.50	1.00	ND	Pass
Chloromequat chloride	0.10	1.00	ND	Pass
Chlorpyrifos	0.10	0.20	ND	Pass
Cinerin 1			ND	Tested
Clofentezine	0.10	0.20	ND	Pass
Coumaphos	0.10	1.00	ND	Pass
Cyfluthrin	0.10	1.00	ND	Pass
Cypermethrin	0.10	1.00	ND	Pass

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 09/17/2024 18:05
 LC Method: MTHD-009 LC Date Tested: 09/18/2024 16:25
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
 Laboratory Director

Violet Josik

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
 Gloversville, NY 12078
 adugan@adonisny.com
 (443) 286-7108
 Lic. #OCMPROC-24-000063

Sample: 2409RLI0246-0824

Strain: White Sherbert
 Batch#: RIP-3.3-WST; Batch Size: 1500 units
 Sample Received: 09/18/2024; Report Created: 09/27/2024;

RIPS - White Sherbert - 11 x 0.3G Preroll Pa
 Plant, Preroll

Sampling

Sample Collection Date/Time: 09/17/24 11:05
 Sample Collection Site: Adonis NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Daminozide	0.10	1.00	ND	Pass
Diazinon	0.10	0.20	ND	Pass
Dichlorvos	0.10	1.00	ND	Pass
Dimethoate	0.10	0.20	ND	Pass
Dimethomorph	0.10	1.00	ND	Pass
Ethoprophos	0.10	0.20	ND	Pass
Etofenprox	0.10	0.40	ND	Pass
Etoxazole	0.10	0.20	ND	Pass
Fenhexamid	0.10	1.00	ND	Pass
Fenoxycarb	0.10	0.20	ND	Pass
Fenpyroximate	0.10	0.40	ND	Pass
Fipronil	0.10	0.40	ND	Pass
Fonicamid	0.10	1.00	ND	Pass
Fludioxonil	0.10	0.40	ND	Pass
Hexythiazox	0.10	1.00	ND	Pass
Imazalil	0.10	0.20	ND	Pass
Imidacloprid	0.10	0.40	ND	Pass
Indolebutyric Acid	0.50	1.00	ND	Pass
Jasmolin 1			ND	Tested
Kresoxim Methyl	0.10	0.40	ND	Pass
Malathion	0.10	0.20	ND	Pass
Metalaxyl	0.10	0.20	ND	Pass
Methiocarb	0.10	0.20	ND	Pass
Methomyl	0.10	0.40	ND	Pass
Methyl Parathion	0.10	0.20	ND	Pass

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 09/17/2024 18:05
 LC Method: MTHD-009 LC Date Tested: 09/18/2024 16:25
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported



Anshu Shrestha

Anshu Shrestha
 Laboratory Director

Violet Josik

Violet Josik
 Quality Assurance Lead



Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
 Gloversville, NY 12078
 adugan@adonisny.com
 (443) 286-7108
 Lic. #OCMPROC-24-000063

Sample: 2409RLI0246-0824

Strain: White Sherbert
 Batch#: RIP-3.3-WST; Batch Size: 1500 units
 Sample Received: 09/18/2024; Report Created: 09/27/2024;

RIPS - White Sherbert - 11 x 0.3G Preroll Pa
 Plant, Preroll

Sampling

Sample Collection Date/Time: 09/17/24 11:05
 Sample Collection Site: Adonis NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Mevinphos	0.10	1.00	ND	Pass
MGK-264	0.10	0.20	ND	Pass
Myclobutanil	0.10	0.20	ND	Pass
Naled	0.10	0.50	ND	Pass
Oxamyl	0.10	1.00	ND	Pass
Paclobutrazol	0.10	0.40	ND	Pass
Pentachloronitrobenzene	0.50	1.00	ND	Pass
Permethrins	0.10	0.20	ND	Pass
Phosmet	0.10	0.20	ND	Pass
Piperonyl Butoxide	0.10	2.00	ND	Pass
Prallethrin	0.10	0.20	ND	Pass
Propiconazole	0.10	0.40	ND	Pass
Propoxur	0.10	0.20	ND	Pass
Pyrethrin 1			ND	Tested
Pyrethrin 2			ND	Tested
Pyrethrins	0.03	1.00	ND	Pass
Pyridaben	0.10	0.20	ND	Pass
Spinetoram	0.10	1.00	ND	Pass
Spinetoram J			ND	Tested
Spinetoram L			ND	Tested
Spinosad	0.10	0.20	ND	Pass
Spinosyn A			ND	Tested
Spinosyn D			ND	Tested
Spiromesifen	0.10	0.20	ND	Pass
Spirotetramat	0.10	0.20	ND	Pass

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 09/17/2024 18:05
 LC Method: MTHD-009 LC Date Tested: 09/18/2024 16:25
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported



Anshu Shrestha

Anshu Shrestha
 Laboratory Director

Violet Josik

Violet Josik
 Quality Assurance Lead





Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 8

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCMPROC-24-000063

Sample: 2409RLI0246-0824

Strain: White Sherbert
Batch#: RIP-3.3-WST; Batch Size: 1500 units
Sample Received: 09/18/2024; Report Created: 09/27/2024;

RIPS - White Sherbert - 11 x 0.3G Preroll Pa
Plant, Preroll

Sampling

Sample Collection Date/Time: 09/17/24 11:05
Sample Collection Site: Adonis NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Spiroxamine	0.10	0.20	ND	Pass
Tebuconazole	0.10	0.40	ND	Pass
Thiacloprid	0.10	0.20	ND	Pass
Thiamethoxam	0.10	0.20	ND	Pass
Trifloxystrobin	0.10	0.20	ND	Pass

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 09/17/2024 18:05
LC Method: MTHD-009 LC Date Tested: 09/18/2024 16:25
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866

www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
8 of 8

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCMPROC-24-000063

Sample: 2409RLI0246-0824

Strain: White Sherbert
Batch#: RIP-3.3-WST; Batch Size: 1500 units
Sample Received: 09/18/2024; Report Created: 09/27/2024;

RIPS - White Sherbert - 11 x 0.3G Preroll Pa
Plant, Preroll

Sampling

Sample Collection Date/Time: 09/17/24 11:05
Sample Collection Site: Adonis NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: 09/18/2024; 09:20
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 09/24/2024; 09:58
Water Activity Method: MTHD-002

0.55 aw
Limit: 0.65 aw
Pass
Water Activity

10.8%
Limit: 15.0 %
Pass
Moisture

Foreign Matter

Foreign Matter Method: MTHD-004
Foreign Matter Date/Time Tested: 09/24/2024; 15:38

Pass

Analyte	Limit	Result	Status
Mammal Excrement	0.00022%	0	Pass
FM Stems	5%	0	Pass
FM Other	2%	0	Pass

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.