

Cirona Labs

Order No.: ONYCIR0917-0002667
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0917-CDIS-0009812

Strain: Kiwi Sunrise, Unit Weight: 1.0000g
 Batch#: V-CA-KS-01-0924, Batch Size: 1236
 Report Received: 09/17/2024 04:54
 Report Created: 09/20/2024 21:57
 Sampling SOP 204-NY

V-CA-KS-01-0924

Concentrates & Extracts, Distillate



Results

827.470 mg/unit
D9-THC

30.100 mg/unit
CBG

ND
Total CBD

827.47 mg/unit
Total THC


868.21 mg/unit
Total Cannabinoids

3.497%
Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Not Tested	Terpenes Pass
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

2 of 7

Cirona Labs

Order No.: ONYCIR0917-0002667
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0917-CDIS-0009812

Strain: Kiwi Sunrise, Unit Weight: 1.0000g
 Batch#: V-CA-KS-01-0924, Batch Size: 1236
 Sample Received: 09/17/2024 04:54
 Report Created: 09/20/2024 21:57
 Sampling SOP 204-NY

V-CA-KS-01-0924

Concentrates & Extracts, Distillate



Cannabinoids

SOP 801-NY

Date/Time Tested: 09/18/2024 17:32

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/unit
CBDV	4,666.74	ND	ND	ND
CBDa	4,666.74	ND	ND	ND
CBGa	4,666.74	ND	ND	ND
CBG	4,666.74	30.10	3.01	30.10
CBD	4,666.74	ND	ND	ND
THCV	4,666.74	ND	ND	ND
CBN	4,666.74	10.64	1.06	10.64
D9-THC	4,666.74	827.47	82.75	827.47
D8-THC	4,666.74	ND	ND	ND
(6aR,9S)-d10-THC	4,666.74	ND	ND	ND
(6aR,9R)-d10-THC	4,666.74	ND	ND	ND
CBC	4,666.74	< LOQ	< LOQ	< LOQ
THCa	4,666.74	ND	ND	ND
Total CBD		ND	ND	ND
Total THC		827.47	82.75	827.47
Total Cannabinoids		868.21	86.82	868.21

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 619-NY

Date/Time Tested: 09/19/2024 17:42

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

3 of 7

Cirona Labs

Order No.: ONYCIR0917-0002667
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0917-CDIS-0009812

Strain: Kiwi Sunrise, Unit Weight: 1.0000g
Batch#: V-CA-KS-01-0924, Batch Size: 1236
Report Received: 09/17/2024 04:54
Report Created: 09/20/2024 21:57
Sampling SOP 204-NY

V-CA-KS-01-0924

Concentrates & Extracts, Distillate



Terpenes

SOP 620-NY

Date/Time Tested: 09/18/2024 12:04

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		100,000	3.497	Passed	Isoborneol	155		ND	Tested
b-Myrcene	155		1.159	Tested	DL-Menthol	155		ND	Tested
b-Caryophyllene	155		0.775	Tested	g-Terpinene	155		ND	Tested
a-Pinene	155		0.299	Tested	Nerol	155		ND	Tested
Limonene	155		0.281	Tested	Pulegone	155		ND	Tested
Linalool	155		0.200	Tested	Geraniol	155		ND	Tested
b-Pinene	155		0.165	Tested	Geranyl Acetate	155		ND	Tested
Terpineol	155		0.165	Tested	a-Cedrene	155		ND	Tested
trans-Nerolidol	155		0.159	Tested	Sabinene	155		ND	Tested
a-Humulene	155		0.113	Tested	Eucalyptol	155		ND	Tested
a-Bisabolol	155		0.076	Tested	Valencene	155		ND	Tested
cis-Nerolidol	155		0.070	Tested	p-Cymene	155		ND	Tested
Fenchol	155		0.035	Tested	a-Terpinene	155		ND	Tested
Camphene	155		< LOQ	Tested	Guaiol	155		ND	Tested
a-Phellandrene	155		ND	Tested	Caryophyllene Oxide	155		< LOQ	Tested
Sabinene Hydrate	155		ND	Tested	Cedrol	155		ND	Tested
Terpinolene	155		ND	Tested	d-3-Carene	155		ND	Tested
Fenchone	155		ND	Tested	trans-b-Ocimene	155		ND	Tested
Isopulegol	155		ND	Tested	trans-b-Farnesene	155		ND	Tested
Camphor	155		ND	Tested	Borneol	155		< LOQ	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

4 of 7

Cirona Labs

Order No.: ONYCIR0917-0002667
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0917-CDIS-0009812

Strain: Kiwi Sunrise, Unit Weight: 1.0000g
 Batch#: V-CA-KS-01-0924, Batch Size: 1236
 Sample Received: 09/17/2024 04:54
 Report Created: 09/20/2024 21:57
 Sampling SOP 204-NY

V-CA-KS-01-0924

Concentrates & Extracts, Distillate



Residual Solvents

SOP 612-NY

Date/Time Tested: 09/18/2024 14:30

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	38	5,000	ND	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	38	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	188	5,000	< LOQ	Passed
Ethyl Acetate	188	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	94	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	188	5,000	ND	Passed
Methanol	113	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	56	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	4,695	1,500	ND	Passed
Xylenes	248	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 09/18/2024 11:06

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested	Ochratoxin A	4.8	20.0	ND	Passed
B2	4.8		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.8		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.8		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

5 of 7

Cirona Labs

Order No.: ONYCIR0917-0002667
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0917-CDIS-0009812

Strain: Kiwi Sunrise, Unit Weight: 1.0000g
Batch#: V-CA-KS-01-0924, Batch Size: 1236
Sample Received: 09/17/2024 04:54
Report Created: 09/20/2024 21:57
Sampling SOP 204-NY

V-CA-KS-01-0924

Concentrates & Extracts, Distillate



Heavy Metals

SOP 250-NY

Date/Time Tested: 09/18/2024 12:04

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.168	2.000	ND	Passed
Arsenic	0.168	0.200	ND	Passed
Cadmium	0.168	0.200	ND	Passed
Chromium	0.168	110.000	ND	Passed
Copper	0.201	30.000	ND	Passed
Mercury	0.040	0.100	ND	Passed
Nickel	0.201	2.000	ND	Passed
Lead	0.168	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0917-0002667
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0917-CDIS-0009812

Strain: Kiwi Sunrise, Unit Weight: 1.0000g
 Batch#: V-CA-KS-01-0924, Batch Size: 1236
 Sample Received: 09/17/2024 04:54
 Report Created: 09/20/2024 21:57
 Sampling SOP 204-NY

V-CA-KS-01-0924

Concentrates & Extracts, Distillate



Pesticides

SOP 814-NY

Date/Time Tested: 09/18/2024 13:52

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

7 of 7

Cirona Labs

Order No.: ONYCIR0917-0002667
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0917-CDIS-0009812

Strain: Kiwi Sunrise, Unit Weight: 1.0000g
Batch#: V-CA-KS-01-0924, Batch Size: 1236
Sample Received: 09/17/2024 04:54
Report Created: 09/20/2024 21:57
Sampling SOP 204-NY

V-CA-KS-01-0924

Concentrates & Extracts, Distillate



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	< LOQ	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Pacllobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	0.13	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	< LOQ	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.