

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	8/2/2024	Sample ID:	20240729-PHRMMed-012
Client Name:	PharmaCann of New York, LLC	Sample Name:	2.0g Infused Blunt
Sampling Location:	Montgomery, New York	Sample Matrix:	Flower
Contact Name:	Julia Roos	Sample Sub Type:	Infused pre-roll
Contact Email:	julia.roos@pharmacann.com	Package ID:	
License Number:	MM0101M	Batch Lot ID:	IB2SRM24G10
Medical/Adult Use:	Medical	Batch Size:	2316
Sampling Date:	07/29/2024 09:00:00 AM	Serving Size (g):	0.025

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	P	Filth & Foreign Material	P		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: 2.0g Infused Blunt (20240729-PHRMMed-012)			
Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.079
CBDA	< MRL	< MRL	0.079
CBGA	0.494	0.123	0.079
CBG	0.892	0.223	0.079
CBD	< MRL	< MRL	0.079
THCV	< MRL	< MRL	0.079
CBN	0.118	0.029	0.079
D9-THC	23.877	5.969	0.079
D8-THC	< MRL	< MRL	0.079
D10-THC-S	< MRL	< MRL	0.079
D10-THC-R	< MRL	< MRL	0.079
CBC	0.127	0.032	0.079
THCA	17.960	4.490	0.079

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)
Reported on a dry-weight basis based on the calculation:
(wet sample % x 100)/(100 - %MC)

Test ID: #69178 | Date Tested: 07/31/2024 01:12 PM

Potency Summary	% w/w	mg/serving
Total THC [Δ^8 -THC + Δ^9 -THC + Δ^{10} -THC + (THCA * 0.877)]	39.628	9.907
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	43.468	10.866



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: 2.0g Infused Blunt (20240729-PHRMMed-012)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	0.14	0.10
Camphene	< MRL	0.10
Sabinene	< MRL	0.10
beta-Pinene	< MRL	0.10
beta-Myrcene	< MRL	0.10
Alpha-phellandrene	< MRL	0.10
Carene	< MRL	0.10
alpha-terpinene	< MRL	0.10
p-Cymene	< MRL	0.10
Limonene	< MRL	0.10
Eucalyptol	< MRL	0.10
Ocimene	< MRL	0.07
gamma-Terpinene	< MRL	0.10
Sabinene Hydrate	< MRL	0.10
Terpinolene	0.27	0.10
Linalool	< MRL	0.10
Fenchol	< MRL	0.10
Menthol	< MRL	0.10
Terpineol	< MRL	0.10
Citronellol	< MRL	0.10
Isopulegol	< MRL	0.10
Geraniol	< MRL	0.10
Alpha-cedrene	< MRL	0.08
Beta-Caryophyllene	< MRL	0.10
Farnesene	< MRL	0.10
alpha-Humulene	< MRL	0.10
Valencene	< MRL	0.10
cis-Nerolidol	< MRL	0.04
trans-Nerolidol	< MRL	0.06
Caryophyllene oxide	< MRL	0.10
Guaiol	< MRL	0.10
alpha-Bisabolol	< MRL	0.10

MRL = Minimum reporting limit/limit of quantification Test ID: #69186 | Date Tested: 08/01/2024 08:30 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	0.41	10	PASS



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: 2.0g Infused Blunt (20240729-PHRMMed-012)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	4.488
2-Propanol	PASS	< MRL	5000	672.356
Acetone	PASS	153.7	5000	134.471
Acetonitrile	PASS	< MRL	410	55.133
Butanes, total	PASS	< MRL	5000	672.356
Benzene	PASS	< MRL	2	0.898
Chloroform	PASS	< MRL	60	8.068
Dichloromethane	PASS	< MRL	600	80.683
Dimethyl Sulfoxide	PASS	< MRL	5000	1210.240
Ethanol	PASS	< MRL	5000	672.356
Ethyl acetate	PASS	< MRL	5000	672.356
Ethyl ether	PASS	< MRL	5000	672.356
n-Heptane	PASS	< MRL	5000	672.356
Hexanes, total	PASS	< MRL	290	38.997
Methanol	PASS	< MRL	3000	403.414
Pentanes, total	PASS	< MRL	5000	672.356
Propane	PASS	< MRL	5000	672.356
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	435.686
Toluene	PASS	< MRL	890	119.679
Trichloroethane	PASS	< MRL	1500	1210.240
Xylenes, total	PASS	< MRL	2170	291.803

MRL = Minimum reporting limit/limit of quantification

Test ID: #69185 | Date Tested: 08/01/2024 09:52 AM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: 2.0g Infused Blunt (20240729-PHRMMed-012)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #69184 | Date Tested: 08/01/2024 08:30 AM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: 2.0g Infused Blunt (20240729-PHRMMed-012)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.02	0.010	
Total Aflatoxins	PASS	< MRL	0.02	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #69183 Date Tested: 08/01/2024 08:30 AM		

Heavy Metals: 2.0g Infused Blunt (20240729-PHRMMed-012)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110.0	8.00	
Nickel	PASS	< MRL	2.0	1.00	
Copper	PASS	< MRL	30.0	8.00	
Arsenic	PASS	< MRL	0.2	0.10	
Cadmium	PASS	< MRL	0.3	0.10	
Antimony	PASS	< MRL	2.0	1.00	
Mercury	PASS	< MRL	0.1	0.05	
Lead	PASS	< MRL	0.5	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #69180 Date Tested: 07/31/2024 07:21 AM		

Microbiological Screen: 2.0g Infused Blunt (20240729-PHRMMed-012)					PASS
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	300	100000	100	
Total Yeast & Mold	PASS	< MRL	10000	100	
Salmonella spp	PASS	Absent	Absent	1	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1	
MRL = Minimum reporting limit/limit of quantification			Test ID: #69181 Date Tested: 08/01/2024 07:59 AM		

Moisture: 2.0g Infused Blunt (20240729-PHRMMed-012)				PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)				
Analyte	Pass/Fail	Result (%)	Limit (%)	
Moisture	PASS	7.4	15	
MRL = Minimum reporting limit/limit of quantification			Test ID: #69182 Date Tested: 07/30/2024 09:24 AM	

Water Activity: 2.0g Infused Blunt (20240729-PHRMMed-012)				PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)				
Analyte	Pass/Fail	Result (a _w)	Limit (a _w)	
Water Activity	PASS	0.60	0.65	
MRL = Minimum reporting limit/limit of quantification			Test ID: #69187 Date Tested: 07/30/2024 09:24 AM	



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCMPPCL-00013
ISO 17025 Certificate No.: 4356.09

Filtration and Foreign Material: 2.0g Infused Blunt (20240729-PHRMMed-012)			PASS
Filtration and Foreign Material analysis utilizing microscopy (SOP-057-NY)			
Analyte	Results	Limit	Pass/Fail
Foreign Material (other, % m/m)	ND	2	PASS
Foreign Material (stems, % m/m)	ND	5	PASS
Mammalian Excreta (mg/lb)	ND	1	PASS
ND = Not Detected		Test ID: #69179 Date Tested: 07/30/2024 09:25 AM	



Matthew Elmes
Lab Director
8/2/2024

Deviations: Terpene data associated with a laboratory control standard that was out of specification. Laboratory investigation conducted prior to reporting.

