

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	9/27/2024	Sample ID:	20240919-SXPT-002
Client Name:	6 Point Cannabis	Sample Name:	East Coast Runtz 3.5g (Bud)
Sampling Location:	Bloomfield, New York	Sample Matrix:	Flower
Contact Name:	Craig Palmer	Sample Sub Type:	Whole Flower
Contact Email:	6pointcannabis@gmail.com	Package ID:	
License Number:	MICR-MICR-24-000037	Batch Lot ID:	6160 3217 5615 3683
Phone:	585-694-0300	Batch Size:	1200
Medical/Adult Use:	Adult Use	Serving Size (g):	3.5
Sampling Date:	09/19/2024 09:00:00 AM		

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	-	Terpenes	P
		Moisture	P	Filth & Foreign Material	P		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: East Coast Runtz 3.5g (Bud) (20240919-SXPT-002)

Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.070
CBDA	< MRL	< MRL	0.070
CBGA	0.137	4.803	0.070
CBG	< MRL	< MRL	0.070
CBD	< MRL	< MRL	0.070
THCV	< MRL	< MRL	0.070
CBN	< MRL	< MRL	0.070
D9-THC	1.182	41.385	0.070
D8-THC	< MRL	< MRL	0.070
D10-THC-S	< MRL	< MRL	0.070
D10-THC-R	< MRL	< MRL	0.070
CBC	< MRL	< MRL	0.070
THCA	19.581	685.328	0.070

MRL = Minimum reporting limit/limit of quantification

mg/serving = % w/w x10 x serving size weight (g)

Reported on a dry-weight basis based on the calculation:
(wet sample % x 100)/(100 - %MC)

Test ID: #75370 | Date Tested: 09/21/2024 10:08 AM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	18.355	642.417
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	20.900	731.516



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: East Coast Runtz 3.5g (Bud) (20240919-SXPT-002)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.06
Camphene	< MRL	0.06
Sabinene	< MRL	0.06
beta-Pinene	< MRL	0.06
beta-Myrcene	0.21	0.06
Alpha-phellandrene	< MRL	0.06
Carene	< MRL	0.06
alpha-terpinene	< MRL	0.06
p-Cymene	< MRL	0.06
Limonene	0.28	0.06
Eucalyptol	< MRL	0.06
Ocimene	< MRL	0.04
gamma-Terpinene	< MRL	0.06
Sabinene Hydrate	< MRL	0.06
Terpinolene	< MRL	0.06
Linalool	0.28	0.06
Fenchol	< MRL	0.06
Menthol	< MRL	0.06
Terpineol	< MRL	0.06
Citronellol	< MRL	0.06
Isopulegol	< MRL	0.06
Geraniol	< MRL	0.06
Alpha-cedrene	< MRL	0.05
Beta-Caryophyllene	< MRL	0.06
Farnesene	< MRL	0.06
alpha-Humulene	0.06	0.06
Valencene	< MRL	0.06
cis-Nerolidol	< MRL	0.02
trans-Nerolidol	< MRL	0.03
Caryophyllene oxide	< MRL	0.06
Guaiol	< MRL	0.06
alpha-Bisabolol	< MRL	0.06

MRL = Minimum reporting limit/limit of quantification

Test ID: #75377 | Date Tested: 09/22/2024 09:47 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	0.83	10	PASS



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: East Coast Runtz 3.5g (Bud) (20240919-SXPT-002)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #75376 | Date Tested: 09/22/2024 09:47 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: East Coast Runtz 3.5g (Bud) (20240919-SXPT-002)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.02	0.010	
Total Aflatoxins	PASS	< MRL	0.02	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #75375 Date Tested: 09/22/2024 09:47 AM		

Heavy Metals: East Coast Runtz 3.5g (Bud) (20240919-SXPT-002)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110.0	8.00	
Nickel	PASS	< MRL	2.0	1.00	
Copper	PASS	16.798	30.0	8.00	
Arsenic	PASS	< MRL	0.2	0.10	
Cadmium	PASS	< MRL	0.2	0.10	
Antimony	PASS	< MRL	2.0	1.00	
Mercury	PASS	< MRL	0.1	0.05	
Lead	PASS	< MRL	0.5	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #75372 Date Tested: 09/23/2024 10:09 AM		

Microbiological Screen: East Coast Runtz 3.5g (Bud) (20240919-SXPT-002)					PASS
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	< MRL	None	100	
Total Yeast & Mold	PASS	< MRL	None	100	
Salmonella spp	PASS	Absent	Absent	1	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1	
MRL = Minimum reporting limit/limit of quantification			Test ID: #75373 Date Tested: 09/24/2024 07:09 PM		

Moisture: East Coast Runtz 3.5g (Bud) (20240919-SXPT-002)					PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)					
Analyte	Pass/Fail	Result (%)	Limit (%)		
Moisture	PASS	11.3	15		
MRL = Minimum reporting limit/limit of quantification			Test ID: #75374 Date Tested: 09/21/2024 10:10 AM		

Water Activity: East Coast Runtz 3.5g (Bud) (20240919-SXPT-002)					PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)					
Analyte	Pass/Fail	Result (a _w)	Limit (a _w)		
Water Activity	PASS	0.59	0.65		
MRL = Minimum reporting limit/limit of quantification			Test ID: #75378 Date Tested: 09/21/2024 10:10 AM		



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Filth and Foreign Material: East Coast Runtz 3.5g (Bud) (20240919-SXPT-002) **PASS**

Filth and Foreign Material analysis utilizing microscopy (SOP-057-NY)

Analyte	Results	Limit	Pass/Fail
Foreign Material (other, % m/m)	ND	2	PASS
Foreign Material (stems, % m/m)	ND	5	PASS
Mammalian Excreta (mg/lb)	ND	1	PASS

ND = Not Detected

Test ID: #75371 | Date Tested: 09/21/2024 10:10 AM



Matthew Elmes
Lab Director
9/27/2024

