

GTI

Order No.: ONYGTINY1023-0003133
 85 John Hicks Drive
 New York, 10990
 cole.miller@gtigrows.com
 6147380382

Sample: SNYGTINY1023-CVAP-0010503

Strain: Night Owl Haze, Unit Weight: .5000g
 Batch#: 20241019NOH-LLR-0.5, Batch Size: 1100
 Sample Received: 10/23/2024 04:51
 Report Created: 10/28/2024 15:36
 Sampling SOP 204-NY

Night Owl Haze Cartridge (Live Resin) 500mg - Rythm (Sativa Dominant)

Concentrates & Extracts, Vape




Results

3.940 mg/dose D9-THC	0.130 mg/dose CBG
0 mg/dose Total CBD	3.94 mg/dose Total THC
4.12 mg/dose Total Cannabinoids	11.304% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Not Tested	Terpenes Pass
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Medical Use

2 of 7

GTI

Order No.: ONYGTINY1023-0003133
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1023-CVAP-0010503

Strain: Night Owl Haze, Unit Weight: .5000g
Batch#: 20241019NOH-LLR-0.5, Batch Size: 1100
Sample Received: 10/23/2024 04:51
Report Created: 10/28/2024 15:36
Sampling SOP 204-NY

Night Owl Haze Cartridge (Live Resin) 500mg - Rythm (Sativa Dominant)
Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
Date/Time Tested: 10/24/2024 17:29

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose	mg/unit
CBDV	4,528.70	ND	ND	ND	ND
CBDa	4,528.70	ND	ND	ND	ND
CBGa	4,528.70	ND	ND	ND	ND
CBG	4,528.70	25.85	2.58	0.13	12.92
CBD	4,528.70	ND	ND	ND	ND
THCV	4,528.70	< LOQ	< LOQ	< LOQ	< LOQ
CBN	4,528.70	ND	ND	ND	ND
D9-THC	4,528.70	788.70	78.87	3.94	394.35
D8-THC	4,528.70	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,528.70	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,528.70	ND	ND	ND	ND
CBC	4,528.70	9.09	0.91	0.05	4.55
THCa	4,528.70	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		788.70	78.87	3.94	394.35
Total Cannabinoids		823.64	82.36	4.12	411.82

Notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 619-NY
Date/Time Tested: 10/27/2024 22:00

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Medical Use

3 of 7

GTI

Order No.: ONYGTINY1023-0003133
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1023-CVAP-0010503

Strain: Night Owl Haze, Unit Weight: .5000g
Batch#: 20241019NOH-LLR-0.5, Batch Size: 1100
Sample Received: 10/23/2024 04:51
Report Created: 10/28/2024 15:36
Sampling SOP 204-NY

Night Owl Haze Cartridge (Live Resin) 500mg - Rythm (Sativa Dominant)

Concentrates & Extracts, Vape



Terpenes

SOP 620-NY

Date/Time Tested: 10/24/2024 17:48

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	11.304	Passed	Borneol	158		0.042	Tested
Terpinolene	473		5.206	Tested	trans-b-Farnesene	158		0.032	Tested
Limonene	158		1.240	Tested	Eucalyptol	158		0.031	Tested
b-Myrcene	158		0.759	Tested	Camphene	158		0.027	Tested
trans-b-Ocimene	158		0.669	Tested	Pulegone	158		ND	Tested
b-Caryophyllene	158		0.600	Tested	Geraniol	158		ND	Tested
a-Pinene	158		0.405	Tested	Geranyl Acetate	158		ND	Tested
Linalool	158		0.362	Tested	a-Cedrene	158		ND	Tested
b-Pinene	158		0.269	Tested	Nerol	158		ND	Tested
Guaiol	158		0.240	Tested	DL-Menthol	158		ND	Tested
a-Humulene	158		0.216	Tested	Valencene	158		< LOQ	Tested
a-Phellandrene	158		0.204	Tested	Isoborneol	158		ND	Tested
a-Terpinene	158		0.203	Tested	Camphor	158		ND	Tested
Terpineol	158		0.192	Tested	Isopulegol	158		ND	Tested
g-Terpinene	158		0.156	Tested	Caryophyllene Oxide	158		< LOQ	Tested
d-3-Carene	158		0.143	Tested	Cedrol	158		ND	Tested
Fenchol	158		0.123	Tested	Fenchone	158		ND	Tested
a-Bisabolol	158		0.085	Tested	Sabinene	158		ND	Tested
cis-Nerolidol	158		0.053	Tested	Sabinene Hydrate	158		ND	Tested
trans-Nerolidol	158		0.049	Tested	p-Cymene	158		< LOQ	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Medical Use

4 of 7

GTI

Order No.: ONYGTINY1023-0003133
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1023-CVAP-0010503

Strain: Night Owl Haze, Unit Weight: .5000g
Batch#: 20241019NOH-LLR-0.5, Batch Size: 1100
Sample Received: 10/23/2024 04:51
Report Created: 10/28/2024 15:36
Sampling SOP 204-NY

Night Owl Haze Cartridge (Live Resin) 500mg - Rythm (Sativa Dominant)

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 10/24/2024 14:38

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	40	5,000	< LOQ	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	40	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	200	5,000	< LOQ	Passed
Ethyl Acetate	200	5,000	< LOQ	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO	100	5,000	ND	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	200	5,000	< LOQ	Passed
Methanol	120	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	60	5,000	ND	Passed
Propane	20	5,000	< LOQ	Passed
Toluene	4	890	ND	Passed
Trichloroethane	5,010	1,500	ND	Passed
Xylenes	265	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	20	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 10/26/2024 02:25

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested	Ochratoxin A	4.9	20.0	ND	Passed
B2	4.9		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.9		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.9		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

GTI

Order No.: ONYGTINY1023-0003133
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1023-CVAP-0010503

Strain: Night Owl Haze, Unit Weight: .5000g
Batch#: 20241019NOH-LLR-0.5, Batch Size: 1100
Sample Received: 10/23/2024 04:51
Report Created: 10/28/2024 15:36
Sampling SOP 204-NY

Night Owl Haze Cartridge (Live Resin) 500mg - Rythm (Sativa Dominant)

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 10/25/2024 09:44

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.216	2.000	ND	Passed
Arsenic	0.216	0.200	ND	Passed
Cadmium	0.216	0.200	ND	Passed
Chromium	0.216	110.000	ND	Passed
Copper	0.260	30.000	ND	Passed
Mercury	0.052	0.100	ND	Passed
Nickel	0.260	2.000	ND	Passed
Lead	0.216	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Medical Use

6 of 7

GTI

Order No.: ONYGTINY1023-0003133
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1023-CVAP-0010503

Strain: Night Owl Haze, Unit Weight: .5000g
Batch#: 20241019NOH-LLR-0.5, Batch Size: 1100
Sample Received: 10/23/2024 04:51
Report Created: 10/28/2024 15:36
Sampling SOP 204-NY

Night Owl Haze Cartridge (Live Resin) 500mg - Rythm (Sativa Dominant)

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 10/25/2024 11:08

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Medical Use

7 of 7

GTI

Order No.: ONYGTINY1023-0003133
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1023-CVAP-0010503

Strain: Night Owl Haze, Unit Weight: .5000g
Batch#: 20241019NOH-LLR-0.5, Batch Size: 1100
Sample Received: 10/23/2024 04:51
Report Created: 10/28/2024 15:36
Sampling SOP 204-NY

Night Owl Haze Cartridge (Live Resin) 500mg - Rythm (Sativa Dominant)

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.