

Cherry Valley Growers

2750 Count Rd 31, Cherry Valley, NY
Cherryvalleygrowers@gmail.com
607-437-7643
License #: OCM-AUCC-22-000191

Certificate of Analysis

Final




Date Released: 1/31/2024 2:00:37PM

Report #: 10148

Strawpicana 1g

Sample #: 3659, Weight: 7.00g, Unit Count:
Order #: X240118-0002
Category/Type: Plant, Preroll
Date Collected: 1/18/2024 6:27:04PM
Date Received: 1/18/2024 6:50:03PM
Regulator Sample ID: IBCVDBST0IA1
Regulator Source Package ID: IBCVDBST0IA1
Regulator Batch ID: IBCVDBST0IA1

Size: 3850Units, Unit Count:



| Potency Analysis by HPLC | | Total Cannabinoids: 33.31 % - 333.1 mg/g | | Date Completed: 01/26/2024 2:48PM | |
|---------------------------------|------------|-------------------------------------------------|--------|-----------------------------------|------------------------|
| | | Total THC: 27.37 % - 273.7 mg/g | | | |
| | | Total CBD: 0.09621 % - 0.9621 mg/g | | | |
| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
| THCa | 23978-85-0 | 0.001000 | 30.47 | 304.7 | <div></div> |
| CBGa | 25555-57-1 | 0.001000 | 1.958 | 19.58 | <div></div> |
| d9-THC | 1972-08-3 | 0.001000 | 0.6473 | 6.473 | <div></div> |
| CBG | 25654-31-3 | 0.001000 | 0.1228 | 1.228 | <div></div> |
| CBDa | 1244-58-2 | 0.001000 | 0.1097 | 1.097 | <div></div> |
| d8-THC | 5957-75-5 | 0.001000 | ND | ND | |
| d10-THC | 95543-62-7 | 0.001000 | ND | ND | |
| THCV | 31262-37-0 | 0.001000 | ND | ND | |
| CBD | 13956-29-1 | 0.001000 | ND | ND | |
| CBDV | 24274-48-4 | 0.001000 | ND | ND | |
| CBC | 20675-51-8 | 0.001000 | ND | ND | |
| CBN | 521-35-7 | 0.001000 | ND | ND | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
Amended to update lot size.
Amended to correct potencies to account for dry-weight equivalency. 1/31/24

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

ACCREDITED
CERTIFICATE NUMBER 4405.03

Dr. Kelly Greenland, Lab Director



Cherry Valley Growers

2750 Count Rd 31, Cherry Valley, NY
 Cherryvalleygrowers@gmail.com
 607-437-7643
 License #: OCM-AUCC-22-000191

Certificate of Analysis

Final



Sample #: 3659

Strawpicana 1g

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.
 d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

Terpenes by HS-GC-MS

Date Completed: 01/26/2024 2:37PM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|---------------------|------------|---------|--------|------------------------|
| Farnesene | 502-61-4 | 0.1000 | 0.8106 | <div></div> |
| Beta-caryophyllene | 87-44-5 | 0.1000 | 0.7994 | <div></div> |
| Alpha-humulene | 6753-98-6 | 0.1000 | 0.2510 | <div></div> |
| Valencene | 4630-07-3 | 0.1000 | 0.1962 | <div></div> |
| Terpinolene | 586-62-9 | 0.1000 | 0.1744 | <div></div> |
| Limonene | 5989-27-5 | 0.1000 | 0.1292 | <div></div> |
| Beta-myrcene | 123-35-3 | 0.1000 | ND | |
| Alpha-pinene | 80-56-8 | 0.1000 | ND | |
| Linalool | 78-70-6 | 0.1000 | ND | |
| Beta-pinene | 127-91-3 | 0.1000 | ND | |
| Borneol | 464-43-7 | 0.1000 | ND | |
| Ocimene | 13877-91-3 | 0.1000 | ND | |
| Alpha-bisabolol | 515-69-5 | 0.1000 | ND | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to update lot size.
 Amended to correct potencies to account for dry-weight equivalency. 1/31/24

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director



Cherry Valley Growers

2750 Count Rd 31, Cherry Valley, NY
 Cherryvalleygrowers@gmail.com
 607-437-7643
 License #: OCM-AUCC-22-000191

Certificate of Analysis

Final



Sample #: 3659

Strawpicana 1g

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|--------------------|------------|---------|----|------------------------|
| Terpineol | 8006-39-1 | 0.1000 | ND | |
| Fenchol | 14575-74-7 | 0.1000 | ND | |
| Alpha-phellandrene | 99-83-2 | 0.1000 | ND | |
| Camphor | 464-49-3 | 0.1000 | ND | |
| 3-Carene | 13466-78-9 | 0.1000 | ND | |
| Alpha-cedrene | 469-61-4 | 0.1000 | ND | |
| Cedrol | 77-53-2 | 0.1000 | ND | |
| Eucalyptol | 470-82-6 | 0.1000 | ND | |
| Fenchone | 1195-79-5 | 0.1000 | ND | |
| Gamma-terpinene | 99-85-4 | 0.1000 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1000 | ND | |
| Isopulegol | 89-79-2 | 0.1000 | ND | |
| Menthol | 15356-70-4 | 0.1000 | ND | |
| Nerol | 106-25-2 | 0.1000 | ND | |
| Nerolidol | | 0.1000 | ND | |
| Pulegone | 89-82-7 | 0.1000 | ND | |
| Sabinene | 3387-41-5 | 0.1000 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1000 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

| Foreign Matter by Microscopy | | | Pass | | Analysis Date: 01/26/2024 2:37 pm |
|------------------------------|---------|------------|------------|--------|-----------------------------------|
| Compound | LOQ (%) | Limits (%) | Result (%) | Status | |
| % Foreign Matter | 0.00100 | 2.0 | ND | Pass | |
| Mammalian Exreta | 0.00100 | 0.03 | ND | Pass | |
| Stems | 0.00100 | 5.0 | ND | Pass | |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to update lot size.
 Amended to correct potencies to account for dry-weight equivalency. 1/31/24

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Cherry Valley Growers
 2750 Count Rd 31, Cherry Valley, NY
 Cherryvalleygrowers@gmail.com
 607-437-7643
 License #: OCM-AUCC-22-000191

Certificate of Analysis

Final



Sample #: 3659 **Strawpicana 1g**

| Moisture LWG | | Pass | | Analysis Date: 01/26/2024 2:37 pm | |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------|------------|------------|-----------------------------------|--|
| Compound | LOQ (%) | Limits (%) | Result (%) | Status | |
| Moisture | 1.2 | 5 - 15 | 14.9 | Pass | |
| Comment: | Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed. | | | | |

| Water Activity | | Pass | | Analysis Date: 01/26/2024 2:37 pm | |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|-----------------------------------|--|
| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status | |
| Water Activity | 0.05 | 0.65 | 0.54 | Pass | |
| Comment: | Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed. | | | | |


| Pesticides by LCMSMS | | Pass | | Analysis Date: 01/26/2024 2:37 pm | |
|----------------------|------------|---------------|---------------|-----------------------------------|--|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status | |
| Abamectin | 0.0100 | 0.500 | ND | Pass | |
| Acephate | 0.0100 | 0.400 | ND | Pass | |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass | |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass | |
| Aldicarb | 0.0100 | 0.400 | ND | Pass | |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass | |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass | |
| Bifenazate | 0.0100 | 0.200 | ND | Pass | |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass | |
| Boscalid | 0.0100 | 0.400 | ND | Pass | |
| Captan | 0.0100 | 1.00 | ND | Pass | |
| Carbaryl | 0.0100 | 0.200 | ND | Pass | |
| Carbofuran | 0.0100 | 0.200 | ND | Pass | |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass | |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to update lot size.
 Amended to correct potencies to account for dry-weight equivalency. 1/31/24

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.




Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007



Dr. Kelly Greenland, Lab Director



Cherry Valley Growers
 2750 Count Rd 31, Cherry Valley, NY
 Cherryvalleygrowers@gmail.com
 607-437-7643
 License #: OCM-AUCC-22-000191

Certificate of Analysis

Final



Sample #: 3659 **Strawpicana 1g**

| Pesticides by LCMSMS | | Pass | | Analysis Date: 01/26/2024 2:37 pm | |
|----------------------|------------|---------------|---------------|-----------------------------------|--|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status | |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass | |
| Chlormequat Chloride | 0.0100 | 1.00 | ND | Pass | |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass | |
| Clofentezine | 0.0100 | 0.200 | ND | Pass | |
| Coumaphos | 0.0100 | 1.00 | ND | Pass | |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass | |
| Cypermethrin | 0.0100 | 1.00 | ND | Pass | |
| Daminozide | 0.0100 | 1.00 | ND | Pass | |
| Diazinon | 0.0100 | 0.200 | ND | Pass | |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass | |
| Dimethoate | 0.0100 | 0.200 | ND | Pass | |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass | |
| Ethoprophos | 0.0100 | 0.200 | ND | Pass | |
| Etofenprox | 0.0100 | 0.400 | ND | Pass | |
| Etoxazole | 0.0100 | 0.200 | ND | Pass | |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass | |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass | |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass | |
| Fipronil | 0.0100 | 0.400 | ND | Pass | |
| Flonicamid | 0.0100 | 1.00 | ND | Pass | |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass | |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass | |
| Imazalil | 0.0100 | 0.200 | ND | Pass | |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass | |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to update lot size.
 Amended to correct potencies to account for dry-weight equivalency. 1/31/24

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.




Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007



Dr. Kelly Greenland, Lab Director



LABWARE GROW
 CULTIVATING COMPLIANCE™

Cherry Valley Growers
 2750 Count Rd 31, Cherry Valley, NY
 Cherryvalleygrowers@gmail.com
 607-437-7643
 License #: OCM-AUCC-22-000191

Certificate of Analysis

Final



Sample #: 3659

Strawpicana 1g


| Pesticides by LCMSMS | | Pass | | Analysis Date: 01/26/2024 2:37 pm | |
|-------------------------|------------|---------------|---------------|-----------------------------------|--|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status | |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass | |
| Malathion | 0.0100 | 0.200 | ND | Pass | |
| Metalaxyl | 0.0100 | 0.200 | ND | Pass | |
| Methiocarb | 0.0100 | 0.200 | ND | Pass | |
| Methomyl | 0.0100 | 0.400 | ND | Pass | |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass | |
| Mevinphos | 0.0100 | 1.00 | ND | Pass | |
| MGK-264 | 0.0100 | 0.200 | ND | Pass | |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass | |
| Naled | 0.0100 | 0.500 | ND | Pass | |
| Oxamyl | 0.0100 | 1.00 | ND | Pass | |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass | |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass | |
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass | |
| Phosmet | 0.0100 | 0.200 | ND | Pass | |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass | |
| Prallethrin | 0.0100 | 0.200 | ND | Pass | |
| Propiconazole | 0.0100 | 0.400 | ND | Pass | |
| Propoxur | 0.0100 | 0.200 | ND | Pass | |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass | |
| Pyridaben | 0.0100 | 0.200 | ND | Pass | |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass | |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass | |
| Spiromesifen | 0.0100 | 0.200 | ND | Pass | |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to update lot size.
 Amended to correct potencies to account for dry-weight equivalency. 1/31/24

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.




Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007


 Dr. Kelly Greenland, Lab Director



Cherry Valley Growers
 2750 Count Rd 31, Cherry Valley, NY
 Cherryvalleygrowers@gmail.com
 607-437-7643
 License #: OCM-AUCC-22-000191

Certificate of Analysis

Final



Sample #: 3659 **Strawpicana 1g**

| Pesticides by LCMSMS | | Pass | | Analysis Date: 01/26/2024 2:37 pm | |
|----------------------|------------|---------------|---------------|-----------------------------------|--|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status | |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass | |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass | |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass | |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass | |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass | |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

| Mycotoxins by LCMSMS | | Pass | | Analysis Date: 01/26/2024 2:37 pm | |
|----------------------|------------|---------------|---------------|-----------------------------------|--|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status | |
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass | |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass | |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass | |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass | |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass | |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass | |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

| Heavy Metals by ICPMS | | Pass | | Analysis Date: 01/26/2024 2:37 pm | |
|-----------------------|------------|---------------|---------------|-----------------------------------|--|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status | |
| Antimony | 0.0100 | 2.00 | 0.0792 | Pass | |
| Arsenic | 0.00100 | 0.200 | 0.0176 | Pass | |
| Cadmium | 0.00150 | 0.300 | 0.156 | Pass | |
| Chromium | 0.280 | 110 | 1.71 | Pass | |
| Copper | 0.0750 | 30.0 | 15.1 | Pass | |
| Lead | 0.00250 | 0.500 | 0.250 | Pass | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to update lot size.
 Amended to correct potencies to account for dry-weight equivalency. 1/31/24

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.




Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland
 Dr. Kelly Greenland, Lab Director



Cherry Valley Growers
2750 Count Rd 31, Cherry Valley, NY
Cherryvalleygrowers@gmail.com
607-437-7643
License #: OCM-AUCC-22-000191

Certificate of Analysis

Final



Sample #: 3659 Strawpicana 1g

| Heavy Metals by ICPMS | | Pass | | Analysis Date: 01/26/2024 2:37 pm |
|-----------------------------------------------------------------------------------------------------------|------------|---------------|---------------|-----------------------------------|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
| Mercury | 0.000500 | 0.100 | 0.00548 | Pass |
| Nickel | 0.0100 | 5.00 | 0.762 | Pass |
| Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed. | | | | |

| Micro by Petri & qPCR | | Pass | | Analysis Date: 01/24/2024 9:44 am |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------|----------------|-----------------------------------|
| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
| Aspergillus flavus Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 1 | 0 | Not Detected | Pass |
| Salmonella Qualitative | 1 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 1 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | | 12000 | Pass |
| Total Yeast & Mold | 10 | | 1000 | Pass |
| Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". | | | | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
Amended to update lot size.
Amended to correct potencies to account for dry-weight equivalency. 1/31/24

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director