



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50110004-016



**Production Method:** CO2 Harvest/  
**Lot ID:** LR-ICC2G01-008  
**Batch#:** LR-ICC2G01-008  
**Sample Size Received:** 3 units  
**Total Amount:** 1000 units  
**Retail Product Size:** 2 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 2  
**Sampled:** 01/10/25 12:45 PM  
**Sampling Start:** 12:45 PM  
**Sampling End:** 01:55 PM  
**Sampling Method:** SOP.T.20.010.NY

Northeast Extracts- Eureka Vapor

License # : OCM-AUCP-22-000027

26 Powell Lane  
Penn Yan, NY, 14527, US

**PASSED**

Pages 1 of 2

### SAFETY RESULTS

  
Pesticides  
**PASSED**

  
Heavy Metals  
**PASSED**

  
Microbials  
**PASSED**

  
Mycotoxins  
**PASSED**

  
Residuals  
Solvents  
**PASSED**

  
Filth  
NOT TESTED

  
Water Activity  
NOT TESTED

  
Moisture  
NOT TESTED

### MISC.

  
Terpenes  
**PASSED**

Bulk Oil for batch LR-ICC1G01-008 was tested under AL501100004-015 for all analyses except heavy metals. Results are attached below.



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

ICE CREAM CAKE  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License # : OCM-AUCP-22-000027

Sample : AL50110004-016  
Harvest/Lot ID: LR-ICC2G01-008  
Batch# : LR-ICC2G01-008 Sample Size Received : 3 units  
Sampled : 01/10/25 12:45 PM Total Amount : 1000 units  
Sampling Method : SOP.T.20.010.NY

Page 2 of 2

Hg		Heavy Metals		PASSED		
Metal	LOQ	Units	Result	Pass / Fail	Action Level	
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2	
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2	
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2	
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110	
COPPER	1.0000	ug/g	<1.0000	PASS	30	
LEAD	0.1000	ug/g	<0.1000	PASS	0.5	
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1	
NICKEL	0.1000	ug/g	<0.1000	PASS	2	
Weight: 0.4533g						
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY						
Analyzed Date : 01/17/25 14:34:03						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
01/17/25



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50110004-015



**Production Method:** CO2  
**Harvest/Lot ID:** EUV-LR-ICC1G01-008  
**Batch#:** EUV-LR-ICC1G01-008  
**Sample Size Received:** 10 gram  
**Total Amount:** 1000 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Sampled:** 01/10/25 12:45 PM  
**Sampling Start:** 12:45 PM  
**Sampling End:** 01:55 PM  
**Sampling Method:** SOP.T.20.010.NY

Northeast Extracts- Eureka Vapor

License # : OCM-AUCP-22-000027

26 Powell Lane  
Penn Yan, NY, 14527, US

**PASSED**

Pages 1 of 5

### SAFETY RESULTS

  
Pesticides  
**PASSED**

  
Heavy Metals  
**PASSED**

  
Microbials  
**PASSED**

  
Mycotoxins  
**PASSED**

  
Residuals  
Solvents  
**PASSED**


  
Filtration  
**NOT TESTED**

  
Water Activity  
**NOT TESTED**


  
Moisture  
**NOT TESTED**

**MISC.**  
  
Terpenes  
**PASSED**

### Cannabinoid **PASSED**

 **Total THC**  
**83.4471%**  
Total THC/Container : 834.4710 mg

 **Total CBD**  
**0.2418%**  
Total CBD/Container : 2.4180 mg

 **Total Cannabinoids**  
**89.0351%**  
Total Cannabinoids/Container : 890.3510 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	<0.1000	1.5846	0.2418	<0.1000	<0.1000	2.2431	<0.1000	<0.1000	0.6931	83.0230	0.4836	0.7659
mg/unit	<1.000	<1.000	15.846	2.418	<1.000	<1.000	22.431	<1.000	<1.000	6.931	830.230	4.836	7.659
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:  
0.1879g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 01/14/25 07:46:34

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
01/17/25



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License #: OCM-AUCP-22-000027

Sample : AL50110004-015  
Harvest/Lot ID: EUV-LR-ICC1G01-008  
Batch#: EUV-LR-ICC1G01-008 Sample Size Received : 10 gram  
Sampled : 01/10/25 12:45 PM Total Amount : 1000 units  
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



## Terpenes

**PASSED**

Terpenes	LOQ (%)	mg/unit	%	Result (%)	Terpenes	LOQ (%)	mg/unit	%	Result (%)
TERPINOLENE	0.04	9.900	0.9900		Weight:				
BETA-CARYOPHYLLENE	0.04	7.900	0.7900		1.1451g				
BETA-MYRCENE	0.10	6.300	0.6300		Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY				
ALPHA-BISABOLOL	0.04	4.500	0.4500		Analyzed Date : 01/17/25 09:43:42				
ALPHA-HUMULENE	0.04	3.000	0.3000						
LIMONENE	0.10	2.600	0.2600						
GUAIOL	0.04	2.100	0.2100						
LINALOOL	0.10	1.300	0.1300						
OCIMENE	0.10	1.300	0.1300						
ALPHA-PINENE	0.10	1.000	0.1000						
ALPHA TERPINEOL	0.04	0.400	0.0400						
FENCHYL ALCOHOL	0.04	0.400	0.0400						
CAMPHENE	0.10	<1.000	<0.1000						
CARYOPHYLLENE OXIDE	0.04	<0.400	<0.0400						
FARNESENE	0.10	<1.000	<0.1000						
GERANIOL	0.04	<0.400	<0.0400						
VALENCENE	0.10	<1.000	<0.1000						
ALPHA-PHELLANDRENE	0.10	<1.000	<0.1000						
ALPHA-TERPINENE	0.10	<1.000	<0.1000						
BETA-PINENE	0.10	<1.000	<0.1000						
MENTHOL	0.10	<1.000	<0.1000						
<b>Total (%)</b>			<b>4.0700</b>						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
01/17/25



# Certificate of Analysis

**PASSED**


Northeast Extracts- Eureka Vapor

Sample : AL50110004-015  
Harvest/Lot ID: EUV-LR-ICC1G01-008

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License # : OCM-AUCP-22-000027

Batch # : EUV-LR-ICC1G01-008 Sample Size Received : 10 gram  
Sampled : 01/10/25 12:45 PM Total Amount : 1000 units  
Sampling Method : SOP.T.20.010.NY

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTHIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPICONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	SPIROXAMINE	0.1000	ppm	0.2	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	TEBUCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
CHLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000	Weight:					
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000	0.4996g					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000	Analized Date :01/15/25 13:17:07					
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000	Weight:					
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000	0.4996g					
FENYOXCARB	0.1000	ppm	0.2	PASS	<0.1000	Analysis Method : SOP.T.40.154.NY					
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000	Analized Date :01/15/25 15:27:14					
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000						
FLONICAMID	0.1000	ppm	1	PASS	<0.1000						
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000						
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000						
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000						
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000						
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000						
NALED	0.1000	ppm	0.5	PASS	<0.1000						
OXAMYL	0.1000	ppm	1	PASS	<0.1000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
01/17/25



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor


Sample : AL50110004-015

Harvest/Lot ID: EUV-LR-ICC1G01-008

 26 Powell Lane  
 Penn Yan, NY, 14527, US  
 Telephone: (914) 960-3524  
 Email: RL@eurekavapor.com  
 License # : OCM-AUCP-22-000027

 Batch# : EUV-LR-ICC1G01-008 Sample Size Received : 10 gram  
 Sampled : 01/10/25 12:45 PM Total Amount : 1000 units  
 Sampling Method : SOP.T.20.010.NY

Page 4 of 5

	<b>Residual Solvents</b>					<b>PASSED</b>
Solvents	LOQ	Units	Action Level	Pass/Fail	Result	
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0	
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0	
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0	
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0	
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0	
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0	
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0	
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3	
PROPANE	750.0	ppm	5000	PASS	<750.0	
METHANOL	125.0	ppm	3000	PASS	<125.0	
ETHANOL	125.0	ppm	5000	PASS	<125.0	
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0	
ACETONE	125.0	ppm	5000	PASS	<125.0	
2-PROPANOL	125.0	ppm	5000	PASS	<125.0	
ACETONITRILE	125.0	ppm	410	PASS	<125.0	
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0	
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0	
BENZENE	1.3	ppm	2	PASS	<1.3	
N-HEPTANE	125.0	ppm	5000	PASS	<125.0	
TOLUENE	125.0	ppm	890	PASS	<125.0	
CHLOROFORM	1.3	ppm	60	PASS	<1.3	

Weight: 0.0278g

Analysis Method : SOP.T.40.044.NY  
 Analyzed Date : 01/14/25 14:18:26



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

Sample : AL50110004-015

Harvest/Lot ID: EUV-LR-ICC1G01-008



Batch# : EUV-LR-ICC1G01-008 Sample Size Received : 10 gram

Sampled : 01/10/25 12:45 PM Total Amount : 1000 units

Sampling Method : SOP.T.20.010.NY

 26 Powell Lane  
 Penn Yan, NY, 14527, US  
 Telephone: (914) 960-3524  
 Email: RL@eurekavapor.com  
 License # : OCM-AUCP-22-000027

Page 5 of 5

 <b>Microbial</b> <span style="float: right;"><b>PASSED</b></span>						 <b>Mycotoxins</b> <span style="float: right;"><b>PASSED</b></span>					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0025	ppm	<0.0025	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0025	ppm	<0.0025	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN B2	0.0025	ppm	<0.0025	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B1	0.0025	ppm	<0.0025	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0025	ppm	<0.0025	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS		Weight:					
						0.4996g					
						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
						Analyzed Date : 01/15/25 15:36:21					
Weight:											
0.97g											
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY											
Analyzed Date : 01/13/25 09:31:09											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

 NY Permit # OCM-CPL-2022-00006  
 ISO 17025 Accreditation # 97164



 Signature  
 01/17/25