

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	12/27/2024	Sample ID:	20241219-EMNY-005
Client Name:	Empire Standard LLC	Sample Name:	UB35-0125-001-1
Sampling Location:	Binghamton, New York	Sample Matrix:	Flower
Contact Name:	Empire Standard LLC	Sample Sub Type:	Flower
Contact Email:	info@empirestandardny.com	Package ID:	UB35-0125-001-1
License Number:	OCM-PROC-24-000202	Batch Lot ID:	UB35-0125-001-1
Medical/Adult Use:	Adult Use	Batch Size:	3860
Sampling Date:	12/19/2024 11:30:00 AM	Serving Size (g):	3.5

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	-	Terpenes	P
		Moisture	P	Filth & Foreign Material	P		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: UB35-0125-001-1 (20241219-EMNY-005)

Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.250
CBDA	< MRL	< MRL	0.250
CBGA	0.293	10.240	0.250
CBG	< MRL	< MRL	0.250
CBD	< MRL	< MRL	0.250
THCV	< MRL	< MRL	0.250
CBN	< MRL	< MRL	0.250
D9-THC	1.670	58.433	0.250
D8-THC	< MRL	< MRL	0.250
D10-THC-S	< MRL	< MRL	0.250
D10-THC-R	< MRL	< MRL	0.250
CBC	< MRL	< MRL	0.250
THCA	32.271	1129.484	0.250

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)
Reported on a dry-weight basis based on the calculation:
(wet sample % x 100)/(100 - %MC)

Test ID: #88570 | Date Tested: 12/24/2024 05:46 PM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	29.971	1048.991
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	34.234	1198.157



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: UB35-0125-001-1 (20241219-EMNY-005)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.05
Camphene	< MRL	0.05
Sabinene	< MRL	0.05
beta-Pinene	< MRL	0.05
beta-Myrcene	< MRL	0.05
Alpha-phellandrene	< MRL	0.05
Carene	< MRL	0.05
alpha-terpinene	< MRL	0.05
p-Cymene	< MRL	0.05
Limonene	0.23	0.05
Eucalyptol	< MRL	0.05
Ocimene	< MRL	0.04
gamma-Terpinene	< MRL	0.05
Sabinene Hydrate	< MRL	0.05
Terpinolene	< MRL	0.05
Linalool	0.08	0.05
Fenchol	< MRL	0.05
Menthol	< MRL	0.05
Terpineol	< MRL	0.05
Citronellol	< MRL	0.05
Isopulegol	< MRL	0.05
Geraniol	< MRL	0.05
Alpha-cedrene	0.08	0.04
Beta-Caryophyllene	0.38	0.05
Farnesene	< MRL	0.05
alpha-Humulene	0.17	0.05
Valencene	< MRL	0.05
cis-Nerolidol	< MRL	0.02
trans-Nerolidol	< MRL	0.03
Caryophyllene oxide	< MRL	0.05
Guaiol	< MRL	0.05
alpha-Bisabolol	< MRL	0.05

MRL = Minimum reporting limit/limit of quantification

Test ID: #88577 | Date Tested: 12/26/2024 11:03 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	0.94	10	PASS



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: UB35-0125-001-1 (20241219-EMNY-005)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.005
Acephate	PASS	< MRL	0.40	0.005
Acequinocyl	PASS	< MRL	2.00	0.005
Acetamiprid	PASS	< MRL	0.20	0.005
Aldicarb	PASS	< MRL	0.40	0.005
Azadirachtin	PASS	< MRL	1.00	0.013
Azoxystrobin	PASS	< MRL	0.20	0.005
Bifenazate	PASS	< MRL	0.20	0.005
Bifenthrin	PASS	< MRL	0.20	0.005
Boscalid	PASS	< MRL	0.40	0.005
Captan	PASS	< MRL	1.00	0.025
Carbaryl	PASS	< MRL	0.20	0.005
Carbofuran	PASS	< MRL	0.20	0.005
Chlorantranilprole	PASS	< MRL	0.20	0.005
Chlordane	PASS	< MRL	1.00	0.013
Chlorfenapyr	PASS	< MRL	1.00	0.003
Chlormequat chloride	PASS	< MRL	1.00	0.005
Chlorpyrifos	PASS	< MRL	0.20	0.005
Clofentezine	PASS	< MRL	0.20	0.005
Coumaphos	PASS	< MRL	1.00	0.005
Cyfluthrin	PASS	< MRL	1.00	0.005
Cypermethrin	PASS	< MRL	1.00	0.005
Daminozide	PASS	< MRL	1.00	0.005
Diazinon	PASS	< MRL	0.20	0.005
Dichlorvos	PASS	< MRL	1.00	0.005
Dimethoate	PASS	< MRL	0.20	0.005
Dimethomorph	PASS	< MRL	1.00	0.005
Ethoprophos	PASS	< MRL	0.20	0.005
Etofenprox	PASS	< MRL	0.40	0.005
Etiozazole	PASS	< MRL	0.20	0.005
Fenhexamid	PASS	< MRL	1.00	0.005
Fenoxycarb	PASS	< MRL	0.20	0.005
Fenpyroximate	PASS	< MRL	0.40	0.005
Fipronil	PASS	< MRL	0.40	0.005
Flonicamid	PASS	< MRL	1.00	0.005
Fludioxonil	PASS	< MRL	0.40	0.005
Hexythiazox	PASS	< MRL	1.00	0.005
Imazalil	PASS	< MRL	0.20	0.005
Imidacloprid	PASS	< MRL	0.40	0.005
Indole-3-butyric acid	PASS	< MRL	1.00	0.013
Kresoxim-methyl	PASS	< MRL	0.40	0.005
Malathion	PASS	< MRL	0.20	0.005
Metalaxyl	PASS	< MRL	0.20	0.005
Methiocarb	PASS	< MRL	0.20	0.005
Methomyl	PASS	< MRL	0.40	0.005
Methyl Parathion	PASS	< MRL	0.20	0.003
Mevinphos	PASS	< MRL	1.00	0.005
MGK-264 I/II	PASS	< MRL	0.20	0.005
Myclobutanil	PASS	< MRL	0.20	0.005
Naled	PASS	< MRL	0.50	0.005
Oxamyl	PASS	< MRL	1.00	0.005
Paclobutrazol	PASS	< MRL	0.40	0.005
Pentachloronitrobenzene	PASS	< MRL	1.00	0.013
Permethrins, total	PASS	< MRL	0.20	0.005
Phosmet	PASS	< MRL	0.20	0.005
Piperonyl butoxide	PASS	< MRL	2.00	0.005
Prallethrin	PASS	< MRL	0.20	0.005
Propiconazole	PASS	< MRL	0.40	0.005
Propoxur	PASS	< MRL	0.20	0.005
Pyrethrins	PASS	< MRL	1.00	0.005
Pyridaben	PASS	< MRL	0.20	0.005
Spinetoram, Total	PASS	< MRL	1.00	0.005
Spinosad, Total	PASS	< MRL	0.20	0.005
Spiromesifen	PASS	< MRL	0.20	0.005
Spirotetramat	PASS	< MRL	0.20	0.005
Spiroxamine	PASS	< MRL	0.20	0.005
Tebuconazole	PASS	< MRL	0.40	0.005
Thiacloprid	PASS	< MRL	0.20	0.005
Thiamethoxam	PASS	< MRL	0.20	0.005
Trifloxystrobin	PASS	< MRL	0.20	0.005

MRL = Minimum reporting limit/limit of quantification

Test ID: #88576 | Date Tested: 12/26/2024 11:03 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: UB35-0125-001-1 (20241219-EMNY-005)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.02	0.010	
Total Aflatoxins	PASS	< MRL	0.02	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #88575 Date Tested: 12/26/2024 11:03 AM		

Heavy Metals: UB35-0125-001-1 (20241219-EMNY-005)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110.0	8.00	
Nickel	PASS	< MRL	5.0	1.00	
Copper	PASS	< MRL	30.0	8.00	
Arsenic	PASS	< MRL	0.2	0.10	
Cadmium	PASS	< MRL	0.2	0.10	
Antimony	PASS	< MRL	2.0	1.00	
Mercury	PASS	< MRL	0.1	0.05	
Lead	PASS	< MRL	0.5	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #88572 Date Tested: 12/24/2024 08:22 AM		

Microbiological Screen: UB35-0125-001-1 (20241219-EMNY-005)					PASS
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	1727	None	100	
Total Yeast & Mold	PASS	48000	None	100	
Salmonella spp	PASS	Absent	Absent	1	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1	
MRL = Minimum reporting limit/limit of quantification			Test ID: #88573 Date Tested: 12/23/2024 08:13 AM		

Moisture Content: UB35-0125-001-1 (20241219-EMNY-005)					PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)					
Analyte	Pass/Fail	Result (%)	Limit (%)		
Moisture	PASS	6.1	15		
MRL = Minimum reporting limit/limit of quantification			Test ID: #88574 Date Tested: 12/23/2024 08:02 AM		

Water Activity: UB35-0125-001-1 (20241219-EMNY-005)					PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)					
Analyte	Pass/Fail	Result (a _w)	Limit (a _w)		
Water Activity	PASS	0.33	0.65		
MRL = Minimum reporting limit/limit of quantification			Test ID: #88578 Date Tested: 12/23/2024 08:02 AM		



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Filth and Foreign Material: UB35-0125-001-1 (20241219-EMNY-005)

PASS

Filth and Foreign Material analysis utilizing microscopy (SOP-057-NY)

Analyte	Results	Limit	Pass/Fail
Foreign Material (other, % m/m)	ND	2	PASS
Foreign Material (stems, % m/m)	ND	5	PASS
Mammalian Excreta (mg/lb)	ND	1	PASS

ND = Not Detected

Test ID: #88571 | Date Tested: 12/23/2024 08:11 AM



Matthew Elmes
Lab Director
12/27/2024

