

Certificate of Analysis

Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

King Louis XIII

Concentrates & Extracts, Vape

Sample: 2411RLI0374-1288

Strain: King Louis XIII

Batch#: KLX-001-DISP1; Batch Size: 10000 units

Sample Received: 11/12/2024; Report Created: 11/22/2024;

Sampling

Sample Collection Date/Time: 11/12/24 10:00
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:


Safety

| | | |
|---------------------------|---------------------------|-------------------------------------|
| Pass Pesticides | Pass Microbials | Pass Mycotoxins |
| Pass Solvents | Pass Metals | Not Tested Foreign Matter |

Cannabinoids

| | | |
|----------------------------|------------------------|-----------------------|
| 89.53% Total THC | ND Total CBD | NT Moisture |
|----------------------------|------------------------|-----------------------|

| Analyte | LOQ | Result | Result |
|---------------------------|------|--------------|---------------|
| | mg/g | % | mg/g |
| CBDVa | 0.2 | ND | ND |
| CBDV | 0.2 | ND | ND |
| CBDa | 0.2 | ND | ND |
| CBGa | 0.2 | ND | ND |
| CBG | 0.2 | 1.82 | 18.2 |
| CBD | 0.2 | ND | ND |
| THCV | 0.2 | ND | ND |
| THCVa | 0.2 | ND | ND |
| CBN | 0.2 | 2.69 | 26.9 |
| Δ9-THC | 0.2 | 89.53 | 895.3 |
| Δ8-THC | 0.2 | ND | ND |
| (6aR,9R)-d10-THC | 0.2 | ND | ND |
| (6aR,9S)-d10-THC | 0.2 | ND | ND |
| CBC | 0.2 | 1.21 | 12.1 |
| THCa | 0.2 | ND | ND |
| CBCa | 0.2 | ND | ND |
| Total Cannabinoids | | 95.25 | 952.45 |

Entered By: VJ, Instrument ID: AL2-004

Method: MTHD-001, Date Tested: 11/14/2024 13:40

Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Anshu Shrestha
Laboratory Director



Violet Josik
Quality Assurance Lead

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
2 of 7

Moby & Zeke, LLC

Contact Person: Nicholas Pistoletti
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

King Louis XIII

Concentrates & Extracts, Vape

Sample: 2411RLI0374-1288

Strain: King Louis XIII

Batch#: KLX-001-DISP1; Batch Size: 10000 units

Sample Received: 11/12/2024; Report Created: 11/22/2024;

Sampling

Sample Collection Date/Time: 11/12/24 10:00
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Residual Solvents

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------------------------|-------|--------|--------|--------|
| | PPM | PPM | PPM | |
| 1,2-Dichloro-Ethane | 3.9 | 5.0 | ND | Pass |
| 2,2-Dimethyl-Butane | 31.3 | | ND | Tested |
| 2,3-Dimethyl-Butane | 31.3 | | ND | Tested |
| 2-Methyl-Pentane | 31.3 | | ND | Tested |
| 3-Methyl-Pentane | 31.3 | | ND | Tested |
| Acetone | 156.3 | 5000.0 | ND | Pass |
| Acetonitrile | 156.3 | 410.0 | ND | Pass |
| Benzene | 1.6 | 2.0 | ND | Pass |
| Chloroform | 1.6 | 60.0 | ND | Pass |
| Dichloromethane | 156.3 | 600.0 | ND | Pass |
| Dimethyl Sulfoxide | 156.3 | 5000.0 | ND | Pass |
| Ethanol | 156.3 | 5000.0 | ND | Pass |
| Ethyl-Acetate | 156.3 | 5000.0 | ND | Pass |
| Ethyl-Ether | 156.3 | 5000.0 | ND | Pass |
| Heptane | 156.3 | 5000.0 | ND | Pass |
| Isobutane | 78.1 | | ND | Tested |
| 2-Methyl-Butane | 52.1 | | ND | Tested |
| Isopropanol | 156.3 | 5000.0 | 1559.9 | Pass |
| m+p Xylene | 78.1 | 2170.0 | ND | Pass |
| Methanol | 156.3 | 3000.0 | ND | Pass |
| n-Butane | 78.1 | | ND | Tested |
| Neopentane | 52.1 | | ND | Tested |
| n-Hexane | 31.3 | | ND | Tested |
| n-Pentane | 52.1 | | ND | Tested |
| o-Xylene | 39.1 | | ND | Tested |
| Propane | 156.3 | 5000.0 | ND | Pass |
| Toluene | 156.3 | 890.0 | ND | Pass |
| Trichloroethane | 78.1 | 1500.0 | ND | Pass |
| 1,1,1,2-Tetrafluoro-Ethane | 156.3 | 1000.0 | ND | Pass |
| Butanes | | 5000.0 | ND | Pass |
| Hexanes | | 290.0 | ND | Pass |
| Pentanes | | 5000.0 | ND | Pass |
| Xylenes | | 2170.0 | ND | Pass |

Entered By: CB, Instrument ID: AL1-001

Method: MTHD-007, Date Tested: 11/15/2024 4:19

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | 10000 | 10 | Pass |
| Yeast & Mold | 10 | 1000 | ND | Pass |

Entered By: MN, Aria Instrument ID: M-001; 3M Instrument ID: M-012

Aerobic Date Tested: 11/13/2024 13:25

YM Date Tested: 11/15/2024 13:40 Sal/STEC/Asp Date Tested: 11/14/2024 10:33

Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|-----------|--------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 1100.0000 | ND | Pass |
| Nickel | 0.5000 | 5.0000 | <LOQ | Pass |
| Copper | 1.0000 | 30.0000 | <LOQ | Pass |
| Arsenic | 0.1000 | 0.2000 | ND | Pass |
| Cadmium | 0.1000 | 0.2000 | ND | Pass |
| Antimony | 0.5000 | 2.0000 | ND | Pass |
| Mercury | 0.0500 | 0.1000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | ND | Pass |

Entered By: MN, Instrument ID: AL2-001

Method: MTHD-006 Date Tested: 11/14/2024 11:22

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

| Analyte | LOQ | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| Aflatoxin B1 | 0.010 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.010 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.010 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.010 | 0.020 | ND | Pass |
| Ochratoxin A | 0.010 | 0.020 | ND | Pass |
| Total Aflatoxins | | 0.020 | ND | Pass |

Entered By: AS, Instrument ID: AL1-003

Method: MTHD-009 Date Tested: 11/15/2024 17:06

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Laboratory Director

Violet Josik

Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

King Louis XIII

Concentrates & Extracts, Vape

Sample: 2411RLI0374-1288

Strain: King Louis XIII

Batch#: KLX-001-DISP1; Batch Size: 10000 units

Sample Received: 11/12/2024; Report Created: 11/22/2024;

Sampling

Sample Collection Date/Time: 11/12/24 10:00
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Terpenes

Pass

Primary Aromas

| Analyte | LOQ | Result | Result |
|---------------------|--------|--------|--------|
| | % | % | mg/g |
| Limonene | 0.0065 | 1.2 | 12.3 |
| β-Caryophyllene | 0.0065 | 0.99 | 9.87 |
| β-Myrcene | 0.0065 | 0.68 | 6.77 |
| β-Pinene | 0.0065 | 0.25 | 2.48 |
| α-Bisabolol | 0.0065 | 0.17 | 1.75 |
| Linalool | 0.0065 | 0.14 | 1.45 |
| α-Pinene | 0.0065 | 0.12 | 1.17 |
| Caryophyllene Oxide | 0.0065 | 0.07 | 0.73 |
| α-Humulene | 0.0065 | 0.06 | 0.60 |
| Ocimene | 0.0065 | 0.05 | 0.47 |
| Camphene | 0.0065 | 0.03 | 0.31 |
| Terpinolene | 0.0065 | 0.02 | 0.16 |
| Valencene | 0.0021 | 0.01 | 0.12 |
| α-Phellandrene | 0.0052 | ND | ND |
| α-Terpinene | 0.0065 | ND | ND |
| Farnesene | 0.0021 | ND | ND |
| Fenchol | 0.0104 | ND | ND |
| Geraniol | 0.0065 | ND | ND |
| Guaiol | 0.0065 | ND | ND |
| Terpineol | 0.0052 | ND | ND |



Orange



Cinnamon



Hops



Pine



Chamomile

3.8229%

Total Terpenes

Entered By: CB, Instrument ID: AL1-001
Method: MTHD-005, Date Tested: 11/19/2024 8:58

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

King Louis XIII

Concentrates & Extracts, Vape

Sample: 2411RLI0374-1288

Strain: King Louis XIII

Batch#: KLX-001-DISP1; Batch Size: 10000 units

Sample Received: 11/12/2024; Report Created: 11/22/2024;

Sampling

Sample Collection Date/Time: 11/12/24 10:00
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.10 | 0.50 | ND | Pass |
| Acephate | 0.10 | 0.40 | ND | Pass |
| Acequinocyl | 0.10 | 2.00 | ND | Pass |
| Acetamiprid | 0.10 | 0.20 | ND | Pass |
| Aldicarb | 0.10 | 0.40 | ND | Pass |
| Avermectin-B1a | | | ND | Tested |
| Avermectin-B1b | | | 0.00 | Tested |
| Azadirachtin | 0.50 | 1.00 | ND | Pass |
| Azoxystrobin | 0.10 | 0.20 | ND | Pass |
| Bifenazate | 0.10 | 0.20 | ND | Pass |
| Bifenthrin | 0.10 | 0.20 | ND | Pass |
| Boscalid | 0.10 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.10 | 0.20 | ND | Pass |
| Carbofuran | 0.10 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.10 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.50 | 1.00 | ND | Pass |
| Chlormequat chloride | 0.10 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.10 | 0.20 | ND | Pass |
| Cinerin 1 | | | 0.04 | Tested |
| Clofentezine | 0.10 | 0.20 | ND | Pass |
| Coumaphos | 0.10 | 1.00 | ND | Pass |
| Cyfluthrin | 0.10 | 1.00 | ND | Pass |
| Cypermethrin | 0.10 | 1.00 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 11/14/2024 16:33

LC Method: MTHD-009 LC Date Tested: 11/15/2024 17:06

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 7

Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

King Louis XIII

Concentrates & Extracts, Vape

Sample: 2411RLI0374-1288

Strain: King Louis XIII

Batch#: KLX-001-DISP1; Batch Size: 10000 units

Sample Received: 11/12/2024; Report Created: 11/22/2024;

Sampling

Sample Collection Date/Time: 11/12/24 10:00
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Daminozide | 0.10 | 1.00 | ND | Pass |
| Diazinon | 0.10 | 0.20 | ND | Pass |
| Dichlorvos | 0.10 | 1.00 | ND | Pass |
| Dimethoate | 0.10 | 0.20 | ND | Pass |
| Dimethomorph | 0.10 | 1.00 | ND | Pass |
| Ethoprophos | 0.10 | 0.20 | ND | Pass |
| Etofenprox | 0.10 | 0.40 | ND | Pass |
| Etoxazole | 0.10 | 0.20 | ND | Pass |
| Fenhexamid | 0.10 | 1.00 | ND | Pass |
| Fenoxycarb | 0.10 | 0.20 | ND | Pass |
| Fenpyroximate | 0.10 | 0.40 | ND | Pass |
| Fipronil | 0.10 | 0.40 | ND | Pass |
| Flonicamid | 0.10 | 1.00 | ND | Pass |
| Fludioxonil | 0.10 | 0.40 | ND | Pass |
| Hexythiazox | 0.10 | 1.00 | ND | Pass |
| Imazalil | 0.10 | 0.20 | ND | Pass |
| Imidacloprid | 0.10 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.50 | 1.00 | ND | Pass |
| Jasmolin 1 | | | ND | Tested |
| Kresoxim Methyl | 0.10 | 0.40 | ND | Pass |
| Malathion | 0.10 | 0.20 | ND | Pass |
| Metalaxyl | 0.10 | 0.20 | ND | Pass |
| Methiocarb | 0.10 | 0.20 | ND | Pass |
| Methomyl | 0.10 | 0.40 | ND | Pass |
| Methyl Parathion | 0.10 | 0.20 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 11/14/2024 16:33

LC Method: MTHD-009 LC Date Tested: 11/15/2024 17:06

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 7

Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

King Louis XIII

Concentrates & Extracts, Vape

Sample: 2411RLI0374-1288

Strain: King Louis XIII

Batch#: KLX-001-DISP1; Batch Size: 10000 units

Sample Received: 11/12/2024; Report Created: 11/22/2024;

Sampling

Sample Collection Date/Time: 11/12/24 10:00
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Mevinphos | 0.10 | 1.00 | ND | Pass |
| MGK-264 | 0.10 | 0.20 | ND | Pass |
| Myclobutanil | 0.10 | 0.20 | ND | Pass |
| Naled | 0.10 | 0.50 | ND | Pass |
| Oxamyl | 0.10 | 1.00 | ND | Pass |
| Paclobutrazol | 0.10 | 0.40 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.10 | 0.20 | ND | Pass |
| Phosmet | 0.10 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.10 | 2.00 | ND | Pass |
| Prallethrin | 0.10 | 0.20 | ND | Pass |
| Propiconazole | 0.10 | 0.40 | ND | Pass |
| Propoxur | 0.10 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | 0.16 | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.03 | 1.00 | 0.20 | Pass |
| Pyridaben | 0.10 | 0.20 | ND | Pass |
| Spinetoram | 0.10 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | ND | Tested |
| Spinosad | 0.10 | 0.20 | ND | Pass |
| Spinosyn A | | | 0.01 | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.10 | 0.20 | ND | Pass |
| Spirotetramat | 0.10 | 0.20 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 11/14/2024 16:33

LC Method: MTHD-009 LC Date Tested: 11/15/2024 17:06

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 7

Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

King Louis XIII

Concentrates & Extracts, Vape

Sample: 2411RLI0374-1288

Strain: King Louis XIII

Batch#: KLX-001-DISP1; Batch Size: 10000 units

Sample Received: 11/12/2024; Report Created: 11/22/2024;

Sampling

Sample Collection Date/Time: 11/12/24 10:00
Sample Collection Site: Moby & Zeke
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.10 | 0.20 | ND | Pass |
| Tebuconazole | 0.10 | 0.40 | ND | Pass |
| Thiacloprid | 0.10 | 0.20 | ND | Pass |
| Thiamethoxam | 0.10 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.10 | 0.20 | 0.14 | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 11/14/2024 16:33

LC Method: MTHD-009 LC Date Tested: 11/15/2024 17:06

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.