

## Adonis Distribution

Contact Person: Andrew Dugan  
 Gloversville, NY 12078  
 adugan@adonisny.com  
 (443) 286-7108  
 Lic. #OCMPROC-24-000063

Sample: 2501RLI0063-0242

Strain: Gas Mask  
 Batch#: SOI-14-GMK; Batch Size: 1600 units  
 Sample Received: 01/29/2025; Report Created: 02/06/2025;

Shake On It - Gas Mask 14g Ground Flower  
 Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 01/29/25 10:50  
 Sample Collection Site: Adonis Distribution  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:



## Safety

<b>Pass</b> Pesticides	<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins
<b>Not Tested</b> Solvents	<b>Pass</b> Metals	<b>Pass</b> Foreign Matter

## Cannabinoids

<b>18.20%</b> Total THC	<b>ND</b> Total CBD	<b>9.7%</b> Moisture
----------------------------	------------------------	-------------------------

Analyte	LOQ	Result	Result
	mg/g	%	mg/g
CBDVa	0.2	ND	ND
CBDV	0.2	ND	ND
CBDa	0.2	ND	ND
CBGa	0.2	0.97	9.7
CBG	0.2	ND	ND
CBD	0.2	ND	ND
THCV	0.2	ND	ND
THCVa	0.2	ND	ND
CBN	0.2	ND	ND
Δ9-THC	0.2	0.95	9.5
Δ8-THC	0.2	ND	ND
(6aR,9R)-d10-THC	0.2	ND	ND
(6aR,9S)-d10-THC	0.2	ND	ND
CBC	0.2	ND	ND
THCa	0.2	19.66	196.6
CBCa	0.2	ND	ND
<b>Total Cannabinoids</b>		<b>21.58</b>	<b>215.84</b>

Entered By: CB, Instrument ID: AL2-004  
 Method: MTHD-001, Date Tested: 02/01/2025 19:58  
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



**Amanda Thorning**  
 Laboratory Director

**Violet Josik**  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

## Adonis Distribution

Contact Person: Andrew Dugan  
 Gloversville, NY 12078  
 adugan@adonisny.com  
 (443) 286-7108  
 Lic. #OCMPROC-24-000063

Sample: 2501RLI0063-0242

Strain: Gas Mask  
 Batch#: SOI-14-GMK; Batch Size: 1600 units  
 Sample Received: 01/29/2025; Report Created: 02/06/2025;

Shake On It - Gas Mask 14g Ground Flower  
 Plant, Enhanced/Infused Preroll

### Sampling


Sample Collection Date/Time: 01/29/25 10:50  
 Sample Collection Site: Adonis Distribution  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

### Terpenes

### Complete

### Primary Aromas

Analyte	LOQ	Result	Result
	%	%	mg/g
β-Caryophyllene	0.0065	0.40	3.95
Limonene	0.0065	0.12	1.22
α-Humulene	0.0065	0.12	1.16
Linalool	0.0065	0.06	0.63
α-Bisabolol	0.0065	0.06	0.62
Valencene	0.0021	0.05	0.54
β-Myrcene	0.0065	0.04	0.44
β-Pinene	0.0065	0.03	0.30
α-Pinene	0.0065	0.03	0.27
Fenchol	0.0104	0.02	0.24
Caryophyllene Oxide	0.0065	0.01	0.15
α-Phellandrene	0.0052	ND	ND
α-Terpinene	0.0065	ND	ND
Camphene	0.0065	ND	ND
Farnesene	0.0021	ND	ND
Geraniol	0.0065	ND	ND
Guaiol	0.0065	<LOQ	<LOQ
Ocimene	0.0065	ND	ND
Terpineol	0.0052	ND	ND
Terpinolene	0.0065	<LOQ	<LOQ



**0.9518%**  
 Total Terpenes

Entered By: CB, Instrument ID: AL1-001  
 Method: MTHD-005, Date Tested: 02/03/2025 4:02

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Adonis Distribution

Contact Person: Andrew Dugan  
 Gloversville, NY 12078  
 adugan@adonisny.com  
 (443) 286-7108  
 Lic. #OCMPROC-24-000063

Sample: 2501RLI0063-0242

Strain: Gas Mask  
 Batch#: SOI-14-GMK; Batch Size: 1600 units  
 Sample Received: 01/29/2025; Report Created: 02/06/2025;

Shake On It - Gas Mask 14g Ground Flower  
 Plant, Enhanced/Infused Preroll

### Sampling

Sample Collection Date/Time: 01/29/25 10:50  
 Sample Collection Site: Adonis Distribution  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.05	0.50	ND	Pass
Acephate	0.05	0.40	ND	Pass
Acequinocyl	0.05	2.00	ND	Pass
Acetamiprid	0.05	0.20	ND	Pass
Aldicarb	0.05	0.40	ND	Pass
Avermectin-B1a			ND	Tested
Avermectin-B1b			ND	Tested
Azadirachtin	0.25	1.00	ND	Pass
Azoxystrobin	0.05	0.20	ND	Pass
Bifenazate	0.05	0.20	ND	Pass
Bifenthrin	0.05	0.20	ND	Pass
Boscalid	0.05	0.40	ND	Pass
Captan	0.50	1.00	ND	Pass
Carbaryl	0.05	0.20	ND	Pass
Carbofuran	0.05	0.20	ND	Pass
Chlorantraniliprole	0.05	0.20	ND	Pass
Chlordane	0.50	1.00	ND	Pass
Chlorfenapyr	0.50	1.00	ND	Pass
Chloromequat chloride	0.05	1.00	ND	Pass
Chlorpyrifos	0.05	0.20	ND	Pass
Cinerin 1			ND	Tested
Clofentezine	0.05	0.20	ND	Pass
Coumaphos	0.05	1.00	ND	Pass
Cyfluthrin	0.05	1.00	ND	Pass
Cypermethrin	0.05	1.00	ND	Pass

Entered By: , GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
 GC Method: MTHD-008 GC Date Tested: 01/30/2025 19:34  
 LC Method: MTHD-009 LC Date Tested: 02/05/2025 19:37  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Adonis Distribution

Contact Person: Andrew Dugan  
 Gloversville, NY 12078  
 adugan@adonisny.com  
 (443) 286-7108  
 Lic. #OCMPROC-24-000063

Sample: 2501RLI0063-0242

Strain: Gas Mask  
 Batch#: SOI-14-GMK; Batch Size: 1600 units  
 Sample Received: 01/29/2025; Report Created: 02/06/2025;

Shake On It - Gas Mask 14g Ground Flower  
 Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 01/29/25 10:50  
 Sample Collection Site: Adonis Distribution  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass


Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Daminozide	0.05	1.00	ND	Pass
Diazinon	0.05	0.20	ND	Pass
Dichlorvos	0.05	1.00	ND	Pass
Dimethoate	0.05	0.20	ND	Pass
Dimethomorph	0.05	1.00	ND	Pass
Ethoprophos	0.05	0.20	ND	Pass
Etofenprox	0.05	0.40	ND	Pass
Etoxazole	0.05	0.20	ND	Pass
Fenhexamid	0.05	1.00	ND	Pass
Fenoxycarb	0.05	0.20	ND	Pass
Fenpyroximate	0.05	0.40	ND	Pass
Fipronil	0.05	0.40	ND	Pass
Fonicamid	0.05	1.00	ND	Pass
Fludioxonil	0.05	0.40	ND	Pass
Hexythiazox	0.05	1.00	ND	Pass
Imazalil	0.05	0.20	ND	Pass
Imidacloprid	0.05	0.40	ND	Pass
Indolebutyric Acid	0.05	1.00	ND	Pass
Jasmolin 1			0.00	Tested
Kresoxim Methyl	0.05	0.40	ND	Pass
Malathion	0.05	0.20	ND	Pass
Metalaxyl	0.05	0.20	ND	Pass
Methiocarb	0.05	0.20	ND	Pass
Methomyl	0.05	0.40	ND	Pass
Methyl Parathion	0.10	0.20	ND	Pass

Entered By: , GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
 GC Method: MTHD-008 GC Date Tested: 01/30/2025 19:34  
 LC Method: MTHD-009 LC Date Tested: 02/05/2025 19:37  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



## Adonis Distribution

Contact Person: Andrew Dugan  
 Gloversville, NY 12078  
 adugan@adonisny.com  
 (443) 286-7108  
 Lic. #OCMPROC-24-000063

Sample: 2501RLI0063-0242

Strain: Gas Mask  
 Batch#: SOI-14-GMK; Batch Size: 1600 units  
 Sample Received: 01/29/2025; Report Created: 02/06/2025;

Shake On It - Gas Mask 14g Ground Flower  
 Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 01/29/25 10:50  
 Sample Collection Site: Adonis Distribution  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Mevinphos	0.05	1.00	ND	Pass
MGK-264	0.05	0.20	ND	Pass
Myclobutanil	0.05	0.20	ND	Pass
Naled	0.05	0.50	ND	Pass
Oxamyl	0.05	1.00	ND	Pass
Paclobutrazol	0.05	0.40	ND	Pass
Pentachloronitrobenzene	0.50	1.00	ND	Pass
Permethrins	0.05	0.20	ND	Pass
Phosmet	0.05	0.20	ND	Pass
Piperonyl Butoxide	0.05	2.00	ND	Pass
Prallethrin	0.05	0.20	ND	Pass
Propiconazole	0.05	0.40	ND	Pass
Propoxur	0.05	0.20	ND	Pass
Pyrethrin 1			ND	Tested
Pyrethrin 2			0.00	Tested
Pyrethrins	0.05	1.00	ND	Pass
Pyridaben	0.05	0.20	ND	Pass
Spinetoram	0.05	1.00	ND	Pass
Spinetoram J			ND	Tested
Spinetoram L			ND	Tested
Spinosad	0.05	0.20	ND	Pass
Spinosyn A			ND	Tested
Spinosyn D			ND	Tested
Spiromesifen	0.05	0.20	ND	Pass
Spirotetramat	0.05	0.20	ND	Pass

Entered By: , GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
 GC Method: MTHD-008 GC Date Tested: 01/30/2025 19:34  
 LC Method: MTHD-009 LC Date Tested: 02/05/2025 19:37  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Adonis Distribution

Contact Person: Andrew Dugan  
 Gloversville, NY 12078  
 adugan@adonisny.com  
 (443) 286-7108  
 Lic. #OCMPROC-24-000063

Sample: 2501RLI0063-0242

Strain: Gas Mask  
 Batch#: SOI-14-GMK; Batch Size: 1600 units  
 Sample Received: 01/29/2025; Report Created: 02/06/2025;

Shake On It - Gas Mask 14g Ground Flower  
 Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 01/29/25 10:50  
 Sample Collection Site: Adonis Distribution  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Spiroxamine	0.05	0.20	ND	Pass
Tebuconazole	0.05	0.40	ND	Pass
Thiacloprid	0.05	0.20	ND	Pass
Thiamethoxam	0.05	0.20	ND	Pass
Trifloxystrobin	0.05	0.20	ND	Pass

Entered By: , GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
 GC Method: MTHD-008 GC Date Tested: 01/30/2025 19:34  
 LC Method: MTHD-009 LC Date Tested: 02/05/2025 19:37  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-2022-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
8 of 8

## Adonis Distribution

Contact Person: Andrew Dugan  
Gloversville, NY 12078  
adugan@adonisny.com  
(443) 286-7108  
Lic. #OCMPROC-24-000063

Sample: 2501RLI0063-0242

Strain: Gas Mask  
Batch#: SOI-14-GMK; Batch Size: 1600 units  
Sample Received: 01/29/2025; Report Created: 02/06/2025;

Shake On It - Gas Mask 14g Ground Flower  
Plant, Enhanced/Infused Preroll

## Sampling

Sample Collection Date/Time: 01/29/25 10:50  
Sample Collection Site: Adonis Distribution  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Moisture Date/Time Tested: 01/30/2025; 14:11  
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 01/30/2025; 12:25  
Water Activity Method: MTHD-002

**0.52 aw**  
Limit: 0.65 aw  
*Pass*  
**Water Activity**

**9.7%**  
Limit: 15.0 %  
*Pass*  
**Moisture**

## Foreign Matter

Foreign Matter Method: MTHD-004  
Foreign Matter Date/Time Tested: 01/30/2025; 16:34

Pass

Analyte	Limit	Result	Status
Mammal Excrement	0.00022%	0	Pass
FM Stems	5%	0	Pass
FM Other	2%	0	Pass

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.