

Cirona Labs

Order No.: ONYCIR0208-0004763
350 Buell Rd
Rochester, New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0208-CVAP-0012694

Strain: Apple Burst, Unit Weight: 2.0000g
Batch#: LDV-CA-AB-01-0225, Batch Size: 1000
Sample Received: 02/07/2025 08:55
Report Created: 02/13/2025 18:18
Sampling SOP 204-NY

LDV-CA-AB-01-0225

Concentrates & Extracts, Vape



Results

1,756.58 mg/unit
D9-THC

0.00 mg/unit
Total CBD

1,756.58 mg/unit
Total THC


1,756.58 mg/unit
Total Cannabinoids

4.53%
Total Terpenes

Tests Summary

| | | |
|-------------------------------------|----------------------------------|-----------------------------|
| Cannabinoids Tested | Moisture Not Tested | Microbials Pass |
| Water Activity Not Tested | Homogeneity Not Tested | Terpenes Pass |
| Residual Solvents Pass | Mycotoxins Pass | Heavy Metals Pass |
| Pesticides Pass | | |

Dominant Terpenes



Cirona Labs

Order No.: ONYCIR0208-0004763
350 Buell Rd
Rochester, New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0208-CVAP-0012694

Strain: Apple Burst, Unit Weight: 2.0000g
Batch#: LDV-CA-AB-01-0225, Batch Size: 1000
Sample Received: 02/07/2025 08:55
Report Created: 02/13/2025 18:18
Sampling SOP 204-NY

LDV-CA-AB-01-0225

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY

Date/Time Tested: 02/08/2025 15:10

Tested

| Analyte | LOQ (ug/mL) | % | mg/g | mg/unit |
|--------------------|-------------|--------------|---------------|-----------------|
| CBDV | 4,852.18 | ND | ND | ND |
| CBDa | 4,852.18 | ND | ND | ND |
| CBGa | 4,852.18 | ND | ND | ND |
| CBG | 4,852.18 | < LOQ | < LOQ | < LOQ |
| CBD | 4,852.18 | ND | ND | ND |
| THCV | 4,852.18 | < LOQ | < LOQ | < LOQ |
| CBN | 4,852.18 | < LOQ | < LOQ | < LOQ |
| D9-THC | 4,852.18 | 87.83 | 878.29 | 1,756.58 |
| D8-THC | 4,852.18 | ND | ND | ND |
| (6aR,9S)-d10-THC | 4,852.18 | ND | ND | ND |
| (6aR,9R)-d10-THC | 4,852.18 | ND | ND | ND |
| CBC | 4,852.18 | < LOQ | < LOQ | < LOQ |
| THCa | 4,852.18 | ND | ND | ND |
| Total CBD | | 0.00 | 0.00 | 0.00 |
| Total THC | | 87.83 | 878.29 | 1,756.58 |
| Total Cannabinoids | | 87.83 | 878.29 | 1,756.58 |

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY

Date/Time Tested: 02/12/2025 16:26

Pass

| Analyte | LOQ (CFU/g) | Limit (CFU/g) | CFU/g | Status |
|-----------------------|-------------|---------------|-------|--------|
| Aerobic Bacteria | 1,000 | 10,000 | ND | Passed |
| E. Coli | | 0 | ND | Passed |
| Yeast & Mold | 100 | 1,000 | ND | Passed |
| Salmonella | | 0 | ND | Passed |
| Aspergillus Flavus | | 0 | ND | Passed |
| Aspergillus Fumigatus | | 0 | ND | Passed |
| Aspergillus Niger | | 0 | ND | Passed |
| Aspergillus Terreus | | 0 | ND | Passed |

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

3 of 7

Cirona Labs

Order No.: ONYCIR0208-0004763
350 Buell Rd
Rochester, New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0208-CVAP-0012694

Strain: Apple Burst, Unit Weight: 2.0000g
Batch#: LDV-CA-AB-01-0225, Batch Size: 1000
Sample Received: 02/07/2025 08:55
Report Created: 02/13/2025 18:18
Sampling SOP 204-NY

LDV-CA-AB-01-0225

Concentrates & Extracts, Vape



Terpenes

SOP 620-NY

Date/Time Tested: 02/09/2025 13:06

Pass

| Analyte | LOQ (ug/mL) | Limit (ug/mL) | % | Status | Analyte | LOQ (ug/mL) | Limit (ug/mL) | % | Status |
|------------------|-------------|---------------|-------|--------|---------------------|-------------|---------------|----|--------|
| Total Terpenes | | 115,000 | 4.530 | Passed | DL-Menthol | 159 | | ND | Tested |
| b-Caryophyllene | 159 | | 1.969 | Tested | Borneol | 159 | | ND | Tested |
| a-Bisabolol | 159 | | 0.671 | Tested | a-Terpinene | 159 | | ND | Tested |
| a-Humulene | 159 | | 0.657 | Tested | Nerol | 159 | | ND | Tested |
| Valencene | 159 | | 0.360 | Tested | Pulegone | 159 | | ND | Tested |
| Linalool | 159 | | 0.352 | Tested | Geraniol | 159 | | ND | Tested |
| Terpineol | 159 | | 0.229 | Tested | Geranyl Acetate | 159 | | ND | Tested |
| trans-Nerolidol | 159 | | 0.217 | Tested | a-Cedrene | 159 | < LOQ | | Tested |
| Eucalyptol | 159 | | 0.076 | Tested | d-3-Carene | 159 | | ND | Tested |
| Isoborneol | 159 | | ND | Tested | a-Phellandrene | 159 | | ND | Tested |
| Camphene | 159 | | ND | Tested | b-Myrcene | 159 | | ND | Tested |
| p-Cymene | 159 | | ND | Tested | cis-Nerolidol | 159 | | ND | Tested |
| g-Terpinene | 159 | | ND | Tested | b-Pinene | 159 | | ND | Tested |
| Terpinolene | 159 | | ND | Tested | Guaial | 159 | | ND | Tested |
| Fenchol | 159 | | ND | Tested | Caryophyllene Oxide | 159 | < LOQ | | Tested |
| Sabinene Hydrate | 159 | | ND | Tested | Cedrol | 159 | | ND | Tested |
| Limonene | 159 | | ND | Tested | Sabinene | 159 | | ND | Tested |
| Fenchone | 159 | | ND | Tested | trans-b-Ocimene | 159 | | ND | Tested |
| Isopulegol | 159 | | ND | Tested | trans-b-Farnesene | 159 | | ND | Tested |
| a-Pinene | 159 | | ND | Tested | Camphor | 159 | | ND | Tested |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0208-0004763
350 Buell Rd
Rochester, New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0208-CVAP-0012694

Strain: Apple Burst, Unit Weight: 2.0000g
Batch#: LDV-CA-AB-01-0225, Batch Size: 1000
Sample Received: 02/07/2025 08:55
Report Created: 02/13/2025 18:18
Sampling SOP 204-NY

LDV-CA-AB-01-0225

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 02/10/2025 09:35

Pass

| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|--------------------------------------|------------|--------------|-------|--------|
| 1,2-Dichloroethane | 2 | 5 | ND | Passed |
| Acetone | 40 | 5,000 | ND | Passed |
| Acetonitrile | 16 | 410 | ND | Passed |
| Benzene | 2 | 2 | ND | Passed |
| Butane | 40 | 5,000 | < LOQ | Passed |
| Chloroform | 2 | 60 | ND | Passed |
| Ethanol | 199 | 5,000 | < LOQ | Passed |
| Ethyl Acetate | 199 | 5,000 | ND | Passed |
| Ethyl Ether | 20 | 5,000 | ND | Passed |
| DMSO | 100 | 5,000 | ND | Passed |
| Heptane | 20 | 5,000 | ND | Passed |
| Hexanes | 6 | 290 | ND | Passed |
| Isopropyl Alcohol | 199 | 5,000 | ND | Passed |
| Methanol | 120 | 3,000 | ND | Passed |
| Methylene Chloride | 2 | 600 | ND | Passed |
| Pentanes | 60 | 5,000 | ND | Passed |
| Propane | 20 | 5,000 | ND | Passed |
| Toluene | 4 | 890 | ND | Passed |
| Trichloroethane | 4,980 | 1,500 | ND | Passed |
| Xylenes | 263 | 2,170 | ND | Passed |
| 1,1,1,2-Tetrafluoroethane (HFC-134a) | 20 | 1,000 | ND | Passed |

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 02/11/2025 16:13

Pass

| Analyte | LOQ (ng/g) | Limit (ng/g) | ng/g | Status | Analyte | LOQ (ng/g) | Limit (ng/g) | ng/g | Status |
|---------|------------|--------------|------|--------|------------------|------------|--------------|------|--------|
| B1 | 5.0 | | ND | Tested | Ochratoxin A | 5.0 | 20.0 | ND | Passed |
| B2 | 5.0 | | ND | Tested | Total Aflatoxins | | 20.0 | ND | Passed |
| G1 | 5.0 | | ND | Tested | Total Mycotoxins | | | ND | Tested |
| G2 | 5.0 | | ND | Tested | | | | | |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
Lead Technical Director



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

5 of 7

Cirona Labs

Order No.: ONYCIR0208-0004763
350 Buell Rd
Rochester, New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0208-CVAP-0012694

Strain: Apple Burst, Unit Weight: 2.0000g
Batch#: LDV-CA-AB-01-0225, Batch Size: 1000
Sample Received: 02/07/2025 08:55
Report Created: 02/13/2025 18:18
Sampling SOP 204-NY

LDV-CA-AB-01-0225

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 02/13/2025 09:15

Pass

| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|----------|------------|--------------|--------------|--------|
| Antimony | 0.170 | 2.000 | ND | Passed |
| Arsenic | 0.170 | 0.200 | ND | Passed |
| Cadmium | 0.170 | 0.200 | ND | Passed |
| Chromium | 0.170 | 110.000 | 0.667 | Passed |
| Copper | 0.204 | 30.000 | 0.393 | Passed |
| Mercury | 0.041 | 0.100 | ND | Passed |
| Nickel | 0.204 | 2.000 | 0.355 | Passed |
| Lead | 0.170 | 0.500 | < LOQ | Passed |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

6 of 7

Cirona Labs

Order No.: ONYCIR0208-0004763
350 Buell Rd
Rochester, New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0208-CVAP-0012694

Strain: Apple Burst, Unit Weight: 2.0000g
Batch#: LDV-CA-AB-01-0225, Batch Size: 1000
Sample Received: 02/07/2025 08:55
Report Created: 02/13/2025 18:18
Sampling SOP 204-NY

LDV-CA-AB-01-0225

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 02/11/2025 15:24

Pass

| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|-----------------------|------------|--------------|------|--------|
| Abamectin | 0.36 | 0.50 | ND | Passed |
| Acephate | 0.09 | 0.40 | ND | Passed |
| Acequinocyl | 0.09 | 2.00 | ND | Passed |
| Acetamiprid | 0.09 | 0.20 | ND | Passed |
| Aldicarb | 0.09 | 0.40 | ND | Passed |
| Azoxystrobin | 0.09 | 0.20 | ND | Passed |
| Bifenazate | 0.09 | 0.20 | ND | Passed |
| Bifenthrin | 0.09 | 0.20 | ND | Passed |
| Boscalid | 0.09 | 0.40 | ND | Passed |
| Carbaryl | 0.09 | 0.20 | ND | Passed |
| Carbofuran | 0.09 | 0.20 | ND | Passed |
| Chlorantraniliprole | 0.09 | 0.20 | ND | Passed |
| Chlorpyrifos | 0.09 | 0.20 | ND | Passed |
| Clofentezine | 0.09 | 0.20 | ND | Passed |
| Coumaphos | 0.09 | 1.00 | ND | Passed |
| Cyfluthrin | 0.46 | 1.00 | ND | Passed |
| Cypermethrin | 0.09 | 1.00 | ND | Passed |
| Daminozide | 0.09 | 1.00 | ND | Passed |
| Diazinon | 0.09 | 0.20 | ND | Passed |
| Dichlorvos | 0.09 | 1.00 | ND | Passed |
| Dimethoate | 0.09 | 0.20 | ND | Passed |
| Dimethomorph | 0.09 | 1.00 | ND | Passed |
| Ethoprophos | 0.09 | 0.20 | ND | Passed |
| Etofenprox | 0.09 | 0.40 | ND | Passed |
| Etoxazole | 0.09 | 0.20 | ND | Passed |
| Fenhexamid | 0.09 | 1.00 | ND | Passed |
| Fenoxycarb | 0.09 | 0.20 | ND | Passed |
| Fenpyroximate | 0.09 | 0.40 | ND | Passed |
| Fipronil | 0.09 | 0.40 | ND | Passed |
| Flonicamid | 0.09 | 1.00 | ND | Passed |
| Fludioxonil | 0.09 | 0.40 | ND | Passed |
| Hexythiazox | 0.09 | 1.00 | ND | Passed |
| Imazalil | 0.09 | 0.20 | ND | Passed |
| Imidacloprid | 0.09 | 0.40 | ND | Passed |
| Indole-3 Butyric Acid | 0.12 | 1.00 | ND | Passed |
| Kresoxim Methyl | 0.09 | 0.40 | ND | Passed |
| Malathion | 0.09 | 0.20 | ND | Passed |
| Mevinphos | 0.09 | 1.00 | ND | Passed |
| Metalaxyl | 0.09 | 0.20 | ND | Passed |
| Methiocarb | 0.09 | 0.20 | ND | Passed |
| Methomyl | 0.09 | 0.40 | ND | Passed |



Kimberly Krisolofsky

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

7 of 7

Cirona Labs

Order No.: ONYCIR0208-0004763
350 Buell Rd
Rochester, New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0208-CVAP-0012694

Strain: Apple Burst, Unit Weight: 2.0000g
Batch#: LDV-CA-AB-01-0225, Batch Size: 1000
Sample Received: 02/07/2025 08:55
Report Created: 02/13/2025 18:18
Sampling SOP 204-NY

LDV-CA-AB-01-0225

Concentrates & Extracts, Vape



| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|----------------------|------------|--------------|------|--------|
| MGK-264 | 0.01 | 0.20 | ND | Passed |
| Myclobutanil | 0.09 | 0.20 | ND | Passed |
| Naled | 0.09 | 0.50 | ND | Passed |
| Oxamyl | 0.09 | 1.00 | ND | Passed |
| Paclobutrazol | 0.09 | 0.40 | ND | Passed |
| Permethrin | 0.09 | 0.20 | ND | Passed |
| Phosmet | 0.09 | 0.20 | ND | Passed |
| Piperonyl Butoxide | 0.09 | 2.00 | ND | Passed |
| Prallethrin | 0.09 | 0.20 | ND | Passed |
| Propiconazole | 0.09 | 0.40 | ND | Passed |
| Propoxur | 0.09 | 0.20 | ND | Passed |
| Pyrethrins | 0.06 | 1.00 | ND | Passed |
| Pyridaben | 0.09 | 0.20 | ND | Passed |
| Spinetoram | 0.09 | 1.00 | ND | Passed |
| Spinosyn AD | 0.09 | 0.20 | ND | Passed |
| Spiromesifen | 0.09 | 0.20 | ND | Passed |
| Spirotetramat | 0.09 | 0.20 | ND | Passed |
| Spiroxamine | 0.09 | 0.20 | ND | Passed |
| Tebuconazole | 0.09 | 0.40 | ND | Passed |
| Thiacloprid | 0.09 | 0.20 | ND | Passed |
| Thiamethoxam | 0.09 | 0.20 | ND | Passed |
| Trifloxystrobin | 0.09 | 0.20 | ND | Passed |
| Captan | | 1.00 | TIC | Passed |
| Methyl Parathion | 0.09 | 0.20 | ND | Passed |
| Chlordane | 0.09 | 1.00 | ND | Passed |
| Chlorfenapyr | 0.09 | 1.00 | ND | Passed |
| PCNB | 0.09 | 1.00 | ND | Passed |
| Azadirachtin | 0.12 | 1.00 | ND | Passed |
| Chlormequat Chloride | 0.02 | 1.00 | ND | Passed |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.