

Cirona Labs

Order No.: ONYCIR0208-0004763
 350 Buell Rd
 Rochester, New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0208-CVAP-0012695

Unit Weight: 2.0000g
 Batch#: LDV-CA-BOG-01-0225, Batch Size: 1000
 Sample Received: 02/07/2025 08:56
 Report Created: 02/13/2025 18:19
 Sampling SOP 204-NY

LDV-CA-BOG-01-0225
 Concentrates & Extracts, Vape




Results

1,776.74 mg/unit D9-THC	
0.00 mg/unit Total CBD	1,776.74 mg/unit Total THC
1,776.74 mg/unit Total Cannabinoids	4.255% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Not Tested	Terpenes Pass
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

2 of 7

Cirona Labs

Order No.: ONYCIR0208-0004763
 350 Buell Rd
 Rochester, New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0208-CVAP-0012695

Unit Weight: 2.0000g
 Batch#: LDV-CA-BOG-01-0225, Batch Size: 1000
 Sample Received: 02/07/2025 08:56
 Report Created: 02/13/2025 18:19
 Sampling SOP 204-NY

LDV-CA-BOG-01-0225
 Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
 Date/Time Tested: 02/08/2025 15:10

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,817.99	ND	ND	ND
CBDa	4,817.99	ND	ND	ND
CBGa	4,817.99	ND	ND	ND
CBG	4,817.99	< LOQ	< LOQ	< LOQ
CBD	4,817.99	ND	ND	ND
THCV	4,817.99	< LOQ	< LOQ	< LOQ
CBN	4,817.99	< LOQ	< LOQ	< LOQ
D9-THC	4,817.99	88.84	888.37	1,776.74
D8-THC	4,817.99	ND	ND	ND
(6aR,9S)-d10-THC	4,817.99	ND	ND	ND
(6aR,9R)-d10-THC	4,817.99	ND	ND	ND
CBC	4,817.99	ND	ND	ND
THCa	4,817.99	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		88.84	888.37	1,776.74
Total Cannabinoids		88.84	888.37	1,776.74

Notes:
 Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY
 Date/Time Tested: 02/12/2025 16:26

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:
 Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0208-0004763
 350 Buell Rd
 Rochester, New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0208-CVAP-0012695

Unit Weight: 2.0000g
 Batch#: LDV-CA-BOG-01-0225, Batch Size: 1000
 Sample Received: 02/07/2025 08:56
 Report Created: 02/13/2025 18:19
 Sampling SOP 204-NY

LDV-CA-BOG-01-0225
 Concentrates & Extracts, Vape



Terpenes

SOP 620-NY
 Date/Time Tested: 02/09/2025 13:06

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	4.255	Passed	DL-Menthol	155		ND	Tested
b-Caryophyllene	155		1.880	Tested	Borneol	155		ND	Tested
a-Bisabolol	155		0.667	Tested	p-Cymene	155		ND	Tested
a-Humulene	155		0.631	Tested	Nerol	155		ND	Tested
Valencene	155		0.321	Tested	Pulegone	155		ND	Tested
Linalool	155		0.320	Tested	Geraniol	155		ND	Tested
Terpineol	155		0.208	Tested	Geranyl Acetate	155		ND	Tested
trans-Nerolidol	155		0.183	Tested	a-Cedrene	155	< LOQ		Tested
trans-b-Farnesene	155		0.023	Tested	Limonene	155		ND	Tested
cis-Nerolidol	155		0.022	Tested	a-Terpinene	155		ND	Tested
Isoborneol	155		ND	Tested	d-3-Carene	155		ND	Tested
Camphene	155		ND	Tested	a-Phellandrene	155		ND	Tested
g-Terpinene	155		ND	Tested	b-Myrcene	155		ND	Tested
Terpinolene	155		ND	Tested	Guaiol	155	< LOQ		Tested
Fenchol	155		ND	Tested	Caryophyllene Oxide	155	< LOQ		Tested
Sabinene Hydrate	155		ND	Tested	Cedrol	155		ND	Tested
Eucalyptol	155		ND	Tested	b-Pinene	155		ND	Tested
Fenchone	155		ND	Tested	trans-b-Ocimene	155		ND	Tested
Isopulegol	155		ND	Tested	Sabinene	155		ND	Tested
Camphor	155		ND	Tested	a-Pinene	155		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

4 of 7

Cirona Labs

Order No.: ONYCIR0208-0004763
 350 Buell Rd
 Rochester, New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0208-CVAP-0012695

Unit Weight: 2.0000g
 Batch#: LDV-CA-BOG-01-0225, Batch Size: 1000
 Sample Received: 02/07/2025 08:56
 Report Created: 02/13/2025 18:19
 Sampling SOP 204-NY

LDV-CA-BOG-01-0225

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 02/10/2025 09:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	40	5,000	ND	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	40	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	199	5,000	< LOQ	Passed
Ethyl Acetate	199	5,000	ND	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO	100	5,000	ND	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	199	5,000	ND	Passed
Methanol	120	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	60	5,000	ND	Passed
Propane	20	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	4,985	1,500	ND	Passed
Xylenes	263	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	20	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 02/11/2025 16:13

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested	Ochratoxin A	5.0	20.0	ND	Passed
B2	5.0		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	5.0		ND	Tested	Total Mycotoxins			ND	Tested
G2	5.0		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

5 of 7

Cirona Labs

Order No.: ONYCIR0208-0004763
350 Buell Rd
Rochester, New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0208-CVAP-0012695

Unit Weight: 2.0000g
Batch#: LDV-CA-BOG-01-0225, Batch Size: 1000
Sample Received: 02/07/2025 08:56
Report Created: 02/13/2025 18:19
Sampling SOP 204-NY

LDV-CA-BOG-01-0225

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 02/13/2025 09:15

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.174	2.000	ND	Passed
Arsenic	0.174	0.200	ND	Passed
Cadmium	0.174	0.200	ND	Passed
Chromium	0.174	110.000	0.401	Passed
Copper	0.209	30.000	< LOQ	Passed
Mercury	0.042	0.100	ND	Passed
Nickel	0.209	2.000	0.375	Passed
Lead	0.174	0.500	< LOQ	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0208-0004763
 350 Buell Rd
 Rochester, New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0208-CVAP-0012695

Unit Weight: 2.0000g
 Batch#: LDV-CA-BOG-01-0225, Batch Size: 1000
 Sample Received: 02/07/2025 08:56
 Report Created: 02/13/2025 18:19
 Sampling SOP 204-NY

LDV-CA-BOG-01-0225
 Concentrates & Extracts, Vape



Pesticides

SOP 814-NY
 Date/Time Tested: 02/11/2025 15:24

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Fonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.11	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0208-0004763
 350 Buell Rd
 Rochester, New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0208-CVAP-0012695

Unit Weight: 2.0000g
 Batch#: LDV-CA-BOG-01-0225, Batch Size: 1000
 Sample Received: 02/07/2025 08:56
 Report Created: 02/13/2025 18:19
 Sampling SOP 204-NY

LDV-CA-BOG-01-0225
 Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.11	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.