

## Cirona Labs

Order No.: ONYCIR0205-0004713  
350 Buell Rd  
Rochester, New York, 14624  
shane@cironalabs.com  
3157770209

Sample: SNYCIR0205-CVAP-0012645

Unit Weight: 1.0000g  
Batch#: V-CA-PH-01-0225, Batch Size: 2000  
Sample Received: 02/05/2025 07:01  
Report Created: 02/10/2025 22:07  
Sampling SOP 204-NY

V-CA-PH-01-0225

Concentrates & Extracts, Vape



## Results

**787.50 mg/unit**  
D9-THC

**16.80 mg/unit**  
CBG

**0.00 mg/unit**  
Total CBD

**787.50 mg/unit**  
Total THC



**824.96 mg/unit**  
Total Cannabinoids

**3.563%**  
Total Terpenes

## Tests Summary

|                                     |                                  |                             |
|-------------------------------------|----------------------------------|-----------------------------|
| <b>Cannabinoids</b><br>Tested       | <b>Moisture</b><br>Not Tested    | <b>Microbials</b><br>Pass   |
| <b>Water Activity</b><br>Not Tested | <b>Homogeneity</b><br>Not Tested | <b>Terpenes</b><br>Pass     |
| <b>Residual Solvents</b><br>Pass    | <b>Mycotoxins</b><br>Pass        | <b>Heavy Metals</b><br>Pass |
| <b>Pesticides</b><br>Pass           |                                  |                             |

## Dominant Terpenes





# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

2 of 7

## Cirona Labs

Order No.: ONYCIR0205-0004713  
350 Buell Rd  
Rochester, New York, 14624  
shane@cironalabs.com  
3157770209

Sample: SNYCIR0205-CVAP-0012645

Unit Weight: 1.0000g  
Batch#: V-CA-PH-01-0225, Batch Size: 2000  
Sample Received: 02/05/2025 07:01  
Report Created: 02/10/2025 22:07  
Sampling SOP 204-NY

V-CA-PH-01-0225

Concentrates & Extracts, Vape



## Cannabinoids

SOP 801-NY

Date/Time Tested: 02/07/2025 15:20

Tested

| Analyte            | LOQ (ug/mL) | %     | mg/g   | mg/unit |
|--------------------|-------------|-------|--------|---------|
| CBDV               | 4,417.53    | ND    | ND     | ND      |
| CBDa               | 4,417.53    | ND    | ND     | ND      |
| CBGa               | 4,417.53    | ND    | ND     | ND      |
| CBG                | 4,417.53    | 1.68  | 16.80  | 16.80   |
| CBD                | 4,417.53    | < LOQ | < LOQ  | < LOQ   |
| THCV               | 4,417.53    | 1.04  | 10.35  | 10.35   |
| CBN                | 4,417.53    | 1.03  | 10.31  | 10.31   |
| D9-THC             | 4,417.53    | 78.75 | 787.50 | 787.50  |
| D8-THC             | 4,417.53    | ND    | ND     | ND      |
| (6aR,9S)-d10-THC   | 4,417.53    | ND    | ND     | ND      |
| (6aR,9R)-d10-THC   | 4,417.53    | ND    | ND     | ND      |
| CBC                | 4,417.53    | ND    | ND     | ND      |
| THCa               | 4,417.53    | ND    | ND     | ND      |
| Total CBD          |             | 0.00  | 0.00   | 0.00    |
| Total THC          |             | 78.75 | 787.50 | 787.50  |
| Total Cannabinoids |             | 82.50 | 824.96 | 824.96  |

### Notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
Total CBD = CBDa \* 0.877 + CBD  
Total Cannabinoids = Sum of all cannabinoids  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP 401-NY SOP 418-NY

Date/Time Tested: 02/10/2025 16:36

Pass

| Analyte               | LOQ (CFU/g) | Limit (CFU/g) | CFU/g | Status |
|-----------------------|-------------|---------------|-------|--------|
| Aerobic Bacteria      | 1,000       | 10,000        | ND    | Passed |
| E. Coli               |             | 0             | ND    | Passed |
| Yeast & Mold          | 100         | 1,000         | ND    | Passed |
| Salmonella            |             | 0             | ND    | Passed |
| Aspergillus Flavus    |             | 0             | ND    | Passed |
| Aspergillus Fumigatus |             | 0             | ND    | Passed |
| Aspergillus Niger     |             | 0             | ND    | Passed |
| Aspergillus Terreus   |             | 0             | ND    | Passed |

### Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Kimberly Krisolofsky*

Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

## Cirona Labs

Order No.: ONYCIR0205-0004713  
350 Buell Rd  
Rochester, New York, 14624  
shane@cironalabs.com  
3157770209

Sample: SNYCIR0205-CVAP-0012645

Unit Weight: 1.0000g  
Batch#: V-CA-PH-01-0225, Batch Size: 2000  
Sample Received: 02/05/2025 07:01  
Report Created: 02/10/2025 22:07  
Sampling SOP 204-NY

V-CA-PH-01-0225

Concentrates & Extracts, Vape



## Terpenes

SOP 620-NY

Date/Time Tested: 02/06/2025 16:43

Pass

| Analyte             | LOQ (ug/mL) | Limit (ug/mL) | %            | Status | Analyte           | LOQ (ug/mL) | Limit (ug/mL) | %     | Status |
|---------------------|-------------|---------------|--------------|--------|-------------------|-------------|---------------|-------|--------|
| Total Terpenes      |             | 115,000       | <b>3.563</b> | Passed | Isoborneol        | 160         |               | ND    | Tested |
| b-Myrcene           | 160         |               | <b>1.074</b> | Tested | DL-Menthol        | 160         |               | ND    | Tested |
| b-Caryophyllene     | 160         |               | <b>0.863</b> | Tested | Borneol           | 160         |               | ND    | Tested |
| a-Pinene            | 160         |               | <b>0.425</b> | Tested | Nerol             | 160         |               | ND    | Tested |
| a-Bisabolol         | 160         |               | <b>0.252</b> | Tested | Pulegone          | 160         |               | ND    | Tested |
| a-Humulene          | 160         |               | <b>0.252</b> | Tested | Geraniol          | 160         |               | ND    | Tested |
| Linalool            | 160         |               | <b>0.114</b> | Tested | Geranyl Acetate   | 160         |               | ND    | Tested |
| Limonene            | 160         |               | <b>0.114</b> | Tested | a-Cedrene         | 160         |               | ND    | Tested |
| b-Pinene            | 160         |               | <b>0.110</b> | Tested | Sabinene          | 160         |               | ND    | Tested |
| Terpinolene         | 160         |               | <b>0.107</b> | Tested | Fenchol           | 160         |               | ND    | Tested |
| Valencene           | 160         |               | <b>0.060</b> | Tested | g-Terpinene       | 160         |               | ND    | Tested |
| Caryophyllene Oxide | 160         |               | <b>0.055</b> | Tested | cis-Nerolidol     | 160         |               | ND    | Tested |
| a-Terpinene         | 160         |               | <b>0.053</b> | Tested | Eucalyptol        | 160         |               | ND    | Tested |
| trans-Nerolidol     | 160         |               | <b>0.042</b> | Tested | Guaiol            | 160         |               | < LOQ | Tested |
| Terpineol           | 160         |               | <b>0.041</b> | Tested | p-Cymene          | 160         |               | ND    | Tested |
| Camphene            | 160         |               | < LOQ        | Tested | Cedrol            | 160         |               | ND    | Tested |
| a-Phellandrene      | 160         |               | ND           | Tested | d-3-Carene        | 160         |               | ND    | Tested |
| Fenchone            | 160         |               | ND           | Tested | trans-b-Ocimene   | 160         |               | ND    | Tested |
| Isopulegol          | 160         |               | ND           | Tested | trans-b-Farnesene | 160         |               | ND    | Tested |
| Camphor             | 160         |               | ND           | Tested | Sabinene Hydrate  | 160         |               | ND    | Tested |

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Cirona Labs

Order No.: ONYCIR0205-0004713  
350 Buell Rd  
Rochester, New York, 14624  
shane@cironalabs.com  
3157770209

Sample: SNYCIR0205-CVAP-0012645

Unit Weight: 1.0000g  
Batch#: V-CA-PH-01-0225, Batch Size: 2000  
Sample Received: 02/05/2025 07:01  
Report Created: 02/10/2025 22:07  
Sampling SOP 204-NY

V-CA-PH-01-0225

Concentrates & Extracts, Vape



## Residual Solvents

SOP 612-NY

Date/Time Tested: 02/06/2025 16:16

Pass

| Analyte                              | LOQ (ug/g) | Limit (ug/g) | ug/g  | Status |
|--------------------------------------|------------|--------------|-------|--------|
| 1,2-Dichloroethane                   | 2          | 5            | ND    | Passed |
| Acetone                              | 42         | 5,000        | < LOQ | Passed |
| Acetonitrile                         | 17         | 410          | ND    | Passed |
| Benzene                              | 2          | 2            | ND    | Passed |
| Butane                               | 42         | 5,000        | < LOQ | Passed |
| Chloroform                           | 2          | 60           | ND    | Passed |
| Ethanol                              | 209        | 5,000        | ND    | Passed |
| Ethyl Acetate                        | 209        | 5,000        | ND    | Passed |
| Ethyl Ether                          | 21         | 5,000        | ND    | Passed |
| DMSO                                 | 105        | 5,000        | ND    | Passed |
| Heptane                              | 21         | 5,000        | < LOQ | Passed |
| Hexanes                              | 6          | 290          | ND    | Passed |
| Isopropyl Alcohol                    | 209        | 5,000        | ND    | Passed |
| Methanol                             | 126        | 3,000        | ND    | Passed |
| Methylene Chloride                   | 3          | 600          | ND    | Passed |
| Pentanes                             | 63         | 5,000        | ND    | Passed |
| Propane                              | 21         | 5,000        | ND    | Passed |
| Toluene                              | 4          | 890          | ND    | Passed |
| Trichloroethane                      | 5,230      | 1,500        | ND    | Passed |
| Xylenes                              | 276        | 2,170        | ND    | Passed |
| 1,1,1,2-Tetrafluoroethane (HFC-134a) | 21         | 1,000        | ND    | Passed |

### Notes:

**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.**

## Mycotoxins

SOP 808-NY


Date/Time Tested: 02/08/2025 13:26

Pass

| Analyte | LOQ (ng/g) | Limit (ng/g) | ng/g | Status | Analyte          | LOQ (ng/g) | Limit (ng/g) | ng/g | Status |
|---------|------------|--------------|------|--------|------------------|------------|--------------|------|--------|
| B1      | 5.0        |              | ND   | Tested | Ochratoxin A     | 5.0        | 20.0         | ND   | Passed |
| B2      | 5.0        |              | ND   | Tested | Total Aflatoxins |            | 20.0         | ND   | Passed |
| G1      | 5.0        |              | ND   | Tested | Total Mycotoxins |            |              | ND   | Tested |
| G2      | 5.0        |              | ND   | Tested |                  |            |              |      |        |

### Notes:

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

**Kimberly Krisolofsky**  
Lead Technical Director



# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

5 of 7

## Cirona Labs

Order No.: ONYCIR0205-0004713  
350 Buell Rd  
Rochester, New York, 14624  
shane@cironalabs.com  
3157770209

Sample: SNYCIR0205-CVAP-0012645

Unit Weight: 1.0000g  
Batch#: V-CA-PH-01-0225, Batch Size: 2000  
Sample Received: 02/05/2025 07:01  
Report Created: 02/10/2025 22:07  
Sampling SOP 204-NY

V-CA-PH-01-0225

Concentrates & Extracts, Vape



## Heavy Metals

SOP 250-NY

Date/Time Tested: 02/07/2025 12:39

Pass

| Analyte  | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|----------|------------|--------------|------|--------|
| Antimony | 0.175      | 2.000        | ND   | Passed |
| Arsenic  | 0.175      | 0.200        | ND   | Passed |
| Cadmium  | 0.175      | 0.200        | ND   | Passed |
| Chromium | 0.175      | 110.000      | ND   | Passed |
| Copper   | 0.210      | 30.000       | ND   | Passed |
| Mercury  | 0.042      | 0.100        | ND   | Passed |
| Nickel   | 0.210      | 2.000        | ND   | Passed |
| Lead     | 0.175      | 0.500        | ND   | Passed |

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

## Cirona Labs

Order No.: ONYCIR0205-0004713  
 350 Buell Rd  
 Rochester, New York, 14624  
 shane@cironalabs.com  
 3157770209

Sample: SNYCIR0205-CVAP-0012645

Unit Weight: 1.0000g  
 Batch#: V-CA-PH-01-0225, Batch Size: 2000  
 Sample Received: 02/05/2025 07:01  
 Report Created: 02/10/2025 22:07  
 Sampling SOP 204-NY

V-CA-PH-01-0225

Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY

Date/Time Tested: 02/08/2025 14:10

Pass

| Analyte               | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|-----------------------|------------|--------------|------|--------|
| Abamectin             | 0.37       | 0.50         | ND   | Passed |
| Acephate              | 0.09       | 0.40         | ND   | Passed |
| Acequinocyl           | 0.09       | 2.00         | ND   | Passed |
| Acetamiprid           | 0.09       | 0.20         | ND   | Passed |
| Aldicarb              | 0.09       | 0.40         | ND   | Passed |
| Azoxystrobin          | 0.09       | 0.20         | ND   | Passed |
| Bifenazate            | 0.09       | 0.20         | ND   | Passed |
| Bifenthrin            | 0.09       | 0.20         | ND   | Passed |
| Boscalid              | 0.09       | 0.40         | ND   | Passed |
| Carbaryl              | 0.09       | 0.20         | ND   | Passed |
| Carbofuran            | 0.09       | 0.20         | ND   | Passed |
| Chlorantraniliprole   | 0.09       | 0.20         | ND   | Passed |
| Chlorpyrifos          | 0.09       | 0.20         | ND   | Passed |
| Clofentezine          | 0.09       | 0.20         | ND   | Passed |
| Coumaphos             | 0.09       | 1.00         | ND   | Passed |
| Cyfluthrin            | 0.47       | 1.00         | ND   | Passed |
| Cypermethrin          | 0.09       | 1.00         | ND   | Passed |
| Daminozide            | 0.09       | 1.00         | ND   | Passed |
| Diazinon              | 0.09       | 0.20         | ND   | Passed |
| Dichlorvos            | 0.09       | 1.00         | ND   | Passed |
| Dimethoate            | 0.09       | 0.20         | ND   | Passed |
| Dimethomorph          | 0.09       | 1.00         | ND   | Passed |
| Ethoprophos           | 0.09       | 0.20         | ND   | Passed |
| Etofenprox            | 0.09       | 0.40         | ND   | Passed |
| Etoxazole             | 0.09       | 0.20         | ND   | Passed |
| Fenhexamid            | 0.09       | 1.00         | ND   | Passed |
| Fenoxycarb            | 0.09       | 0.20         | ND   | Passed |
| Fenpyroximate         | 0.09       | 0.40         | ND   | Passed |
| Fipronil              | 0.09       | 0.40         | ND   | Passed |
| Flonicamid            | 0.09       | 1.00         | ND   | Passed |
| Fludioxonil           | 0.09       | 0.40         | ND   | Passed |
| Hexythiazox           | 0.09       | 1.00         | ND   | Passed |
| Imazalil              | 0.09       | 0.20         | ND   | Passed |
| Imidacloprid          | 0.09       | 0.40         | ND   | Passed |
| Indole-3 Butyric Acid | 0.12       | 1.00         | ND   | Passed |
| Kresoxim Methyl       | 0.09       | 0.40         | ND   | Passed |
| Malathion             | 0.09       | 0.20         | ND   | Passed |
| Mevinphos             | 0.09       | 1.00         | ND   | Passed |
| Metalaxyl             | 0.09       | 0.20         | ND   | Passed |
| Methiocarb            | 0.09       | 0.20         | ND   | Passed |
| Methomyl              | 0.09       | 0.40         | ND   | Passed |



# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

7 of 7

## Cirona Labs

Order No.: ONYCIR0205-0004713  
350 Buell Rd  
Rochester, New York, 14624  
shane@cironalabs.com  
3157770209

## Sample: SNYCIR0205-CVAP-0012645

Unit Weight: 1.0000g  
Batch#: V-CA-PH-01-0225, Batch Size: 2000  
Sample Received: 02/05/2025 07:01  
Report Created: 02/10/2025 22:07  
Sampling SOP 204-NY

## V-CA-PH-01-0225

Concentrates & Extracts, Vape



| Analyte              | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|----------------------|------------|--------------|------|--------|
| MGK-264              | 0.01       | 0.20         | ND   | Passed |
| Myclobutanil         | 0.09       | 0.20         | ND   | Passed |
| Naled                | 0.09       | 0.50         | ND   | Passed |
| Oxamyl               | 0.09       | 1.00         | ND   | Passed |
| Paclobutrazol        | 0.09       | 0.40         | ND   | Passed |
| Permethrin           | 0.09       | 0.20         | ND   | Passed |
| Phosmet              | 0.09       | 0.20         | ND   | Passed |
| Piperonyl Butoxide   | 0.09       | 2.00         | ND   | Passed |
| Prallethrin          | 0.09       | 0.20         | ND   | Passed |
| Propiconazole        | 0.09       | 0.40         | ND   | Passed |
| Propoxur             | 0.09       | 0.20         | ND   | Passed |
| Pyrethrins           | 0.07       | 1.00         | ND   | Passed |
| Pyridaben            | 0.09       | 0.20         | ND   | Passed |
| Spinetoram           | 0.09       | 1.00         | ND   | Passed |
| Spinosyn AD          | 0.09       | 0.20         | ND   | Passed |
| Spiromesifen         | 0.09       | 0.20         | ND   | Passed |
| Spirotetramat        | 0.09       | 0.20         | ND   | Passed |
| Spiroxamine          | 0.09       | 0.20         | ND   | Passed |
| Tebuconazole         | 0.09       | 0.40         | ND   | Passed |
| Thiacloprid          | 0.09       | 0.20         | ND   | Passed |
| Thiamethoxam         | 0.09       | 0.20         | ND   | Passed |
| Trifloxystrobin      | 0.09       | 0.20         | ND   | Passed |
| Captan               |            | 1.00         | TIC  | Passed |
| Methyl Parathion     | 0.09       | 0.20         | ND   | Passed |
| Chlordane            | 0.09       | 1.00         | ND   | Passed |
| Chlorfenapyr         | 0.09       | 1.00         | ND   | Passed |
| PCNB                 | 0.09       | 1.00         | ND   | Passed |
| Azadirachtin         | 0.12       | 1.00         | ND   | Passed |
| Chlormequat Chloride | 0.02       | 1.00         | ND   | Passed |

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.